PERSONAL ANALYTICS · MOBILE WIREFRAMES · MID-FI · V1

Core journey: Overview → Discovery → Evidence → Explore or experiment

All seven screens, plus the discovery evidence view and the metric builder. The mock data is sparse on purpose: 21 days of history, so most findings are preliminary. Shown in the gray band: the analysis-running state on Overview.


Estimate · Likely range (interval). Wider means less certain · No effect · Not recorded (never zero)

1a Overview · **1b** Discoveries · **1c** Discovery evidence

2a Daily log · **2b** Custom metric builder


3a Explore · **3b** Metric detail

4a Experiments · **4b** Settings and data



1a Overview

- Discoveries sit above the metric cards, per the brief.
- The coverage strip shows hatched days as not recorded. It answers “is there enough data?”
- “Log today” opens as a sheet over the current page (2a).
- Mood shows “no baseline yet” instead of an invented comparison.



1b Discoveries

- Evidence is a continuous indicator: the bar shows the likely range, the gray tick marks no effect. A bar that crosses the tick reads as uncertain without a label.
- The default sort is relevance (logged metrics first, then magnitude). It is never sorted by p-value alone.
- “Not enough data” and “No clear relationship” are separate groups.
- Notes findings show counts instead of an interval. That is their own evidence style.


‹ Discoveries Save · ···

PRELIMINARY · 18 DAYS

Your mood tends to be higher on days you run

On the 6 days you ran, your mood averaged 7.6. On the 12 days you didn't, it averaged 6.5. This is an association. It does not show that running causes better mood.

Every logged day Sep 18 – Oct 17




Oct 9 · Mood 7 · 5.2 km run **Open day ›**

Mood 1–10, as you logged it. 12 days with no mood entry are left out. They are not counted as zero.

Estimated difference

+1.1 points



−2 0 · no effect +3

Likely between **+0.2 and +2.0**. With 6 run days, one unusual day can shift this a lot.

Things that could explain this −

Weekends. 4 of your 6 runs were on a Saturday or Sunday. Check ›

Sleep. Nights before runs averaged 24 min longer. Check ›

Data quality +

Method and statistics +

Useful? Yes No Compare: 30d ▾


Open in Explore Track as experiment

Related: Sleep × Humidity

Overview | Discover | Log | Explore | More


1c Discovery: evidence view

- The order follows the brief: plain finding, raw observations, estimate, alternatives, quality, method.
- Every logged day is plotted. Tapping a point shows that day.
- Statistics are collapsed by default. Expanded, they show the method (difference in means), n, the 90% interval, and a robustness check across halves.
- "Check ›" opens Explore with the alternative variable already applied.




2a Daily log: quick entry

- No field is required. A typical entry is mood plus two tags, about 10 seconds.
- “Not recorded” is a visible state. Tapping the selected value again clears it back to not recorded, never to 0.
- Anger intensity is logged as repeated timestamped events. The scale is neutral grayscale, and the user chooses the anchors.
- Relationships are logged as tags (call with dad, argument). Notes stay free text.




2b Custom metric builder

- Each input type swaps the Scale block, for example units for Quantity and options for Category.
- Renaming keeps history attached. Archiving hides the metric from logging but keeps its observations.
- Saving returns to 2a with the new field focused.




3a Explore

- The configuration sticks across chart types and when moving between screens.
- Aligned timelines share an x-axis. Selecting a day highlights it in both charts and opens the detail strip.
- Missing days are hatched in place, never drawn as zero.
- Lag, rolling averages and aggregation live behind “Analysis options”.




3b Metric detail: Sleep duration

- One template for every metric. Logged metrics replace “How this is calculated” with Edit / Archive.
- Provenance tags (Imported, Logged, Derived) appear on every metric everywhere.
- The Metrics library sits under More on mobile.



4a Experiment in progress

- The observational label is always visible. A “Controlled” label is used only if the user commits to a schedule up front (P2).
- The create flow is one step per screen. A step list is shown here for brevity.
- The final summary reuses the evidence indicator from 1c.



4b Settings and data

- A failed sync names the cause and gives the next action. Stale data is flagged on every screen that uses it (see Humidity on 1a).
- Turning off note analysis removes the notes findings and stops processing notes.
- Delete lets the user choose a scope: one metric, a date range, or everything.