


Lipid torsion-drive candidates




QCArchive 150595353 t1
OpenFF Lipid Torsion Drives v4.1
Driven indices (0-based): 0-1-2-3
Atoms: C-C-C-C Formula: C6H12
Heavy atoms: 6 Scan points: 24




QCArchive 150595354 t1
OpenFF Lipid Torsion Drives v4.1
Driven indices (0-based): 0-1-2-3
Atoms: C-C-C-C Formula: C7H14O2
Heavy atoms: 9 Scan points: 24




QCArchive 150595355 t1
OpenFF Lipid Torsion Drives v4.1
Driven indices (0-based): 0-1-2-3
Atoms: C-C-C-C Formula: C7H14O2
Heavy atoms: 9 Scan points: 24




QCArchive 150595356 t1
OpenFF Lipid Torsion Drives v4.1
Driven indices (0-based): 5-6-7-8
Atoms: O-C-C-C Formula: C7H14O2
Heavy atoms: 9 Scan points: 24




QCArchive 150595357 t1
OpenFF Lipid Torsion Drives v4.1
Driven indices (0-based): 0-1-2-3
Atoms: C-C-C-O Formula: C4H10O4P-
Heavy atoms: 9 Scan points: 24




QCArchive 150595358 t1
OpenFF Lipid Torsion Drives v4.1
Driven indices (0-based): 13-0-1-2
Atoms: H-C-C-C Formula: C9H16O4
Heavy atoms: 13 Scan points: 24



QCArchive 150595359 t1
OpenFF Lipid Torsion Drives v4.1
Driven indices (0-based): 4-5-6-7
Atoms: O-C-C-C Formula: C9H16O4
Heavy atoms: 13 Scan points: 24




QCArchive 150595360 t1
OpenFF Lipid Torsion Drives v4.1
Driven indices (0-based): 9-11-12-26
Atoms: C-C-C-H Formula: C9H16O4
Heavy atoms: 13 Scan points: 24




QCArchive 150595363 t1
OpenFF Lipid Torsion Drives v4.1
Driven indices (0-based): 13-0-1-2
Atoms: H-C-C-C Formula: C9H16O4
Heavy atoms: 13 Scan points: 24


Lipid torsion-drive candidates




QCArchive 150595364 t1
OpenFF Lipid Torsion Drives v4.1
Driven indices (0-based): 4-5-6-7
Atoms: O-C-C-C Formula: C9H16O4
Heavy atoms: 13 Scan points: 24




QCArchive 150595365 t1
OpenFF Lipid Torsion Drives v4.1
Driven indices (0-based): 9-11-12-26
Atoms: C-C-C-H Formula: C9H16O4
Heavy atoms: 13 Scan points: 24




QCArchive 150595368 t1
OpenFF Lipid Torsion Drives v4.1
Driven indices (0-based): 19-0-1-2
Atoms: H-C-C-C Formula: C10H18O8P-
Heavy atoms: 19 Scan points: 24




QCArchive 150595369 t1
OpenFF Lipid Torsion Drives v4.1
Driven indices (0-based): 4-5-6-7
Atoms: O-C-C-C Formula: C10H18O8P-
Heavy atoms: 19 Scan points: 24




QCArchive 150595370 t1
OpenFF Lipid Torsion Drives v4.1
Driven indices (0-based): 5-6-7-8
Atoms: C-C-C-O Formula: C10H18O8P-
Heavy atoms: 19 Scan points: 24




QCArchive 150595371 t1
OpenFF Lipid Torsion Drives v4.1
Driven indices (0-based): 15-17-18-34
Atoms: C-C-C-H Formula: C10H18O8P-
Heavy atoms: 19 Scan points: 24



QCArchive 150595374 t1
OpenFF Lipid Torsion Drives v4.1
Driven indices (0-based): 19-0-1-2
Atoms: H-C-C-C Formula: C10H18O8P-
Heavy atoms: 19 Scan points: 24




QCArchive 150595375 t1
OpenFF Lipid Torsion Drives v4.1
Driven indices (0-based): 4-5-6-7
Atoms: O-C-C-C Formula: C10H18O8P-
Heavy atoms: 19 Scan points: 24




QCArchive 150595376 t1
OpenFF Lipid Torsion Drives v4.1
Driven indices (0-based): 5-6-7-8
Atoms: C-C-C-O Formula: C10H18O8P-
Heavy atoms: 19 Scan points: 24


Lipid torsion-drive candidates




QCArchive 150595377 t1
OpenFF Lipid Torsion Drives v4.1
Driven indices (0-based): 15-17-18-34
Atoms: C-C-C-H Formula: C10H18O8P-
Heavy atoms: 19 Scan points: 24




QCArchive 146649918 t107
OpenFF Lipid Torsion Drives v4.0
Driven indices (0-based): 1-4-6-7
Atoms: C-C-O-C Formula: C3H6O2
Heavy atoms: 5 Scan points: 24




QCArchive 146649931 t107
OpenFF Lipid Torsion Drives v4.0
Driven indices (0-based): 7-10-12-13
Atoms: C-C-O-C Formula: C7H14O2
Heavy atoms: 9 Scan points: 24




QCArchive 146649935 t107
OpenFF Lipid Torsion Drives v4.0
Driven indices (0-based): 7-10-12-13
Atoms: C-C-O-C Formula: C7H14O2
Heavy atoms: 9 Scan points: 24




QCArchive 146649993 t107
OpenFF Lipid Torsion Drives v4.0
Driven indices (0-based): 31-34-36-37
Atoms: C-C-O-C Formula: C13H26O2
Heavy atoms: 15 Scan points: 24




QCArchive 146649946 t110
OpenFF Lipid Torsion Drives v4.0
Driven indices (0-based): 1-19-20-21
Atoms: C-O-C-O Formula: C9H16O4
Heavy atoms: 13 Scan points: 24



QCArchive 146649948 t110
OpenFF Lipid Torsion Drives v4.0
Driven indices (0-based): 6-9-10-11
Atoms: C-O-C-O Formula: C9H16O4
Heavy atoms: 13 Scan points: 24




QCArchive 146649954 t110
OpenFF Lipid Torsion Drives v4.0
Driven indices (0-based): 1-19-20-21
Atoms: C-O-C-O Formula: C9H16O4
Heavy atoms: 13 Scan points: 24




QCArchive 146649956 t110
OpenFF Lipid Torsion Drives v4.0
Driven indices (0-based): 6-9-10-11
Atoms: C-O-C-O Formula: C9H16O4
Heavy atoms: 13 Scan points: 24


Lipid torsion-drive candidates




QCArchive 146649964 t110
OpenFF Lipid Torsion Drives v4.0
Driven indices (0-based): 1-27-28-29
Atoms: C-O-C-O Formula: C10H18O8P-
Heavy atoms: 19 Scan points: 24




QCArchive 146649965 t110
OpenFF Lipid Torsion Drives v4.0
Driven indices (0-based): 2-5-6-7
Atoms: C-O-C-O Formula: C10H18O8P-
Heavy atoms: 19 Scan points: 24




QCArchive 146649976 t110
OpenFF Lipid Torsion Drives v4.0
Driven indices (0-based): 1-27-28-29
Atoms: C-O-C-O Formula: C10H18O8P-
Heavy atoms: 19 Scan points: 24




QCArchive 146649977 t110
OpenFF Lipid Torsion Drives v4.0
Driven indices (0-based): 2-5-6-7
Atoms: C-O-C-O Formula: C10H18O8P-
Heavy atoms: 19 Scan points: 24




QCArchive 146649921 t159
OpenFF Lipid Torsion Drives v4.0
Driven indices (0-based): 1-4-5-6
Atoms: C-O-P-O Formula: C2H6O4P-
Heavy atoms: 7 Scan points: 24




QCArchive 146649940 t159
OpenFF Lipid Torsion Drives v4.0
Driven indices (0-based): 7-10-11-12
Atoms: C-O-P-O Formula: C4H10O4P-
Heavy atoms: 9 Scan points: 24



QCArchive 146649967 t159
OpenFF Lipid Torsion Drives v4.0
Driven indices (0-based): 15-18-19-20
Atoms: C-O-P-O Formula: C10H18O8P-
Heavy atoms: 19 Scan points: 24




QCArchive 146649979 t159
OpenFF Lipid Torsion Drives v4.0
Driven indices (0-based): 15-18-19-20
Atoms: C-O-P-O Formula: C10H18O8P-
Heavy atoms: 19 Scan points: 24




QCArchive 146649941 t160
OpenFF Lipid Torsion Drives v4.0
Driven indices (0-based): 10-11-14-15
Atoms: O-P-O-C Formula: C4H10O4P-
Heavy atoms: 9 Scan points: 24


Lipid torsion-drive candidates




QCArchive 146649968 t160
OpenFF Lipid Torsion Drives v4.0
Driven indices (0-based): 18-19-22-23
Atoms: O-P-O-C Formula: C10H18O8P-
Heavy atoms: 19 Scan points: 24




QCArchive 146649980 t160
OpenFF Lipid Torsion Drives v4.0
Driven indices (0-based): 18-19-22-23
Atoms: O-P-O-C Formula: C10H18O8P-
Heavy atoms: 19 Scan points: 24




QCArchive 146649928 t17
OpenFF Lipid Torsion Drives v4.0
Driven indices (0-based): 0-1-14-15
Atoms: H-C-C-H Formula: C6H12
Heavy atoms: 6 Scan points: 24




QCArchive 146649984 t17
OpenFF Lipid Torsion Drives v4.0
Driven indices (0-based): 0-1-14-15
Atoms: H-C-C-H Formula: C6H12
Heavy atoms: 6 Scan points: 24




QCArchive 146649987 t17
OpenFF Lipid Torsion Drives v4.0
Driven indices (0-based): 0-1-20-21
Atoms: H-C-C-H Formula: C11H22
Heavy atoms: 11 Scan points: 24




QCArchive 146649949 t17
OpenFF Lipid Torsion Drives v4.0
Driven indices (0-based): 9-10-12-13
Atoms: O-C-C-H Formula: C9H16O4
Heavy atoms: 13 Scan points: 24



QCArchive 146649950 t17
OpenFF Lipid Torsion Drives v4.0
Driven indices (0-based): 19-20-22-23
Atoms: O-C-C-H Formula: C9H16O4
Heavy atoms: 13 Scan points: 24




QCArchive 146649957 t17
OpenFF Lipid Torsion Drives v4.0
Driven indices (0-based): 9-10-12-13
Atoms: O-C-C-H Formula: C9H16O4
Heavy atoms: 13 Scan points: 24




QCArchive 146649958 t17
OpenFF Lipid Torsion Drives v4.0
Driven indices (0-based): 19-20-22-23
Atoms: O-C-C-H Formula: C9H16O4
Heavy atoms: 13 Scan points: 24


Lipid torsion-drive candidates




QCArchive 146649990 t17
OpenFF Lipid Torsion Drives v4.0
Driven indices (0-based): 0-1-26-27
Atoms: H-C-C-H Formula: C15H30
Heavy atoms: 15 Scan points: 24




QCArchive 146649966 t17
OpenFF Lipid Torsion Drives v4.0
Driven indices (0-based): 5-6-8-9
Atoms: O-C-C-H Formula: C10H18O8P-
Heavy atoms: 19 Scan points: 24




QCArchive 146649970 t17
OpenFF Lipid Torsion Drives v4.0
Driven indices (0-based): 27-28-30-31
Atoms: O-C-C-H Formula: C10H18O8P-
Heavy atoms: 19 Scan points: 24




QCArchive 146649978 t17
OpenFF Lipid Torsion Drives v4.0
Driven indices (0-based): 5-6-8-9
Atoms: O-C-C-H Formula: C10H18O8P-
Heavy atoms: 19 Scan points: 24




QCArchive 146649982 t17
OpenFF Lipid Torsion Drives v4.0
Driven indices (0-based): 27-28-30-31
Atoms: O-C-C-H Formula: C10H18O8P-
Heavy atoms: 19 Scan points: 24




QCArchive 150595362 t17
OpenFF Lipid Torsion Drives v4.1
Driven indices (0-based): 8-9-11-12
Atoms: O-C-C-C Formula: C9H16O4
Heavy atoms: 13 Scan points: 24



QCArchive 150595367 t17
OpenFF Lipid Torsion Drives v4.1
Driven indices (0-based): 8-9-11-12
Atoms: O-C-C-C Formula: C9H16O4
Heavy atoms: 13 Scan points: 24




QCArchive 150595373 t17
OpenFF Lipid Torsion Drives v4.1
Driven indices (0-based): 14-15-17-18
Atoms: O-C-C-C Formula: C10H18O8P-
Heavy atoms: 19 Scan points: 24




QCArchive 150595379 t17
OpenFF Lipid Torsion Drives v4.1
Driven indices (0-based): 14-15-17-18
Atoms: O-C-C-C Formula: C10H18O8P-
Heavy atoms: 19 Scan points: 24


Lipid torsion-drive candidates




QCArchive 146649929 t18
OpenFF Lipid Torsion Drives v4.0
Driven indices (0-based): 1-2-4-7
Atoms: C-C-C-C Formula: C6H12
Heavy atoms: 6 Scan points: 24



QCArchive 146649985 t18
OpenFF Lipid Torsion Drives v4.0
Driven indices (0-based): 1-2-4-7
Atoms: C-C-C-C Formula: C6H12
Heavy atoms: 6 Scan points: 24




QCArchive 146649930 t18
OpenFF Lipid Torsion Drives v4.0
Driven indices (0-based): 4-7-10-11
Atoms: C-C-C-O Formula: C7H14O2
Heavy atoms: 9 Scan points: 24




QCArchive 146649934 t18
OpenFF Lipid Torsion Drives v4.0
Driven indices (0-based): 4-7-10-11
Atoms: C-C-C-O Formula: C7H14O2
Heavy atoms: 9 Scan points: 24




QCArchive 146649988 t18
OpenFF Lipid Torsion Drives v4.0
Driven indices (0-based): 1-2-4-7
Atoms: C-C-C-C Formula: C11H22
Heavy atoms: 11 Scan points: 24




QCArchive 146649991 t18
OpenFF Lipid Torsion Drives v4.0
Driven indices (0-based): 1-2-4-7
Atoms: C-C-C-C Formula: C15H30
Heavy atoms: 15 Scan points: 24



QCArchive 146649992 t18
OpenFF Lipid Torsion Drives v4.0
Driven indices (0-based): 28-31-34-35
Atoms: C-C-C-O Formula: C13H26O2
Heavy atoms: 15 Scan points: 24




QCArchive 150595361 t18
OpenFF Lipid Torsion Drives v4.1
Driven indices (0-based): 0-1-2-3
Atoms: C-C-C-O Formula: C9H16O4
Heavy atoms: 13 Scan points: 24




QCArchive 150595366 t18
OpenFF Lipid Torsion Drives v4.1
Driven indices (0-based): 0-1-2-3
Atoms: C-C-C-O Formula: C9H16O4
Heavy atoms: 13 Scan points: 24


Lipid torsion-drive candidates




QCArchive 150595372 t18
OpenFF Lipid Torsion Drives v4.1
Driven indices (0-based): 0-1-2-3
Atoms: C-C-C-O Formula: C10H18O8P-
Heavy atoms: 19 Scan points: 24




QCArchive 150595378 t18
OpenFF Lipid Torsion Drives v4.1
Driven indices (0-based): 0-1-2-3
Atoms: C-C-C-O Formula: C10H18O8P-
Heavy atoms: 19 Scan points: 24




QCArchive 146649917 t19
OpenFF Lipid Torsion Drives v4.0
Driven indices (0-based): 0-1-4-5
Atoms: H-C-C-O Formula: C3H6O2
Heavy atoms: 5 Scan points: 24




QCArchive 146649927 t45
OpenFF Lipid Torsion Drives v4.0
Driven indices (0-based): 0-1-2-3
Atoms: H-C-C-H Formula: C6H12
Heavy atoms: 6 Scan points: 13




QCArchive 146649983 t45
OpenFF Lipid Torsion Drives v4.0
Driven indices (0-based): 0-1-2-3
Atoms: H-C-C-H Formula: C6H12
Heavy atoms: 6 Scan points: 13




QCArchive 146649986 t45
OpenFF Lipid Torsion Drives v4.0
Driven indices (0-based): 0-1-2-3
Atoms: H-C-C-H Formula: C11H22
Heavy atoms: 11 Scan points: 13



QCArchive 146649989 t45
OpenFF Lipid Torsion Drives v4.0
Driven indices (0-based): 0-1-2-3
Atoms: H-C-C-H Formula: C15H30
Heavy atoms: 15 Scan points: 13




QCArchive 146649923 t50
OpenFF Lipid Torsion Drives v4.0
Driven indices (0-based): 4-7-8-9
Atoms: C-N-C-H Formula: C5H14N+
Heavy atoms: 6 Scan points: 24




QCArchive 146649924 t50
OpenFF Lipid Torsion Drives v4.0
Driven indices (0-based): 0-1-4-5
Atoms: H-C-N-C Formula: C5H14NO+
Heavy atoms: 7 Scan points: 24


Lipid torsion-drive candidates




QCArchive 146649925 t50
OpenFF Lipid Torsion Drives v4.0
Driven indices (0-based): 1-4-13-14
Atoms: C-N-C-H Formula: C5H14NO+
Heavy atoms: 7 Scan points: 24




QCArchive 146649922 t58
OpenFF Lipid Torsion Drives v4.0
Driven indices (0-based): 1-4-7-8
Atoms: C-C-N-C Formula: C5H14N+
Heavy atoms: 6 Scan points: 24




QCArchive 146649926 t9
OpenFF Lipid Torsion Drives v4.0
Driven indices (0-based): 14-13-16-19
Atoms: H-C-C-O Formula: C5H14NO+
Heavy atoms: 7 Scan points: 24




QCArchive 146649933 t9
OpenFF Lipid Torsion Drives v4.0
Driven indices (0-based): 12-13-15-16
Atoms: O-C-C-H Formula: C7H14O2
Heavy atoms: 9 Scan points: 24




QCArchive 146649937 t9
OpenFF Lipid Torsion Drives v4.0
Driven indices (0-based): 12-13-16-17
Atoms: O-C-C-H Formula: C7H14O2
Heavy atoms: 9 Scan points: 24




QCArchive 146649939 t9
OpenFF Lipid Torsion Drives v4.0
Driven indices (0-based): 5-4-7-10
Atoms: H-C-C-O Formula: C4H10O4P-
Heavy atoms: 9 Scan points: 24



QCArchive 146649943 t9
OpenFF Lipid Torsion Drives v4.0
Driven indices (0-based): 0-1-6-9
Atoms: H-C-C-O Formula: C9H16O4
Heavy atoms: 13 Scan points: 24




QCArchive 146649947 t9
OpenFF Lipid Torsion Drives v4.0
Driven indices (0-based): 19-1-2-3
Atoms: O-C-C-H Formula: C9H16O4
Heavy atoms: 13 Scan points: 24




QCArchive 146649951 t9
OpenFF Lipid Torsion Drives v4.0
Driven indices (0-based): 0-1-6-9
Atoms: H-C-C-O Formula: C9H16O4
Heavy atoms: 13 Scan points: 24


Lipid torsion-drive candidates




QCArchive 146649955 t9
OpenFF Lipid Torsion Drives v4.0
Driven indices (0-based): 19-1-2-3
Atoms: O-C-C-H Formula: C9H16O4
Heavy atoms: 13 Scan points: 24




QCArchive 146649960 t9
OpenFF Lipid Torsion Drives v4.0
Driven indices (0-based): 0-1-15-18
Atoms: H-C-C-O Formula: C10H18O8P-
Heavy atoms: 19 Scan points: 24




QCArchive 146649972 t9
OpenFF Lipid Torsion Drives v4.0
Driven indices (0-based): 0-1-15-18
Atoms: H-C-C-O Formula: C10H18O8P-
Heavy atoms: 19 Scan points: 24




QCArchive 146649919 t95
OpenFF Lipid Torsion Drives v4.0
Driven indices (0-based): 4-6-7-8
Atoms: C-O-C-H Formula: C3H6O2
Heavy atoms: 5 Scan points: 24




QCArchive 146649920 t95
OpenFF Lipid Torsion Drives v4.0
Driven indices (0-based): 0-1-4-5
Atoms: H-C-O-P Formula: C2H6O4P-
Heavy atoms: 7 Scan points: 24




QCArchive 146649932 t95
OpenFF Lipid Torsion Drives v4.0
Driven indices (0-based): 10-12-13-14
Atoms: C-O-C-H Formula: C7H14O2
Heavy atoms: 9 Scan points: 24



QCArchive 146649936 t95
OpenFF Lipid Torsion Drives v4.0
Driven indices (0-based): 10-12-13-14
Atoms: C-O-C-H Formula: C7H14O2
Heavy atoms: 9 Scan points: 24




QCArchive 146649938 t95
OpenFF Lipid Torsion Drives v4.0
Driven indices (0-based): 4-7-10-11
Atoms: C-C-O-P Formula: C4H10O4P-
Heavy atoms: 9 Scan points: 24




QCArchive 146649942 t95
OpenFF Lipid Torsion Drives v4.0
Driven indices (0-based): 11-14-15-16
Atoms: P-O-C-H Formula: C4H10O4P-
Heavy atoms: 9 Scan points: 24


Lipid torsion-drive candidates




QCArchive 146649944 t95
OpenFF Lipid Torsion Drives v4.0
Driven indices (0-based): 0-1-19-20
Atoms: H-C-O-C Formula: C9H16O4
Heavy atoms: 13 Scan points: 24




QCArchive 146649952 t95
OpenFF Lipid Torsion Drives v4.0
Driven indices (0-based): 0-1-19-20
Atoms: H-C-O-C Formula: C9H16O4
Heavy atoms: 13 Scan points: 24




QCArchive 146649994 t95
OpenFF Lipid Torsion Drives v4.0
Driven indices (0-based): 34-36-37-38
Atoms: C-O-C-H Formula: C13H26O2
Heavy atoms: 15 Scan points: 24




QCArchive 146649961 t95
OpenFF Lipid Torsion Drives v4.0
Driven indices (0-based): 0-1-27-28
Atoms: H-C-O-C Formula: C10H18O8P-
Heavy atoms: 19 Scan points: 24




QCArchive 146649963 t95
OpenFF Lipid Torsion Drives v4.0
Driven indices (0-based): 1-15-18-19
Atoms: C-C-O-P Formula: C10H18O8P-
Heavy atoms: 19 Scan points: 24




QCArchive 146649969 t95
OpenFF Lipid Torsion Drives v4.0
Driven indices (0-based): 19-22-23-24
Atoms: P-O-C-H Formula: C10H18O8P-
Heavy atoms: 19 Scan points: 24



QCArchive 146649973 t95
OpenFF Lipid Torsion Drives v4.0
Driven indices (0-based): 0-1-27-28
Atoms: H-C-O-C Formula: C10H18O8P-
Heavy atoms: 19 Scan points: 24




QCArchive 146649975 t95
OpenFF Lipid Torsion Drives v4.0
Driven indices (0-based): 1-15-18-19
Atoms: C-C-O-P Formula: C10H18O8P-
Heavy atoms: 19 Scan points: 24




QCArchive 146649981 t95
OpenFF Lipid Torsion Drives v4.0
Driven indices (0-based): 19-22-23-24
Atoms: P-O-C-H Formula: C10H18O8P-
Heavy atoms: 19 Scan points: 24


Lipid torsion-drive candidates




QCArchive 146649945 t97
OpenFF Lipid Torsion Drives v4.0
Driven indices (0-based): 1-6-9-10
Atoms: C-C-O-C Formula: C9H16O4
Heavy atoms: 13 Scan points: 24



QCArchive 146649953 t97
OpenFF Lipid Torsion Drives v4.0
Driven indices (0-based): 1-6-9-10
Atoms: C-C-O-C Formula: C9H16O4
Heavy atoms: 13 Scan points: 24



QCArchive 146649962 t97
OpenFF Lipid Torsion Drives v4.0
Driven indices (0-based): 1-2-5-6
Atoms: C-C-O-C Formula: C10H18O8P-
Heavy atoms: 19 Scan points: 24



QCArchive 146649974 t97
OpenFF Lipid Torsion Drives v4.0
Driven indices (0-based): 1-2-5-6
Atoms: C-C-O-C Formula: C10H18O8P-
Heavy atoms: 19 Scan points: 24