


Phosphate torsion-drive candidates




QCArchive 137174384 t159
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 0-1-2-5
Atoms: O-P-O-H Formula: H3O2P
Heavy atoms: 3 Scan points: 24




QCArchive 137174383 t159
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 0-1-2-5
Atoms: O-P-O-H Formula: H2O3P-
Heavy atoms: 4 Scan points: 24




QCArchive 137174386 t159
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 0-1-2-5
Atoms: O-P-O-H Formula: HO4P-2
Heavy atoms: 5 Scan points: 24




QCArchive 137174387 t159
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 0-1-2-5
Atoms: O-P-O-H Formula: H3O4P
Heavy atoms: 5 Scan points: 24




QCArchive 137174416 t159
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 6-7-8-15
Atoms: O-P-O-H Formula: C2H8NO4P
Heavy atoms: 8 Scan points: 24




QCArchive 137174385 t159
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 0-1-2-3
Atoms: O-P-O-P Formula: O7P2-4
Heavy atoms: 9 Scan points: 24



QCArchive 137174610 t159
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 0-1-7-9
Atoms: O-P-O-H Formula: HO7P2-3
Heavy atoms: 9 Scan points: 24




QCArchive 137174430 t159
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 5-6-7-8
Atoms: C-O-P-O Formula: C3H7O6P-2
Heavy atoms: 10 Scan points: 24




QCArchive 137174432 t159
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 5-6-7-8
Atoms: C-O-P-O Formula: C3H7O6P-2
Heavy atoms: 10 Scan points: 24


Phosphate torsion-drive candidates




QCArchive 137174444 t159
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 6-7-8-17
Atoms: O-P-O-H Formula: C3H8O6P-
Heavy atoms: 10 Scan points: 24




QCArchive 137174446 t159
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 6-7-8-17
Atoms: O-P-O-H Formula: C3H8O6P-
Heavy atoms: 10 Scan points: 24




QCArchive 137174400 t159
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 5-6-7-8
Atoms: C-O-P-O Formula: C5H13NO4P-
Heavy atoms: 11 Scan points: 24




QCArchive 137174411 t159
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 6-7-8-24
Atoms: O-P-O-H Formula: C5H14NO4P
Heavy atoms: 11 Scan points: 24




QCArchive 137174419 t159
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 9-10-11-12
Atoms: C-O-P-O Formula: C3H6NO6P-2
Heavy atoms: 11 Scan points: 24




QCArchive 137174427 t159
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 9-10-11-12
Atoms: C-O-P-O Formula: C3H7NO6P-
Heavy atoms: 11 Scan points: 24



QCArchive 137174428 t159
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 10-11-13-17
Atoms: O-P-O-H Formula: C3H7NO6P-
Heavy atoms: 11 Scan points: 24




QCArchive 137174605 t159
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 9-12-13-14
Atoms: C-O-P-O Formula: C3H6NO6P-2
Heavy atoms: 11 Scan points: 24




QCArchive 137174422 t159
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 9-10-11-12
Atoms: C-O-P-O Formula: C4H9NO6P-
Heavy atoms: 12 Scan points: 24


Phosphate torsion-drive candidates




QCArchive 137174540 t159
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 0-1-2-3
Atoms: O-P-O-C Formula: C4H8NO6P-2
Heavy atoms: 12 Scan points: 24




QCArchive 137174607 t159
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 9-14-15-16
Atoms: C-O-P-O Formula: C4H8NO6P-2
Heavy atoms: 12 Scan points: 24




QCArchive 137174543 t159
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 0-1-2-3
Atoms: O-P-O-C Formula: C5H11NO6P-
Heavy atoms: 13 Scan points: 24




QCArchive 137174544 t159
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 0-1-11-12
Atoms: O-P-O-C Formula: C5H11NO6P-
Heavy atoms: 13 Scan points: 24




QCArchive 137174474 t159
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 12-13-15-21
Atoms: O-P-O-H Formula: C5H8O8P-
Heavy atoms: 14 Scan points: 24




QCArchive 137174488 t159
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 11-12-13-14
Atoms: C-O-P-O Formula: C5H8O8P-
Heavy atoms: 14 Scan points: 24



QCArchive 137174698 t159
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 7-8-9-10
Atoms: C-O-P-O Formula: C5H9O8P-2
Heavy atoms: 14 Scan points: 24




QCArchive 137174448 t159
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 15-17-18-19
Atoms: C-O-P-O Formula: C6H11O9P-2
Heavy atoms: 16 Scan points: 24




QCArchive 137174455 t159
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 17-18-19-27
Atoms: O-P-O-H Formula: C6H12O9P-
Heavy atoms: 16 Scan points: 24


Phosphate torsion-drive candidates




QCArchive 137174461 t159
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 9-10-11-12
Atoms: C-O-P-O Formula: C7H11O8P-2
Heavy atoms: 16 Scan points: 24




QCArchive 137174492 t159
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 11-12-13-14
Atoms: C-O-P-O Formula: C7H12O8P-
Heavy atoms: 16 Scan points: 24




QCArchive 137174493 t159
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 12-13-15-27
Atoms: O-P-O-H Formula: C7H12O8P-
Heavy atoms: 16 Scan points: 24




QCArchive 137174608 t159
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 14-15-16-17
Atoms: C-O-P-O Formula: C9H10NO6P-2
Heavy atoms: 17 Scan points: 24




QCArchive 137174637 t159
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 4-5-6-7
Atoms: C-O-P-O Formula: C7H13O9P-2
Heavy atoms: 17 Scan points: 24




QCArchive 137174536 t159
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 19-0-1-2
Atoms: H-O-P-O Formula: C9H16O8P-
Heavy atoms: 18 Scan points: 24



QCArchive 137174568 t159
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 15-16-17-18
Atoms: C-O-P-O Formula: C10H11N5O6P-
Heavy atoms: 22 Scan points: 16




QCArchive 137174571 t159
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 18-17-23-22
Atoms: O-P-O-C Formula: C10H11N5O6P-
Heavy atoms: 22 Scan points: 18




QCArchive 137174626 t159
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 7-8-9-10
Atoms: C-O-P-O Formula: C5H8O14P3-5
Heavy atoms: 22 Scan points: 24


Phosphate torsion-drive candidates




QCArchive 137174517 t159
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 0-1-2-3
Atoms: O-P-O-C Formula: C12H22O10P-
Heavy atoms: 23 Scan points: 24




QCArchive 137174518 t159
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 0-1-9-10
Atoms: O-P-O-C Formula: C12H22O10P-
Heavy atoms: 23 Scan points: 24




QCArchive 137174523 t159
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 0-1-2-3
Atoms: O-P-O-C Formula: C12H22O10P-
Heavy atoms: 23 Scan points: 24




QCArchive 137174524 t159
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 0-1-9-10
Atoms: O-P-O-C Formula: C12H22O10P-
Heavy atoms: 23 Scan points: 24




QCArchive 137174557 t159
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 19-20-21-22
Atoms: C-O-P-O Formula: C10H12N5O7P-2
Heavy atoms: 23 Scan points: 24




QCArchive 137174510 t159
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 0-1-2-3
Atoms: O-P-O-C Formula: C12H21NO10P-
Heavy atoms: 24 Scan points: 24



QCArchive 137174511 t159
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 0-1-10-11
Atoms: O-P-O-C Formula: C12H21NO10P-
Heavy atoms: 24 Scan points: 24




QCArchive 137174633 t159
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 12-13-14-15
Atoms: O-P-O-P Formula: C12H16N4O7P2S-2
Heavy atoms: 26 Scan points: 24




QCArchive 137174529 t159
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 0-1-2-3
Atoms: O-P-O-C Formula: C15H26O13P-
Heavy atoms: 29 Scan points: 24


Phosphate torsion-drive candidates




QCArchive 137174530 t159
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 0-1-20-21
Atoms: O-P-O-C Formula: C15H26O13P-
Heavy atoms: 29 Scan points: 24




QCArchive 137174554 t159
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 22-23-24-25
Atoms: O-P-O-P Formula: C10H12N5O13P3-4
Heavy atoms: 31 Scan points: 24




QCArchive 137174689 t159
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 15-16-17-18
Atoms: C-O-P-O Formula: C11H14N5O13P3-4
Heavy atoms: 32 Scan points: 24




QCArchive 137174693 t159
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 25-26-27-28
Atoms: P-O-P-O Formula: C11H14N5O13P3-4
Heavy atoms: 32 Scan points: 24




QCArchive 137174584 t159
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 29-30-31-32
Atoms: C-O-P-O Formula: C14H26O16P3-3
Heavy atoms: 33 Scan points: 24




QCArchive 137174415 t160
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 5-6-7-8
Atoms: C-O-P-O Formula: C2H8NO4P
Heavy atoms: 8 Scan points: 24



QCArchive 137174395 t160
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 5-6-7-8
Atoms: C-O-P-O Formula: C3H10NO4P
Heavy atoms: 9 Scan points: 24




QCArchive 137174396 t160
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 6-7-8-9
Atoms: O-P-O-C Formula: C3H10NO4P
Heavy atoms: 9 Scan points: 24




QCArchive 137174439 t160
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 5-6-7-8
Atoms: C-O-P-O Formula: C3H8O6P-
Heavy atoms: 10 Scan points: 24


Phosphate torsion-drive candidates




QCArchive 137174443 t160
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 5-6-7-8
Atoms: C-O-P-O Formula: C3H8O6P-
Heavy atoms: 10 Scan points: 24




QCArchive 137174410 t160
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 5-6-7-8
Atoms: C-O-P-O Formula: C5H14NO4P
Heavy atoms: 11 Scan points: 24




QCArchive 137174434 t160
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 5-6-7-8
Atoms: C-O-P-O Formula: C4H10O6P-
Heavy atoms: 11 Scan points: 24




QCArchive 137174435 t160
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 6-7-8-9
Atoms: O-P-O-C Formula: C4H10O6P-
Heavy atoms: 11 Scan points: 24




QCArchive 137174438 t160
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 5-6-7-8
Atoms: C-O-P-O Formula: C4H10O6P-
Heavy atoms: 11 Scan points: 24




QCArchive 137174440 t160
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 6-7-8-9
Atoms: O-P-O-C Formula: C4H10O6P-
Heavy atoms: 11 Scan points: 24



QCArchive 137174404 t160
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 5-6-7-8
Atoms: C-O-P-O Formula: C6H16NO4P
Heavy atoms: 12 Scan points: 24




QCArchive 137174405 t160
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 6-7-8-9
Atoms: O-P-O-C Formula: C6H16NO4P
Heavy atoms: 12 Scan points: 24




QCArchive 137174423 t160
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 10-11-13-14
Atoms: O-P-O-C Formula: C4H9NO6P-
Heavy atoms: 12 Scan points: 24


Phosphate torsion-drive candidates




QCArchive 137174463 t160
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 8-9-10-11
Atoms: C-O-P-O Formula: C7H15NO6P-
Heavy atoms: 15 Scan points: 24




QCArchive 137174464 t160
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 9-10-11-12
Atoms: O-P-O-C Formula: C7H15NO6P-
Heavy atoms: 15 Scan points: 24




QCArchive 137174454 t160
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 15-17-18-19
Atoms: C-O-P-O Formula: C6H12O9P-
Heavy atoms: 16 Scan points: 24




QCArchive 137174450 t160
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 15-17-18-19
Atoms: C-O-P-O Formula: C7H14O9P-
Heavy atoms: 17 Scan points: 24




QCArchive 137174451 t160
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 17-18-19-20
Atoms: O-P-O-C Formula: C7H14O9P-
Heavy atoms: 17 Scan points: 24




QCArchive 137174476 t160
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 9-10-11-12
Atoms: C-O-P-O Formula: C8H14O8P-
Heavy atoms: 17 Scan points: 24



QCArchive 137174477 t160
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 10-11-12-13
Atoms: O-P-O-C Formula: C8H14O8P-
Heavy atoms: 17 Scan points: 24




QCArchive 137174482 t160
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 16-18-19-20
Atoms: C-O-P-O Formula: C8H16O9P-
Heavy atoms: 18 Scan points: 24




QCArchive 137174483 t160
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 18-19-20-21
Atoms: O-P-O-C Formula: C8H16O9P-
Heavy atoms: 18 Scan points: 24


Phosphate torsion-drive candidates




QCArchive 137174534 t160
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 0-1-2-3
Atoms: O-P-O-C Formula: C9H16O8P-
Heavy atoms: 18 Scan points: 24




QCArchive 137174469 t160
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 10-11-12-13
Atoms: C-O-P-O Formula: C10H18O8P-
Heavy atoms: 19 Scan points: 24




QCArchive 137174470 t160
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 11-12-13-14
Atoms: O-P-O-C Formula: C10H18O8P-
Heavy atoms: 19 Scan points: 24




QCArchive 137174505 t160
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 5-6-7-8
Atoms: C-O-P-O Formula: C11H22NO8P
Heavy atoms: 21 Scan points: 24




QCArchive 137174506 t160
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 6-7-8-9
Atoms: O-P-O-C Formula: C11H22NO8P
Heavy atoms: 21 Scan points: 24




QCArchive 137174628 t160
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 15-17-18-19
Atoms: C-O-P-O Formula: C5H8O14P3-5
Heavy atoms: 22 Scan points: 24



QCArchive 137174497 t160
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 5-6-7-8
Atoms: C-O-P-O Formula: C14H28NO8P
Heavy atoms: 24 Scan points: 24




QCArchive 137174632 t160
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 11-12-13-14
Atoms: C-O-P-O Formula: C12H16N4O7P2S-2
Heavy atoms: 26 Scan points: 24




QCArchive 137174560 t160
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 19-20-21-22
Atoms: C-O-P-O Formula: C10H12N5O10P2-3
Heavy atoms: 27 Scan points: 24


Phosphate torsion-drive candidates




QCArchive 137174595 t160
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 16-18-19-20
Atoms: C-O-P-O Formula: C14H26O14P3-3
Heavy atoms: 31 Scan points: 24




QCArchive 137174573 t160
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 3-5-6-7
Atoms: C-O-P-O Formula: C14H26O16P3-3
Heavy atoms: 33 Scan points: 24




QCArchive 137174574 t160
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 5-6-7-8
Atoms: O-P-O-C Formula: C14H26O16P3-3
Heavy atoms: 33 Scan points: 24




QCArchive 137174579 t160
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 18-20-21-22
Atoms: C-O-P-O Formula: C14H26O16P3-3
Heavy atoms: 33 Scan points: 24




QCArchive 137174580 t160
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 20-21-22-23
Atoms: O-P-O-C Formula: C14H26O16P3-3
Heavy atoms: 33 Scan points: 24




QCArchive 137174585 t160
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 30-31-33-34
Atoms: O-P-O-C Formula: C14H26O16P3-3
Heavy atoms: 33 Scan points: 24



QCArchive 137174641 t160
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 19-20-21-22
Atoms: C-O-P-O Formula: C21H27N7O14P2-2
Heavy atoms: 44 Scan points: 24




QCArchive 137174644 t160
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 22-23-24-25
Atoms: O-P-O-C Formula: C21H27N7O14P2-2
Heavy atoms: 44 Scan points: 24




QCArchive 137174651 t160
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 19-20-21-22
Atoms: C-O-P-O Formula: C21H26N7O14P2-
Heavy atoms: 44 Scan points: 24


Phosphate torsion-drive candidates




QCArchive 137174654 t160
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 22-23-24-25
Atoms: O-P-O-C Formula: C21H26N7O14P2-
Heavy atoms: 44 Scan points: 24




QCArchive 137174388 t50
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 0-1-4-5
Atoms: H-N-C-C Formula: C2H7NO4P-
Heavy atoms: 8 Scan points: 24




QCArchive 137174413 t50
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 0-1-4-5
Atoms: H-N-C-C Formula: C2H8NO4P
Heavy atoms: 8 Scan points: 24




QCArchive 137174393 t50
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 0-1-4-5
Atoms: H-N-C-C Formula: C3H10NO4P
Heavy atoms: 9 Scan points: 24




QCArchive 137174397 t50
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 0-1-2-14
Atoms: C-N-C-H Formula: C5H13NO4P-
Heavy atoms: 11 Scan points: 24




QCArchive 137174398 t50
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 0-1-4-20
Atoms: C-N-C-H Formula: C5H13NO4P-
Heavy atoms: 11 Scan points: 24



QCArchive 137174407 t50
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 0-1-2-14
Atoms: C-N-C-H Formula: C5H14NO4P
Heavy atoms: 11 Scan points: 24




QCArchive 137174408 t50
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 0-1-4-20
Atoms: C-N-C-H Formula: C5H14NO4P
Heavy atoms: 11 Scan points: 24




QCArchive 137174417 t50
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 1-3-4-5
Atoms: C-C-N-H Formula: C3H6NO6P-2
Heavy atoms: 11 Scan points: 24


Phosphate torsion-drive candidates




QCArchive 137174425 t50
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 1-3-4-5
Atoms: C-C-N-H Formula: C3H7NO6P-
Heavy atoms: 11 Scan points: 24




QCArchive 137174401 t50
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 0-1-2-15
Atoms: C-N-C-H Formula: C6H16NO4P
Heavy atoms: 12 Scan points: 24




QCArchive 137174402 t50
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 0-1-4-21
Atoms: C-N-C-H Formula: C6H16NO4P
Heavy atoms: 12 Scan points: 24




QCArchive 137174420 t50
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 1-3-4-5
Atoms: C-C-N-H Formula: C4H9NO6P-
Heavy atoms: 12 Scan points: 24




QCArchive 137174502 t50
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 0-1-4-5
Atoms: H-N-C-C Formula: C11H22NO8P
Heavy atoms: 21 Scan points: 24




QCArchive 137174494 t50
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 0-1-2-28
Atoms: C-N-C-H Formula: C14H28NO8P
Heavy atoms: 24 Scan points: 24



QCArchive 137174495 t50
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 0-1-4-34
Atoms: C-N-C-H Formula: C14H28NO8P
Heavy atoms: 24 Scan points: 24




QCArchive 137174514 t50
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 3-4-5-28
Atoms: C-C-N-H Formula: C12H21NO10P-
Heavy atoms: 24 Scan points: 24




QCArchive 137174414 t95
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 4-5-6-7
Atoms: C-C-O-P Formula: C2H8NO4P
Heavy atoms: 8 Scan points: 24


Phosphate torsion-drive candidates




QCArchive 137174394 t95
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 4-5-6-7
Atoms: C-C-O-P Formula: C3H10NO4P
Heavy atoms: 9 Scan points: 24




QCArchive 137174412 t95
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 7-8-9-16
Atoms: P-O-C-H Formula: C3H10NO4P
Heavy atoms: 9 Scan points: 24




QCArchive 137174391 t95
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 1-2-3-11
Atoms: C-O-C-H Formula: C5H8O5
Heavy atoms: 10 Scan points: 24




QCArchive 137174392 t95
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 13-4-5-6
Atoms: H-C-O-C Formula: C5H8O5
Heavy atoms: 10 Scan points: 24




QCArchive 137174429 t95
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 2-5-6-7
Atoms: C-C-O-P Formula: C3H7O6P-2
Heavy atoms: 10 Scan points: 24




QCArchive 137174431 t95
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 2-5-6-7
Atoms: C-C-O-P Formula: C3H7O6P-2
Heavy atoms: 10 Scan points: 24



QCArchive 137174442 t95
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 2-5-6-7
Atoms: C-C-O-P Formula: C3H8O6P-
Heavy atoms: 10 Scan points: 24




QCArchive 137174445 t95
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 2-5-6-7
Atoms: C-C-O-P Formula: C3H8O6P-
Heavy atoms: 10 Scan points: 24




QCArchive 137174539 t95
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 6-7-8-22
Atoms: C-O-C-H Formula: C7H15NO2
Heavy atoms: 10 Scan points: 24


Phosphate torsion-drive candidates




QCArchive 137174399 t95
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 4-5-6-7
Atoms: C-C-O-P Formula: C5H13NO4P-
Heavy atoms: 11 Scan points: 24




QCArchive 137174409 t95
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 4-5-6-7
Atoms: C-C-O-P Formula: C5H14NO4P
Heavy atoms: 11 Scan points: 24




QCArchive 137174426 t95
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 3-9-10-11
Atoms: C-C-O-P Formula: C3H7NO6P-
Heavy atoms: 11 Scan points: 24




QCArchive 137174433 t95
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 2-5-6-7
Atoms: C-C-O-P Formula: C4H10O6P-
Heavy atoms: 11 Scan points: 24




QCArchive 137174436 t95
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 7-8-9-18
Atoms: P-O-C-H Formula: C4H10O6P-
Heavy atoms: 11 Scan points: 24




QCArchive 137174437 t95
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 2-5-6-7
Atoms: C-C-O-P Formula: C4H10O6P-
Heavy atoms: 11 Scan points: 24



QCArchive 137174441 t95
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 7-8-9-18
Atoms: P-O-C-H Formula: C4H10O6P-
Heavy atoms: 11 Scan points: 24




QCArchive 137174604 t95
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 4-9-12-13
Atoms: C-C-O-P Formula: C3H6NO6P-2
Heavy atoms: 11 Scan points: 24




QCArchive 137174403 t95
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 4-5-6-7
Atoms: C-C-O-P Formula: C6H16NO4P
Heavy atoms: 12 Scan points: 24


Phosphate torsion-drive candidates




QCArchive 137174406 t95
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 7-8-9-25
Atoms: P-O-C-H Formula: C6H16NO4P
Heavy atoms: 12 Scan points: 24




QCArchive 137174421 t95
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 3-9-10-11
Atoms: C-C-O-P Formula: C4H9NO6P-
Heavy atoms: 12 Scan points: 24




QCArchive 137174424 t95
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 11-13-14-18
Atoms: P-O-C-H Formula: C4H9NO6P-
Heavy atoms: 12 Scan points: 24




QCArchive 137174456 t95
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 1-2-3-11
Atoms: C-O-C-H Formula: C7H12O5
Heavy atoms: 12 Scan points: 24




QCArchive 137174457 t95
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 16-4-5-6
Atoms: H-C-O-C Formula: C7H12O5
Heavy atoms: 12 Scan points: 24




QCArchive 137174541 t95
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 1-2-3-4
Atoms: P-O-C-C Formula: C4H8NO6P-2
Heavy atoms: 12 Scan points: 24



QCArchive 137174542 t95
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 6-7-8-17
Atoms: C-O-C-H Formula: C4H8NO6P-2
Heavy atoms: 12 Scan points: 24




QCArchive 137174545 t95
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 1-2-3-4
Atoms: P-O-C-C Formula: C5H11NO6P-
Heavy atoms: 13 Scan points: 24




QCArchive 137174546 t95
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 1-11-12-21
Atoms: P-O-C-H Formula: C5H11NO6P-
Heavy atoms: 13 Scan points: 24


Phosphate torsion-drive candidates




QCArchive 137174547 t95
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 6-7-8-18
Atoms: C-O-C-H Formula: C5H11NO6P-
Heavy atoms: 13 Scan points: 24




QCArchive 137174485 t95
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 0-1-7-8
Atoms: H-C-O-C Formula: C5H8O8P-
Heavy atoms: 14 Scan points: 24




QCArchive 137174486 t95
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 1-11-12-13
Atoms: C-C-O-P Formula: C5H8O8P-
Heavy atoms: 14 Scan points: 24




QCArchive 137174487 t95
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 17-2-3-4
Atoms: H-C-O-C Formula: C5H8O8P-
Heavy atoms: 14 Scan points: 24




QCArchive 137174696 t95
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 6-7-8-9
Atoms: C-C-O-P Formula: C5H9O8P-2
Heavy atoms: 14 Scan points: 24




QCArchive 137174697 t95
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 6-14-15-16
Atoms: C-O-C-H Formula: C5H9O8P-2
Heavy atoms: 14 Scan points: 15



QCArchive 137174699 t95
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 13-6-14-15
Atoms: H-C-O-C Formula: C5H9O8P-2
Heavy atoms: 14 Scan points: 16




QCArchive 137174462 t95
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 3-8-9-10
Atoms: C-C-O-P Formula: C7H15NO6P-
Heavy atoms: 15 Scan points: 24




QCArchive 137174465 t95
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 10-11-12-27
Atoms: P-O-C-H Formula: C7H15NO6P-
Heavy atoms: 15 Scan points: 24


Phosphate torsion-drive candidates




QCArchive 137174447 t95
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 8-15-17-18
Atoms: C-C-O-P Formula: C6H11O9P-2
Heavy atoms: 16 Scan points: 24




QCArchive 137174453 t95
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 8-15-17-18
Atoms: C-C-O-P Formula: C6H12O9P-
Heavy atoms: 16 Scan points: 24




QCArchive 137174458 t95
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 1-2-3-15
Atoms: C-O-C-H Formula: C7H11O8P-2
Heavy atoms: 16 Scan points: 24




QCArchive 137174459 t95
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 3-9-10-11
Atoms: C-C-O-P Formula: C7H11O8P-2
Heavy atoms: 16 Scan points: 24




QCArchive 137174460 t95
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 20-4-5-6
Atoms: H-C-O-C Formula: C7H11O8P-2
Heavy atoms: 16 Scan points: 24




QCArchive 137174489 t95
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 0-1-7-8
Atoms: H-C-O-C Formula: C7H12O8P-
Heavy atoms: 16 Scan points: 24



QCArchive 137174490 t95
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 1-11-12-13
Atoms: C-C-O-P Formula: C7H12O8P-
Heavy atoms: 16 Scan points: 24




QCArchive 137174491 t95
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 17-2-3-4
Atoms: H-C-O-C Formula: C7H12O8P-
Heavy atoms: 16 Scan points: 24




QCArchive 137174449 t95
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 8-15-17-18
Atoms: C-C-O-P Formula: C7H14O9P-
Heavy atoms: 17 Scan points: 24


Phosphate torsion-drive candidates




QCArchive 137174452 t95
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 18-19-20-28
Atoms: P-O-C-H Formula: C7H14O9P-
Heavy atoms: 17 Scan points: 24




QCArchive 137174472 t95
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 1-2-3-16
Atoms: C-O-C-H Formula: C8H14O8P-
Heavy atoms: 17 Scan points: 24




QCArchive 137174473 t95
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 3-9-10-11
Atoms: C-C-O-P Formula: C8H14O8P-
Heavy atoms: 17 Scan points: 24




QCArchive 137174475 t95
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 21-4-5-6
Atoms: H-C-O-C Formula: C8H14O8P-
Heavy atoms: 17 Scan points: 24




QCArchive 137174478 t95
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 11-12-13-28
Atoms: P-O-C-H Formula: C8H14O8P-
Heavy atoms: 17 Scan points: 24




QCArchive 137174635 t95
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 3-4-5-6
Atoms: C-C-O-P Formula: C7H13O9P-2
Heavy atoms: 17 Scan points: 24



QCArchive 137174636 t95
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 3-11-12-13
Atoms: C-O-C-H Formula: C7H13O9P-2
Heavy atoms: 17 Scan points: 20




QCArchive 137174479 t95
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 8-10-11-26
Atoms: C-O-C-H Formula: C8H16O9P-
Heavy atoms: 18 Scan points: 24




QCArchive 137174480 t95
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 8-16-18-19
Atoms: C-C-O-P Formula: C8H16O9P-
Heavy atoms: 18 Scan points: 24


Phosphate torsion-drive candidates




QCArchive 137174481 t95
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 9-8-10-11
Atoms: H-C-O-C Formula: C8H16O9P-
Heavy atoms: 18 Scan points: 24




QCArchive 137174484 t95
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 19-20-21-31
Atoms: P-O-C-H Formula: C8H16O9P-
Heavy atoms: 18 Scan points: 24




QCArchive 137174535 t95
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 1-2-3-4
Atoms: P-O-C-C Formula: C9H16O8P-
Heavy atoms: 18 Scan points: 24




QCArchive 137174537 t95
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 10-4-5-6
Atoms: H-C-O-C Formula: C9H16O8P-
Heavy atoms: 18 Scan points: 24




QCArchive 137174538 t95
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 27-11-12-13
Atoms: H-C-O-C Formula: C9H16O8P-
Heavy atoms: 18 Scan points: 24




QCArchive 137174466 t95
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 1-2-3-20
Atoms: C-O-C-H Formula: C10H18O8P-
Heavy atoms: 19 Scan points: 24



QCArchive 137174467 t95
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 4-10-11-12
Atoms: C-C-O-P Formula: C10H18O8P-
Heavy atoms: 19 Scan points: 24




QCArchive 137174468 t95
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 17-4-5-6
Atoms: H-C-O-C Formula: C10H18O8P-
Heavy atoms: 19 Scan points: 24




QCArchive 137174471 t95
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 12-13-14-29
Atoms: P-O-C-H Formula: C10H18O8P-
Heavy atoms: 19 Scan points: 24


Phosphate torsion-drive candidates




QCArchive 137174504 t95
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 4-5-6-7
Atoms: C-C-O-P Formula: C11H22NO8P
Heavy atoms: 21 Scan points: 24




QCArchive 137174507 t95
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 7-8-9-10
Atoms: P-O-C-C Formula: C11H22NO8P
Heavy atoms: 21 Scan points: 24




QCArchive 137174508 t95
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 16-10-11-12
Atoms: H-C-O-C Formula: C11H22NO8P
Heavy atoms: 21 Scan points: 24




QCArchive 137174509 t95
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 36-17-18-19
Atoms: H-C-O-C Formula: C11H22NO8P
Heavy atoms: 21 Scan points: 24




QCArchive 137174566 t95
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 24-21-25-10
Atoms: H-C-O-C Formula: C10H11N5O6P-
Heavy atoms: 22 Scan points: 13




QCArchive 137174567 t95
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 11-10-25-21
Atoms: H-C-O-C Formula: C10H11N5O6P-
Heavy atoms: 22 Scan points: 14



QCArchive 137174569 t95
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 20-15-16-17
Atoms: H-C-O-P Formula: C10H11N5O6P-
Heavy atoms: 22 Scan points: 15




QCArchive 137174570 t95
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 31-22-23-17
Atoms: H-C-O-P Formula: C10H11N5O6P-
Heavy atoms: 22 Scan points: 19




QCArchive 137174623 t95
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 1-15-17-18
Atoms: C-C-O-P Formula: C5H8O14P3-5
Heavy atoms: 22 Scan points: 24


Phosphate torsion-drive candidates




QCArchive 137174624 t95
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 6-7-8-9
Atoms: C-C-O-P Formula: C5H8O14P3-5
Heavy atoms: 22 Scan points: 24




QCArchive 137174625 t95
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 6-14-15-16
Atoms: C-O-C-H Formula: C5H8O14P3-5
Heavy atoms: 22 Scan points: 15




QCArchive 137174627 t95
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 13-6-14-15
Atoms: H-C-O-C Formula: C5H8O14P3-5
Heavy atoms: 22 Scan points: 14




QCArchive 137174519 t95
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 1-2-3-4
Atoms: P-O-C-C Formula: C12H22O10P-
Heavy atoms: 23 Scan points: 24




QCArchive 137174520 t95
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 1-9-10-11
Atoms: P-O-C-C Formula: C12H22O10P-
Heavy atoms: 23 Scan points: 24




QCArchive 137174521 t95
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 17-11-12-13
Atoms: H-C-O-C Formula: C12H22O10P-
Heavy atoms: 23 Scan points: 24



QCArchive 137174522 t95
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 38-18-19-20
Atoms: H-C-O-C Formula: C12H22O10P-
Heavy atoms: 23 Scan points: 24




QCArchive 137174525 t95
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 1-2-3-4
Atoms: P-O-C-C Formula: C12H22O10P-
Heavy atoms: 23 Scan points: 24




QCArchive 137174526 t95
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 1-9-10-11
Atoms: P-O-C-C Formula: C12H22O10P-
Heavy atoms: 23 Scan points: 24


Phosphate torsion-drive candidates




QCArchive 137174527 t95
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 17-11-12-13
Atoms: H-C-O-C Formula: C12H22O10P-
Heavy atoms: 23 Scan points: 24




QCArchive 137174528 t95
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 38-18-19-20
Atoms: H-C-O-C Formula: C12H22O10P-
Heavy atoms: 23 Scan points: 24




QCArchive 137174563 t95
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 25-18-26-10
Atoms: H-C-O-C Formula: C10H12N5O7P-2
Heavy atoms: 23 Scan points: 15




QCArchive 137174564 t95
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 11-10-26-18
Atoms: H-C-O-C Formula: C10H12N5O7P-2
Heavy atoms: 23 Scan points: 16




QCArchive 137174565 t95
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 18-19-20-21
Atoms: C-C-O-P Formula: C10H12N5O7P-2
Heavy atoms: 23 Scan points: 24




QCArchive 137174496 t95
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 4-5-6-7
Atoms: C-C-O-P Formula: C14H28NO8P
Heavy atoms: 24 Scan points: 24



QCArchive 137174499 t95
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 7-8-9-10
Atoms: P-O-C-C Formula: C14H28NO8P
Heavy atoms: 24 Scan points: 24




QCArchive 137174500 t95
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 16-10-11-12
Atoms: H-C-O-C Formula: C14H28NO8P
Heavy atoms: 24 Scan points: 24




QCArchive 137174512 t95
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 1-2-3-4
Atoms: P-O-C-C Formula: C12H21NO10P-
Heavy atoms: 24 Scan points: 24


Phosphate torsion-drive candidates




QCArchive 137174515 t95
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 18-12-13-14
Atoms: H-C-O-C Formula: C12H21NO10P-
Heavy atoms: 24 Scan points: 24




QCArchive 137174516 t95
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 38-19-20-21
Atoms: H-C-O-C Formula: C12H21NO10P-
Heavy atoms: 24 Scan points: 24




QCArchive 137174631 t95
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 10-11-12-13
Atoms: C-C-O-P Formula: C12H16N4O7P2S-2
Heavy atoms: 26 Scan points: 24




QCArchive 137174556 t95
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 29-18-30-10
Atoms: H-C-O-C Formula: C10H12N5O10P2-3
Heavy atoms: 27 Scan points: 14




QCArchive 137174559 t95
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 18-19-20-21
Atoms: C-C-O-P Formula: C10H12N5O10P2-3
Heavy atoms: 27 Scan points: 24




QCArchive 137174503 t95
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 28-22-23-24
Atoms: H-C-O-C Formula: C15H26O13P-
Heavy atoms: 29 Scan points: 24



QCArchive 137174531 t95
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 1-2-3-4
Atoms: P-O-C-H Formula: C15H26O13P-
Heavy atoms: 29 Scan points: 24




QCArchive 137174532 t95
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 1-20-21-22
Atoms: P-O-C-C Formula: C15H26O13P-
Heavy atoms: 29 Scan points: 24




QCArchive 137174533 t95
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 48-29-30-31
Atoms: H-C-O-C Formula: C15H26O13P-
Heavy atoms: 29 Scan points: 24


Phosphate torsion-drive candidates




QCArchive 137174548 t95
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 33-18-34-10
Atoms: H-C-O-C Formula: C10H12N5O13P3-4
Heavy atoms: 31 Scan points: 15




QCArchive 137174549 t95
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 11-10-34-18
Atoms: H-C-O-C Formula: C10H12N5O13P3-4
Heavy atoms: 31 Scan points: 14




QCArchive 137174592 t95
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 8-10-11-12
Atoms: C-O-C-H Formula: C14H26O14P3-3
Heavy atoms: 31 Scan points: 14




QCArchive 137174593 t95
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 8-16-18-19
Atoms: C-C-O-P Formula: C14H26O14P3-3
Heavy atoms: 31 Scan points: 24




QCArchive 137174597 t95
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 19-20-21-46
Atoms: P-O-C-H Formula: C14H26O14P3-3
Heavy atoms: 31 Scan points: 24




QCArchive 137174599 t95
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 26-35-36-37
Atoms: C-O-C-H Formula: C14H26O14P3-3
Heavy atoms: 31 Scan points: 15



QCArchive 137174602 t95
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 29-31-32-51
Atoms: P-O-C-H Formula: C14H26O14P3-3
Heavy atoms: 31 Scan points: 24




QCArchive 137174686 t95
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 34-22-35-10
Atoms: H-C-O-C Formula: C11H14N5O13P3-4
Heavy atoms: 32 Scan points: 14




QCArchive 137174690 t95
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 22-23-24-25
Atoms: C-C-O-P Formula: C11H14N5O13P3-4
Heavy atoms: 32 Scan points: 24


Phosphate torsion-drive candidates




QCArchive 137174695 t95
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 27-28-29-43
Atoms: P-O-C-H Formula: C11H14N5O13P3-4
Heavy atoms: 32 Scan points: 24




QCArchive 137174572 t95
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 1-3-5-6
Atoms: C-C-O-P Formula: C14H26O16P3-3
Heavy atoms: 33 Scan points: 24




QCArchive 137174575 t95
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 6-7-8-9
Atoms: P-O-C-C Formula: C14H26O16P3-3
Heavy atoms: 33 Scan points: 24




QCArchive 137174576 t95
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 9-11-12-13
Atoms: C-O-C-H Formula: C14H26O16P3-3
Heavy atoms: 33 Scan points: 15




QCArchive 137174577 t95
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 9-18-20-21
Atoms: C-C-O-P Formula: C14H26O16P3-3
Heavy atoms: 33 Scan points: 24




QCArchive 137174578 t95
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 10-9-11-12
Atoms: H-C-O-C Formula: C14H26O16P3-3
Heavy atoms: 33 Scan points: 16



QCArchive 137174581 t95
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 21-22-23-48
Atoms: P-O-C-H Formula: C14H26O16P3-3
Heavy atoms: 33 Scan points: 24




QCArchive 137174582 t95
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 28-29-30-31
Atoms: C-C-O-P Formula: C14H26O16P3-3
Heavy atoms: 33 Scan points: 24




QCArchive 137174583 t95
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 28-37-38-39
Atoms: C-O-C-H Formula: C14H26O16P3-3
Heavy atoms: 33 Scan points: 16


Phosphate torsion-drive candidates




QCArchive 137174586 t95
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 31-33-34-53
Atoms: P-O-C-H Formula: C14H26O16P3-3
Heavy atoms: 33 Scan points: 24




QCArchive 137174587 t95
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 36-28-37-38
Atoms: H-C-O-C Formula: C14H26O16P3-3
Heavy atoms: 33 Scan points: 15




QCArchive 137174638 t95
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 50-18-51-10
Atoms: H-C-O-C Formula: C21H27N7O14P2-2
Heavy atoms: 44 Scan points: 12




QCArchive 137174639 t95
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 11-10-51-18
Atoms: H-C-O-C Formula: C21H27N7O14P2-2
Heavy atoms: 44 Scan points: 12




QCArchive 137174640 t95
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 18-19-20-21
Atoms: C-C-O-P Formula: C21H27N7O14P2-2
Heavy atoms: 44 Scan points: 24




QCArchive 137174645 t95
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 23-24-25-26
Atoms: P-O-C-C Formula: C21H27N7O14P2-2
Heavy atoms: 44 Scan points: 24



QCArchive 137174646 t95
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 35-34-45-26
Atoms: H-C-O-C Formula: C21H27N7O14P2-2
Heavy atoms: 44 Scan points: 14




QCArchive 137174647 t95
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 27-26-45-34
Atoms: H-C-O-C Formula: C21H27N7O14P2-2
Heavy atoms: 44 Scan points: 15




QCArchive 137174648 t95
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 50-18-51-10
Atoms: H-C-O-C Formula: C21H26N7O14P2-
Heavy atoms: 44 Scan points: 14


Phosphate torsion-drive candidates




QCArchive 137174649 t95
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 11-10-51-18
Atoms: H-C-O-C Formula: C21H26N7O14P2-
Heavy atoms: 44 Scan points: 11



QCArchive 137174650 t95
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 18-19-20-21
Atoms: C-C-O-P Formula: C21H26N7O14P2-
Heavy atoms: 44 Scan points: 24



QCArchive 137174656 t95
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 35-34-45-26
Atoms: H-C-O-C Formula: C21H26N7O14P2-
Heavy atoms: 44 Scan points: 13



QCArchive 137174657 t95
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 27-26-45-34
Atoms: H-C-O-C Formula: C21H26N7O14P2-
Heavy atoms: 44 Scan points: 14