
Curated torsion-drive training molecules

Page 1 / 15 — red atoms and bonds define the driven torsion



QCArchive 137755349 t1
OpenFF Alkane Torsion Drives v1.0
Driven indices (0-based): 5-0-1-2
Atoms: H-C-C-C Formula: C5H10
Heavy atoms: 5 Scan points: 24




QCArchive 137755357 t1
OpenFF Alkane Torsion Drives v1.0
Driven indices (0-based): 5-0-1-2
Atoms: H-C-C-C Formula: C5H10
Heavy atoms: 5 Scan points: 24




QCArchive 137755425 t1
OpenFF Alkane Torsion Drives v1.0
Driven indices (0-based): 0-1-2-3
Atoms: C-C-C-C Formula: C5H10
Heavy atoms: 5 Scan points: 24




QCArchive 137755464 t1
OpenFF Alkane Torsion Drives v1.0
Driven indices (0-based): 0-1-2-3
Atoms: C-C-C-C Formula: C6H12
Heavy atoms: 6 Scan points: 24




QCArchive 137755489 t1
OpenFF Alkane Torsion Drives v1.0
Driven indices (0-based): 0-1-2-3
Atoms: C-C-C-C Formula: C6H12
Heavy atoms: 6 Scan points: 24




QCArchive 137755351 t17
OpenFF Alkane Torsion Drives v1.0
Driven indices (0-based): 11-3-4-12
Atoms: H-C-C-H Formula: C5H10
Heavy atoms: 5 Scan points: 24



QCArchive 137755468 t17
OpenFF Alkane Torsion Drives v1.0
Driven indices (0-based): 14-4-5-15
Atoms: H-C-C-H Formula: C6H12
Heavy atoms: 6 Scan points: 24




QCArchive 137755480 t17
OpenFF Alkane Torsion Drives v1.0
Driven indices (0-based): 11-3-4-12
Atoms: H-C-C-H Formula: C5H10
Heavy atoms: 5 Scan points: 24




QCArchive 137755493 t17
OpenFF Alkane Torsion Drives v1.0
Driven indices (0-based): 14-4-5-15
Atoms: H-C-C-H Formula: C6H12
Heavy atoms: 6 Scan points: 24


Curated torsion-drive training molecules




QCArchive 137755364 t18
OpenFF Alkane Torsion Drives v1.0
Driven indices (0-based): 1-2-3-4
Atoms: C-C-C-C Formula: C5H10
Heavy atoms: 5 Scan points: 24




QCArchive 137755454 t18
OpenFF Alkane Torsion Drives v1.0
Driven indices (0-based): 0-1-2-3
Atoms: C-C-C-C Formula: C5H10
Heavy atoms: 5 Scan points: 24




QCArchive 137755465 t18
OpenFF Alkane Torsion Drives v1.0
Driven indices (0-based): 1-2-3-4
Atoms: C-C-C-C Formula: C6H12
Heavy atoms: 6 Scan points: 24




QCArchive 137755479 t18
OpenFF Alkane Torsion Drives v1.0
Driven indices (0-based): 0-1-2-3
Atoms: C-C-C-C Formula: C5H10
Heavy atoms: 5 Scan points: 24




QCArchive 137755490 t18
OpenFF Alkane Torsion Drives v1.0
Driven indices (0-based): 1-2-3-4
Atoms: C-C-C-C Formula: C6H12
Heavy atoms: 6 Scan points: 24



QCArchive 137755343 t2
OpenFF Alkane Torsion Drives v1.0
Driven indices (0-based): 0-1-2-3
Atoms: C-C-C-C Formula: C5H12
Heavy atoms: 5 Scan points: 24



QCArchive 137755352 t2
OpenFF Alkane Torsion Drives v1.0
Driven indices (0-based): 0-1-2-3
Atoms: C-C-C-C Formula: C6H14
Heavy atoms: 6 Scan points: 24



QCArchive 137755354 t2
OpenFF Alkane Torsion Drives v1.0
Driven indices (0-based): 1-2-3-4
Atoms: C-C-C-C Formula: C6H14
Heavy atoms: 6 Scan points: 24



QCArchive 137755381 t2
OpenFF Alkane Torsion Drives v1.0
Driven indices (0-based): 0-1-2-3
Atoms: C-C-C-C Formula: C7H16
Heavy atoms: 7 Scan points: 24

Curated torsion-drive training molecules



QCArchive 137755382 t2
OpenFF Alkane Torsion Drives v1.0
Driven indices (0-based): 1-2-3-4
Atoms: C-C-C-C Formula: C7H16
Heavy atoms: 7 Scan points: 24



QCArchive 137755344 t4
OpenFF Alkane Torsion Drives v1.0
Driven indices (0-based): 5-0-1-2
Atoms: H-C-C-C Formula: C5H12
Heavy atoms: 5 Scan points: 24



QCArchive 137755355 t4
OpenFF Alkane Torsion Drives v1.0
Driven indices (0-based): 6-0-1-2
Atoms: H-C-C-C Formula: C6H14
Heavy atoms: 6 Scan points: 24




QCArchive 137755365 t4
OpenFF Alkane Torsion Drives v1.0
Driven indices (0-based): 5-0-1-2
Atoms: H-C-C-C Formula: C5H10
Heavy atoms: 5 Scan points: 24




QCArchive 137755383 t4
OpenFF Alkane Torsion Drives v1.0
Driven indices (0-based): 7-0-1-2
Atoms: H-C-C-C Formula: C7H16
Heavy atoms: 7 Scan points: 24




QCArchive 137755466 t4
OpenFF Alkane Torsion Drives v1.0
Driven indices (0-based): 6-0-1-2
Atoms: H-C-C-C Formula: C6H12
Heavy atoms: 6 Scan points: 24



QCArchive 137755491 t4
OpenFF Alkane Torsion Drives v1.0
Driven indices (0-based): 6-0-1-2
Atoms: H-C-C-C Formula: C6H12
Heavy atoms: 6 Scan points: 24




QCArchive 137755366 t45
OpenFF Alkane Torsion Drives v1.0
Driven indices (0-based): 2-3-4-13
Atoms: C-C-C-H Formula: C5H10
Heavy atoms: 5 Scan points: 13




QCArchive 146649918 t107
OpenFF Lipid Torsion Drives v4.0
Driven indices (0-based): 1-4-6-7
Atoms: C-C-O-C Formula: C3H6O2
Heavy atoms: 5 Scan points: 24


Curated torsion-drive training molecules




QCArchive 146649931 t107
OpenFF Lipid Torsion Drives v4.0
Driven indices (0-based): 7-10-12-13
Atoms: C-C-O-C Formula: C7H14O2
Heavy atoms: 9 Scan points: 24




QCArchive 146649935 t107
OpenFF Lipid Torsion Drives v4.0
Driven indices (0-based): 7-10-12-13
Atoms: C-C-O-C Formula: C7H14O2
Heavy atoms: 9 Scan points: 24




QCArchive 146649993 t107
OpenFF Lipid Torsion Drives v4.0
Driven indices (0-based): 31-34-36-37
Atoms: C-C-O-C Formula: C13H26O2
Heavy atoms: 15 Scan points: 24




QCArchive 146649946 t110
OpenFF Lipid Torsion Drives v4.0
Driven indices (0-based): 1-19-20-21
Atoms: C-O-C-O Formula: C9H16O4
Heavy atoms: 13 Scan points: 24




QCArchive 146649948 t110
OpenFF Lipid Torsion Drives v4.0
Driven indices (0-based): 6-9-10-11
Atoms: C-O-C-O Formula: C9H16O4
Heavy atoms: 13 Scan points: 24




QCArchive 146649954 t110
OpenFF Lipid Torsion Drives v4.0
Driven indices (0-based): 1-19-20-21
Atoms: C-O-C-O Formula: C9H16O4
Heavy atoms: 13 Scan points: 24



QCArchive 146649956 t110
OpenFF Lipid Torsion Drives v4.0
Driven indices (0-based): 6-9-10-11
Atoms: C-O-C-O Formula: C9H16O4
Heavy atoms: 13 Scan points: 24




QCArchive 146649964 t110
OpenFF Lipid Torsion Drives v4.0
Driven indices (0-based): 1-27-28-29
Atoms: C-O-C-O Formula: C10H18O8P-
Heavy atoms: 19 Scan points: 24




QCArchive 146649965 t110
OpenFF Lipid Torsion Drives v4.0
Driven indices (0-based): 2-5-6-7
Atoms: C-O-C-O Formula: C10H18O8P-
Heavy atoms: 19 Scan points: 24


Curated torsion-drive training molecules




QCArchive 146649976 t110
OpenFF Lipid Torsion Drives v4.0
Driven indices (0-based): 1-27-28-29
Atoms: C-O-C-O Formula: C10H18O8P-
Heavy atoms: 19 Scan points: 24




QCArchive 146649977 t110
OpenFF Lipid Torsion Drives v4.0
Driven indices (0-based): 2-5-6-7
Atoms: C-O-C-O Formula: C10H18O8P-
Heavy atoms: 19 Scan points: 24




QCArchive 146649921 t159
OpenFF Lipid Torsion Drives v4.0
Driven indices (0-based): 1-4-5-6
Atoms: C-O-P-O Formula: C2H6O4P-
Heavy atoms: 7 Scan points: 24




QCArchive 146649940 t159
OpenFF Lipid Torsion Drives v4.0
Driven indices (0-based): 7-10-11-12
Atoms: C-O-P-O Formula: C4H10O4P-
Heavy atoms: 9 Scan points: 24




QCArchive 146649967 t159
OpenFF Lipid Torsion Drives v4.0
Driven indices (0-based): 15-18-19-20
Atoms: C-O-P-O Formula: C10H18O8P-
Heavy atoms: 19 Scan points: 24




QCArchive 146649979 t159
OpenFF Lipid Torsion Drives v4.0
Driven indices (0-based): 15-18-19-20
Atoms: C-O-P-O Formula: C10H18O8P-
Heavy atoms: 19 Scan points: 24



QCArchive 146649941 t160
OpenFF Lipid Torsion Drives v4.0
Driven indices (0-based): 10-11-14-15
Atoms: O-P-O-C Formula: C4H10O4P-
Heavy atoms: 9 Scan points: 24




QCArchive 146649968 t160
OpenFF Lipid Torsion Drives v4.0
Driven indices (0-based): 18-19-22-23
Atoms: O-P-O-C Formula: C10H18O8P-
Heavy atoms: 19 Scan points: 24




QCArchive 146649928 t17
OpenFF Lipid Torsion Drives v4.0
Driven indices (0-based): 0-1-14-15
Atoms: H-C-C-H Formula: C6H12
Heavy atoms: 6 Scan points: 24


Curated torsion-drive training molecules




QCArchive 146649949 t17
OpenFF Lipid Torsion Drives v4.0
Driven indices (0-based): 9-10-12-13
Atoms: O-C-C-H Formula: C9H16O4
Heavy atoms: 13 Scan points: 24




QCArchive 146649950 t17
OpenFF Lipid Torsion Drives v4.0
Driven indices (0-based): 19-20-22-23
Atoms: O-C-C-H Formula: C9H16O4
Heavy atoms: 13 Scan points: 24




QCArchive 146649957 t17
OpenFF Lipid Torsion Drives v4.0
Driven indices (0-based): 9-10-12-13
Atoms: O-C-C-H Formula: C9H16O4
Heavy atoms: 13 Scan points: 24




QCArchive 146649958 t17
OpenFF Lipid Torsion Drives v4.0
Driven indices (0-based): 19-20-22-23
Atoms: O-C-C-H Formula: C9H16O4
Heavy atoms: 13 Scan points: 24




QCArchive 146649984 t17
OpenFF Lipid Torsion Drives v4.0
Driven indices (0-based): 0-1-14-15
Atoms: H-C-C-H Formula: C6H12
Heavy atoms: 6 Scan points: 24




QCArchive 146649987 t17
OpenFF Lipid Torsion Drives v4.0
Driven indices (0-based): 0-1-20-21
Atoms: H-C-C-H Formula: C11H22
Heavy atoms: 11 Scan points: 24



QCArchive 146649990 t17
OpenFF Lipid Torsion Drives v4.0
Driven indices (0-based): 0-1-26-27
Atoms: H-C-C-H Formula: C15H30
Heavy atoms: 15 Scan points: 24




QCArchive 146649929 t18
OpenFF Lipid Torsion Drives v4.0
Driven indices (0-based): 1-2-4-7
Atoms: C-C-C-C Formula: C6H12
Heavy atoms: 6 Scan points: 24




QCArchive 146649930 t18
OpenFF Lipid Torsion Drives v4.0
Driven indices (0-based): 4-7-10-11
Atoms: C-C-C-O Formula: C7H14O2
Heavy atoms: 9 Scan points: 24


Curated torsion-drive training molecules




QCArchive 146649934 t18
OpenFF Lipid Torsion Drives v4.0
Driven indices (0-based): 4-7-10-11
Atoms: C-C-C-O Formula: C7H14O2
Heavy atoms: 9 Scan points: 24




QCArchive 146649985 t18
OpenFF Lipid Torsion Drives v4.0
Driven indices (0-based): 1-2-4-7
Atoms: C-C-C-C Formula: C6H12
Heavy atoms: 6 Scan points: 24




QCArchive 146649988 t18
OpenFF Lipid Torsion Drives v4.0
Driven indices (0-based): 1-2-4-7
Atoms: C-C-C-C Formula: C11H22
Heavy atoms: 11 Scan points: 24




QCArchive 146649991 t18
OpenFF Lipid Torsion Drives v4.0
Driven indices (0-based): 1-2-4-7
Atoms: C-C-C-C Formula: C15H30
Heavy atoms: 15 Scan points: 24




QCArchive 146649992 t18
OpenFF Lipid Torsion Drives v4.0
Driven indices (0-based): 28-31-34-35
Atoms: C-C-C-O Formula: C13H26O2
Heavy atoms: 15 Scan points: 24




QCArchive 146649917 t19
OpenFF Lipid Torsion Drives v4.0
Driven indices (0-based): 0-1-4-5
Atoms: H-C-C-O Formula: C3H6O2
Heavy atoms: 5 Scan points: 24



QCArchive 146649933 t9
OpenFF Lipid Torsion Drives v4.0
Driven indices (0-based): 12-13-15-16
Atoms: O-C-C-H Formula: C7H14O2
Heavy atoms: 9 Scan points: 24




QCArchive 146649937 t9
OpenFF Lipid Torsion Drives v4.0
Driven indices (0-based): 12-13-16-17
Atoms: O-C-C-H Formula: C7H14O2
Heavy atoms: 9 Scan points: 24




QCArchive 146649939 t9
OpenFF Lipid Torsion Drives v4.0
Driven indices (0-based): 5-4-7-10
Atoms: H-C-C-O Formula: C4H10O4P-
Heavy atoms: 9 Scan points: 24

Curated torsion-drive training molecules




QCArchive 146649943 t9
OpenFF Lipid Torsion Drives v4.0
Driven indices (0-based): 0-1-6-9
Atoms: H-C-C-O Formula: C9H16O4
Heavy atoms: 13 Scan points: 24




QCArchive 146649919 t95
OpenFF Lipid Torsion Drives v4.0
Driven indices (0-based): 4-6-7-8
Atoms: C-O-C-H Formula: C3H6O2
Heavy atoms: 5 Scan points: 24




QCArchive 146649920 t95
OpenFF Lipid Torsion Drives v4.0
Driven indices (0-based): 0-1-4-5
Atoms: H-C-O-P Formula: C2H6O4P-
Heavy atoms: 7 Scan points: 24




QCArchive 146649936 t95
OpenFF Lipid Torsion Drives v4.0
Driven indices (0-based): 10-12-13-14
Atoms: C-O-C-H Formula: C7H14O2
Heavy atoms: 9 Scan points: 24




QCArchive 146649938 t95
OpenFF Lipid Torsion Drives v4.0
Driven indices (0-based): 4-7-10-11
Atoms: C-C-O-P Formula: C4H10O4P-
Heavy atoms: 9 Scan points: 24




QCArchive 146649942 t95
OpenFF Lipid Torsion Drives v4.0
Driven indices (0-based): 11-14-15-16
Atoms: P-O-C-H Formula: C4H10O4P-
Heavy atoms: 9 Scan points: 24



QCArchive 146649963 t95
OpenFF Lipid Torsion Drives v4.0
Driven indices (0-based): 1-15-18-19
Atoms: C-C-O-P Formula: C10H18O8P-
Heavy atoms: 19 Scan points: 24




QCArchive 146649969 t95
OpenFF Lipid Torsion Drives v4.0
Driven indices (0-based): 19-22-23-24
Atoms: P-O-C-H Formula: C10H18O8P-
Heavy atoms: 19 Scan points: 24




QCArchive 146649973 t95
OpenFF Lipid Torsion Drives v4.0
Driven indices (0-based): 0-1-27-28
Atoms: H-C-O-C Formula: C10H18O8P-
Heavy atoms: 19 Scan points: 24


Curated torsion-drive training molecules




QCArchive 146649975 t95
OpenFF Lipid Torsion Drives v4.0
Driven indices (0-based): 1-15-18-19
Atoms: C-C-O-P Formula: C10H18O8P-
Heavy atoms: 19 Scan points: 24




QCArchive 146649994 t95
OpenFF Lipid Torsion Drives v4.0
Driven indices (0-based): 34-36-37-38
Atoms: C-O-C-H Formula: C13H26O2
Heavy atoms: 15 Scan points: 24




QCArchive 146649945 t97
OpenFF Lipid Torsion Drives v4.0
Driven indices (0-based): 1-6-9-10
Atoms: C-C-O-C Formula: C9H16O4
Heavy atoms: 13 Scan points: 24




QCArchive 146649953 t97
OpenFF Lipid Torsion Drives v4.0
Driven indices (0-based): 1-6-9-10
Atoms: C-C-O-C Formula: C9H16O4
Heavy atoms: 13 Scan points: 24




QCArchive 146649962 t97
OpenFF Lipid Torsion Drives v4.0
Driven indices (0-based): 1-2-5-6
Atoms: C-C-O-C Formula: C10H18O8P-
Heavy atoms: 19 Scan points: 24




QCArchive 146649974 t97
OpenFF Lipid Torsion Drives v4.0
Driven indices (0-based): 1-2-5-6
Atoms: C-C-O-C Formula: C10H18O8P-
Heavy atoms: 19 Scan points: 24



QCArchive 150595353 t1
OpenFF Lipid Torsion Drives v4.1
Driven indices (0-based): 0-1-2-3
Atoms: C-C-C-C Formula: C6H12
Heavy atoms: 6 Scan points: 24




QCArchive 150595354 t1
OpenFF Lipid Torsion Drives v4.1
Driven indices (0-based): 0-1-2-3
Atoms: C-C-C-C Formula: C7H14O2
Heavy atoms: 9 Scan points: 24




QCArchive 150595355 t1
OpenFF Lipid Torsion Drives v4.1
Driven indices (0-based): 0-1-2-3
Atoms: C-C-C-C Formula: C7H14O2
Heavy atoms: 9 Scan points: 24


Curated torsion-drive training molecules




QCArchive 150595356 t1
OpenFF Lipid Torsion Drives v4.1
Driven indices (0-based): 5-6-7-8
Atoms: O-C-C-C Formula: C7H14O2
Heavy atoms: 9 Scan points: 24




QCArchive 150595357 t1
OpenFF Lipid Torsion Drives v4.1
Driven indices (0-based): 0-1-2-3
Atoms: C-C-C-O Formula: C4H10O4P-
Heavy atoms: 9 Scan points: 24




QCArchive 150595358 t1
OpenFF Lipid Torsion Drives v4.1
Driven indices (0-based): 13-0-1-2
Atoms: H-C-C-C Formula: C9H16O4
Heavy atoms: 13 Scan points: 24




QCArchive 150595359 t1
OpenFF Lipid Torsion Drives v4.1
Driven indices (0-based): 4-5-6-7
Atoms: O-C-C-C Formula: C9H16O4
Heavy atoms: 13 Scan points: 24




QCArchive 150595369 t1
OpenFF Lipid Torsion Drives v4.1
Driven indices (0-based): 4-5-6-7
Atoms: O-C-C-C Formula: C10H18O8P-
Heavy atoms: 19 Scan points: 24




QCArchive 150595370 t1
OpenFF Lipid Torsion Drives v4.1
Driven indices (0-based): 5-6-7-8
Atoms: C-C-C-O Formula: C10H18O8P-
Heavy atoms: 19 Scan points: 24



QCArchive 150595375 t1
OpenFF Lipid Torsion Drives v4.1
Driven indices (0-based): 4-5-6-7
Atoms: O-C-C-C Formula: C10H18O8P-
Heavy atoms: 19 Scan points: 24




QCArchive 150595376 t1
OpenFF Lipid Torsion Drives v4.1
Driven indices (0-based): 5-6-7-8
Atoms: C-C-C-O Formula: C10H18O8P-
Heavy atoms: 19 Scan points: 24




QCArchive 137174385 t159
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 0-1-2-3
Atoms: O-P-O-P Formula: O7P2-4
Heavy atoms: 9 Scan points: 24


Curated torsion-drive training molecules




QCArchive 137174386 t159
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 0-1-2-5
Atoms: O-P-O-H Formula: HO4P-2
Heavy atoms: 5 Scan points: 24




QCArchive 137174387 t159
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 0-1-2-5
Atoms: O-P-O-H Formula: H3O4P
Heavy atoms: 5 Scan points: 24




QCArchive 137174400 t159
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 5-6-7-8
Atoms: C-O-P-O Formula: C5H13NO4P-
Heavy atoms: 11 Scan points: 24




QCArchive 137174411 t159
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 6-7-8-24
Atoms: O-P-O-H Formula: C5H14NO4P
Heavy atoms: 11 Scan points: 24




QCArchive 137174461 t159
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 9-10-11-12
Atoms: C-O-P-O Formula: C7H11O8P-2
Heavy atoms: 16 Scan points: 24




QCArchive 137174488 t159
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 11-12-13-14
Atoms: C-O-P-O Formula: C5H8O8P-
Heavy atoms: 14 Scan points: 24



QCArchive 137174492 t159
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 11-12-13-14
Atoms: C-O-P-O Formula: C7H12O8P-
Heavy atoms: 16 Scan points: 24




QCArchive 137174536 t159
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 19-0-1-2
Atoms: H-O-P-O Formula: C9H16O8P-
Heavy atoms: 18 Scan points: 24




QCArchive 137174404 t160
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 5-6-7-8
Atoms: C-O-P-O Formula: C6H16NO4P
Heavy atoms: 12 Scan points: 24


Curated torsion-drive training molecules




QCArchive 137174405 t160
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 6-7-8-9
Atoms: O-P-O-C Formula: C6H16NO4P
Heavy atoms: 12 Scan points: 24




QCArchive 137174410 t160
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 5-6-7-8
Atoms: C-O-P-O Formula: C5H14NO4P
Heavy atoms: 11 Scan points: 24




QCArchive 137174469 t160
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 10-11-12-13
Atoms: C-O-P-O Formula: C10H18O8P-
Heavy atoms: 19 Scan points: 24




QCArchive 137174470 t160
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 11-12-13-14
Atoms: O-P-O-C Formula: C10H18O8P-
Heavy atoms: 19 Scan points: 24




QCArchive 137174476 t160
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 9-10-11-12
Atoms: C-O-P-O Formula: C8H14O8P-
Heavy atoms: 17 Scan points: 24




QCArchive 137174477 t160
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 10-11-12-13
Atoms: O-P-O-C Formula: C8H14O8P-
Heavy atoms: 17 Scan points: 24



QCArchive 137174497 t160
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 5-6-7-8
Atoms: C-O-P-O Formula: C14H28NO8P
Heavy atoms: 24 Scan points: 24




QCArchive 137174399 t95
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 4-5-6-7
Atoms: C-C-O-P Formula: C5H13NO4P-
Heavy atoms: 11 Scan points: 24




QCArchive 137174403 t95
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 4-5-6-7
Atoms: C-C-O-P Formula: C6H16NO4P
Heavy atoms: 12 Scan points: 24


Curated torsion-drive training molecules




QCArchive 137174406 t95
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 7-8-9-25
Atoms: P-O-C-H Formula: C6H16NO4P
Heavy atoms: 12 Scan points: 24




QCArchive 137174409 t95
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 4-5-6-7
Atoms: C-C-O-P Formula: C5H14NO4P
Heavy atoms: 11 Scan points: 24




QCArchive 137174436 t95
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 7-8-9-18
Atoms: P-O-C-H Formula: C4H10O6P-
Heavy atoms: 11 Scan points: 24




QCArchive 137174458 t95
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 1-2-3-15
Atoms: C-O-C-H Formula: C7H11O8P-2
Heavy atoms: 16 Scan points: 24




QCArchive 137174460 t95
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 20-4-5-6
Atoms: H-C-O-C Formula: C7H11O8P-2
Heavy atoms: 16 Scan points: 24




QCArchive 137174466 t95
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 1-2-3-20
Atoms: C-O-C-H Formula: C10H18O8P-
Heavy atoms: 19 Scan points: 24



QCArchive 137174467 t95
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 4-10-11-12
Atoms: C-C-O-P Formula: C10H18O8P-
Heavy atoms: 19 Scan points: 24




QCArchive 137174468 t95
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 17-4-5-6
Atoms: H-C-O-C Formula: C10H18O8P-
Heavy atoms: 19 Scan points: 24




QCArchive 137174471 t95
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 12-13-14-29
Atoms: P-O-C-H Formula: C10H18O8P-
Heavy atoms: 19 Scan points: 24


Curated torsion-drive training molecules




QCArchive 137174472 t95
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 1-2-3-16
Atoms: C-O-C-H Formula: C8H14O8P-
Heavy atoms: 17 Scan points: 24




QCArchive 137174473 t95
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 3-9-10-11
Atoms: C-C-O-P Formula: C8H14O8P-
Heavy atoms: 17 Scan points: 24




QCArchive 137174475 t95
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 21-4-5-6
Atoms: H-C-O-C Formula: C8H14O8P-
Heavy atoms: 17 Scan points: 24




QCArchive 137174478 t95
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 11-12-13-28
Atoms: P-O-C-H Formula: C8H14O8P-
Heavy atoms: 17 Scan points: 24




QCArchive 137174486 t95
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 1-11-12-13
Atoms: C-C-O-P Formula: C5H8O8P-
Heavy atoms: 14 Scan points: 24




QCArchive 137174489 t95
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 0-1-7-8
Atoms: H-C-O-C Formula: C7H12O8P-
Heavy atoms: 16 Scan points: 24



QCArchive 137174490 t95
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 1-11-12-13
Atoms: C-C-O-P Formula: C7H12O8P-
Heavy atoms: 16 Scan points: 24




QCArchive 137174491 t95
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 17-2-3-4
Atoms: H-C-O-C Formula: C7H12O8P-
Heavy atoms: 16 Scan points: 24




QCArchive 137174496 t95
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 4-5-6-7
Atoms: C-C-O-P Formula: C14H28NO8P
Heavy atoms: 24 Scan points: 24


Curated torsion-drive training molecules




QCArchive 137174499 t95
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 7-8-9-10
Atoms: P-O-C-C Formula: C14H28NO8P
Heavy atoms: 24 Scan points: 24




QCArchive 137174500 t95
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 16-10-11-12
Atoms: H-C-O-C Formula: C14H28NO8P
Heavy atoms: 24 Scan points: 24




QCArchive 137174535 t95
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 1-2-3-4
Atoms: P-O-C-C Formula: C9H16O8P-
Heavy atoms: 18 Scan points: 24



QCArchive 137174537 t95
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 10-4-5-6
Atoms: H-C-O-C Formula: C9H16O8P-
Heavy atoms: 18 Scan points: 24



QCArchive 137174538 t95
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 27-11-12-13
Atoms: H-C-O-C Formula: C9H16O8P-
Heavy atoms: 18 Scan points: 24



QCArchive 137174539 t95
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 6-7-8-22
Atoms: C-O-C-H Formula: C7H15NO2
Heavy atoms: 10 Scan points: 24