
Curated torsion-drive training molecules

Page 1 / 6 — red atoms and bonds define the driven torsion



QCArchive 137755349 t1
OpenFF Alkane Torsion Drives v1.0
Driven indices (0-based): 5-0-1-2
Atoms: H-C-C-C Formula: C5H10
Heavy atoms: 5 Scan points: 24




QCArchive 137755357 t1
OpenFF Alkane Torsion Drives v1.0
Driven indices (0-based): 5-0-1-2
Atoms: H-C-C-C Formula: C5H10
Heavy atoms: 5 Scan points: 24




QCArchive 137755425 t1
OpenFF Alkane Torsion Drives v1.0
Driven indices (0-based): 0-1-2-3
Atoms: C-C-C-C Formula: C5H10
Heavy atoms: 5 Scan points: 24




QCArchive 137755464 t1
OpenFF Alkane Torsion Drives v1.0
Driven indices (0-based): 0-1-2-3
Atoms: C-C-C-C Formula: C6H12
Heavy atoms: 6 Scan points: 24




QCArchive 137755489 t1
OpenFF Alkane Torsion Drives v1.0
Driven indices (0-based): 0-1-2-3
Atoms: C-C-C-C Formula: C6H12
Heavy atoms: 6 Scan points: 24




QCArchive 137755351 t17
OpenFF Alkane Torsion Drives v1.0
Driven indices (0-based): 11-3-4-12
Atoms: H-C-C-H Formula: C5H10
Heavy atoms: 5 Scan points: 24



QCArchive 137755468 t17
OpenFF Alkane Torsion Drives v1.0
Driven indices (0-based): 14-4-5-15
Atoms: H-C-C-H Formula: C6H12
Heavy atoms: 6 Scan points: 24




QCArchive 137755480 t17
OpenFF Alkane Torsion Drives v1.0
Driven indices (0-based): 11-3-4-12
Atoms: H-C-C-H Formula: C5H10
Heavy atoms: 5 Scan points: 24




QCArchive 137755493 t17
OpenFF Alkane Torsion Drives v1.0
Driven indices (0-based): 14-4-5-15
Atoms: H-C-C-H Formula: C6H12
Heavy atoms: 6 Scan points: 24


Curated torsion-drive training molecules




QCArchive 137755364 t18
OpenFF Alkane Torsion Drives v1.0
Driven indices (0-based): 1-2-3-4
Atoms: C-C-C-C Formula: C5H10
Heavy atoms: 5 Scan points: 24




QCArchive 137755454 t18
OpenFF Alkane Torsion Drives v1.0
Driven indices (0-based): 0-1-2-3
Atoms: C-C-C-C Formula: C5H10
Heavy atoms: 5 Scan points: 24




QCArchive 137755465 t18
OpenFF Alkane Torsion Drives v1.0
Driven indices (0-based): 1-2-3-4
Atoms: C-C-C-C Formula: C6H12
Heavy atoms: 6 Scan points: 24




QCArchive 137755479 t18
OpenFF Alkane Torsion Drives v1.0
Driven indices (0-based): 0-1-2-3
Atoms: C-C-C-C Formula: C5H10
Heavy atoms: 5 Scan points: 24




QCArchive 137755490 t18
OpenFF Alkane Torsion Drives v1.0
Driven indices (0-based): 1-2-3-4
Atoms: C-C-C-C Formula: C6H12
Heavy atoms: 6 Scan points: 24



QCArchive 137755343 t2
OpenFF Alkane Torsion Drives v1.0
Driven indices (0-based): 0-1-2-3
Atoms: C-C-C-C Formula: C5H12
Heavy atoms: 5 Scan points: 24



QCArchive 137755352 t2
OpenFF Alkane Torsion Drives v1.0
Driven indices (0-based): 0-1-2-3
Atoms: C-C-C-C Formula: C6H14
Heavy atoms: 6 Scan points: 24



QCArchive 137755354 t2
OpenFF Alkane Torsion Drives v1.0
Driven indices (0-based): 1-2-3-4
Atoms: C-C-C-C Formula: C6H14
Heavy atoms: 6 Scan points: 24



QCArchive 137755381 t2
OpenFF Alkane Torsion Drives v1.0
Driven indices (0-based): 0-1-2-3
Atoms: C-C-C-C Formula: C7H16
Heavy atoms: 7 Scan points: 24

Curated torsion-drive training molecules



QCArchive 137755382 t2
OpenFF Alkane Torsion Drives v1.0
Driven indices (0-based): 1-2-3-4
Atoms: C-C-C-C Formula: C7H16
Heavy atoms: 7 Scan points: 24



QCArchive 137755344 t4
OpenFF Alkane Torsion Drives v1.0
Driven indices (0-based): 5-0-1-2
Atoms: H-C-C-C Formula: C5H12
Heavy atoms: 5 Scan points: 24



QCArchive 137755355 t4
OpenFF Alkane Torsion Drives v1.0
Driven indices (0-based): 6-0-1-2
Atoms: H-C-C-C Formula: C6H14
Heavy atoms: 6 Scan points: 24




QCArchive 137755365 t4
OpenFF Alkane Torsion Drives v1.0
Driven indices (0-based): 5-0-1-2
Atoms: H-C-C-C Formula: C5H10
Heavy atoms: 5 Scan points: 24




QCArchive 137755383 t4
OpenFF Alkane Torsion Drives v1.0
Driven indices (0-based): 7-0-1-2
Atoms: H-C-C-C Formula: C7H16
Heavy atoms: 7 Scan points: 24




QCArchive 137755466 t4
OpenFF Alkane Torsion Drives v1.0
Driven indices (0-based): 6-0-1-2
Atoms: H-C-C-C Formula: C6H12
Heavy atoms: 6 Scan points: 24



QCArchive 137755491 t4
OpenFF Alkane Torsion Drives v1.0
Driven indices (0-based): 6-0-1-2
Atoms: H-C-C-C Formula: C6H12
Heavy atoms: 6 Scan points: 24




QCArchive 137755366 t45
OpenFF Alkane Torsion Drives v1.0
Driven indices (0-based): 2-3-4-13
Atoms: C-C-C-H Formula: C5H10
Heavy atoms: 5 Scan points: 13




QCArchive 146649928 t17
OpenFF Lipid Torsion Drives v4.0
Driven indices (0-based): 0-1-14-15
Atoms: H-C-C-H Formula: C6H12
Heavy atoms: 6 Scan points: 24


Curated torsion-drive training molecules




QCArchive 146649984 t17
OpenFF Lipid Torsion Drives v4.0
Driven indices (0-based): 0-1-14-15
Atoms: H-C-C-H Formula: C6H12
Heavy atoms: 6 Scan points: 24




QCArchive 146649987 t17
OpenFF Lipid Torsion Drives v4.0
Driven indices (0-based): 0-1-20-21
Atoms: H-C-C-H Formula: C11H22
Heavy atoms: 11 Scan points: 24



QCArchive 146649990 t17
OpenFF Lipid Torsion Drives v4.0
Driven indices (0-based): 0-1-26-27
Atoms: H-C-C-H Formula: C15H30
Heavy atoms: 15 Scan points: 24




QCArchive 146649929 t18
OpenFF Lipid Torsion Drives v4.0
Driven indices (0-based): 1-2-4-7
Atoms: C-C-C-C Formula: C6H12
Heavy atoms: 6 Scan points: 24



QCArchive 146649985 t18
OpenFF Lipid Torsion Drives v4.0
Driven indices (0-based): 1-2-4-7
Atoms: C-C-C-C Formula: C6H12
Heavy atoms: 6 Scan points: 24




QCArchive 146649988 t18
OpenFF Lipid Torsion Drives v4.0
Driven indices (0-based): 1-2-4-7
Atoms: C-C-C-C Formula: C11H22
Heavy atoms: 11 Scan points: 24



QCArchive 146649991 t18
OpenFF Lipid Torsion Drives v4.0
Driven indices (0-based): 1-2-4-7
Atoms: C-C-C-C Formula: C15H30
Heavy atoms: 15 Scan points: 24




QCArchive 150595353 t1
OpenFF Lipid Torsion Drives v4.1
Driven indices (0-based): 0-1-2-3
Atoms: C-C-C-C Formula: C6H12
Heavy atoms: 6 Scan points: 24




QCArchive 137174385 t159
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 0-1-2-3
Atoms: O-P-O-P Formula: O7P2-4
Heavy atoms: 9 Scan points: 24


Curated torsion-drive training molecules




QCArchive 137174386 t159
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 0-1-2-5
Atoms: O-P-O-H Formula: HO4P-2
Heavy atoms: 5 Scan points: 24




QCArchive 137174387 t159
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 0-1-2-5
Atoms: O-P-O-H Formula: H3O4P
Heavy atoms: 5 Scan points: 24




QCArchive 137174461 t159
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 9-10-11-12
Atoms: C-O-P-O Formula: C7H11O8P-2
Heavy atoms: 16 Scan points: 24




QCArchive 137174492 t159
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 11-12-13-14
Atoms: C-O-P-O Formula: C7H12O8P-
Heavy atoms: 16 Scan points: 24




QCArchive 137174536 t159
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 19-0-1-2
Atoms: H-O-P-O Formula: C9H16O8P-
Heavy atoms: 18 Scan points: 24




QCArchive 137174469 t160
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 10-11-12-13
Atoms: C-O-P-O Formula: C10H18O8P-
Heavy atoms: 19 Scan points: 24



QCArchive 137174470 t160
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 11-12-13-14
Atoms: O-P-O-C Formula: C10H18O8P-
Heavy atoms: 19 Scan points: 24




QCArchive 137174476 t160
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 9-10-11-12
Atoms: C-O-P-O Formula: C8H14O8P-
Heavy atoms: 17 Scan points: 24




QCArchive 137174477 t160
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 10-11-12-13
Atoms: O-P-O-C Formula: C8H14O8P-
Heavy atoms: 17 Scan points: 24


Curated torsion-drive training molecules




QCArchive 137174436 t95
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 7-8-9-18
Atoms: P-O-C-H Formula: C4H10O6P-
Heavy atoms: 11 Scan points: 24




QCArchive 137174467 t95
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 4-10-11-12
Atoms: C-C-O-P Formula: C10H18O8P-
Heavy atoms: 19 Scan points: 24




QCArchive 137174471 t95
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 12-13-14-29
Atoms: P-O-C-H Formula: C10H18O8P-
Heavy atoms: 19 Scan points: 24




QCArchive 137174473 t95
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 3-9-10-11
Atoms: C-C-O-P Formula: C8H14O8P-
Heavy atoms: 17 Scan points: 24



QCArchive 137174478 t95
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 11-12-13-28
Atoms: P-O-C-H Formula: C8H14O8P-
Heavy atoms: 17 Scan points: 24



QCArchive 137174490 t95
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 1-11-12-13
Atoms: C-C-O-P Formula: C7H12O8P-
Heavy atoms: 16 Scan points: 24



QCArchive 137174535 t95
OpenFF Phosphate Torsion Drives v1.0
Driven indices (0-based): 1-2-3-4
Atoms: P-O-C-C Formula: C9H16O8P-
Heavy atoms: 18 Scan points: 24