We create chemistry

Certificate of Analysis

BASF SE

Please note that the certificates of analysis are also conveniently available on your BASF online portal.

Substanzverwaltung Substanzverwaltu

Im Spitzenbusch 10

67227 Frankenthal

Germany

2023-04-14 Certificate No 1840

christophe.dupuis@basf.com
CPPU
+33 3-83299796

Inspection Certificate 3.1 according to EN 10204

Laricyl® BC10206

0,06KG Plastic boxes
Purchase order/Customer material
SR-000165689
000000000050813392

Material	50813392	
Order	3019317850	000010
Delivery	3537875656	000010
Lot	0026987208	
Lot/Qty	0.060	KG
Total	0.060	KG

Manufacturing Location: FR, 54425 Pulnoy, 3 rue de Seichamps

Characteristic Method	Unit	Value	Lower Limit	Upper Limit
ORGANOLEPTIC CHARACTERISTICS PR.47		PASS		
TOTAL GERMS; <= 100 CFU/G PH. EUR. 2.6.12		<= 100 CFU/G		
PATHOGENS; ABSENT PH. EUR. 2.6.13		ABSENCE IN 1G		
DRY EXTRACT PR.280	%	0,3	0,2	0,5
PH; 5% PR.14		5,0	4,5	6,5
BUTYLENE GLYCOL/HPLC PR.111	%	48,1	45,0	55,0

Released by Chr. Dupuis

Production date	23.02.2023
Retest date	16.08.2024

The aforementioned data shall constitute the agreed contractual quality of the product at the time of passing of risk. The data are controlled at regular intervals as part of our quality assurance program. Neither these data nor the properties of product specimens shall imply any legally binding guarantee of certain properties or of fitness for a specific purpose. No liability of ours can be derived therefrom.