

Care Creations™

BASF
We create chemistry

Anasensyl®

Skin tolerance enhancer

Skin Care

Men's Care Market

The men's care market has been steadily growing for the past years and has become a market segment with considerable economic potential.
Modern man is asserting his right to beauty and care, allowing a broader variety of the claims that can be addressed. Men today insist on products specifically adapted to their skin's characteristics.
Male skin is naturally thicker and more resilient than female skin. However, it also undergoes a lot of daily stress, due to exposure to UV-radiation during outdoor activities, practices of care (use of unsuited cosmetic products) and especially during shaving.
During shaving the surface layers of the *stratum corneum* are removed. This induces accelerated cell renewal and thus leads to exposure of cells to environment in an un-natural way. Moreover, in the process of shaving (especially in wet shaving, with the use of surfactants) the surface lipids are partially removed. These skin lipids are responsible for softness of the skin and play an important role in the barrier function of the skin, which enables it to preserve its moisture content.
It is therefore not surprising that men complain mainly about skin dryness and highly sensitive skin especially on the shaving areas, i.e. the cheeks, the chin, and the neck.
These areas can be hyper-reactive towards environmental stress, which results in the local appearance of redness but also in sensations such as stinging, burning and itching.
Taking these parameters into account, BASF has developed Anasensyl, an active aiming at reinforcing skin resistance towards daily stresses.
Going beyond immediate soothing activity, Anasensyl acts pro-actively: Daily appli-cations of Anasensyl allow to decrease the skin reaction towards aggressions.
Anasensyl brings men skin comfort and soothing, improves tolerance against the main daily aggressions or simply fulfils its right to be, and feel, well cared for.

Definition / Composition

Anasensyl is a synergistic soothing complex, of which each ingredient targets a specific parameter of inflammation: saponosides and flavonoids extracted from plants well-known for their anti-inflammatory and anti-oedema properties, act on the microcirculation and inhibit the synthesis of pre-inflammatory neuro-mediators; xanthin and zinc salts modulate the cell metabolism.

Brief Overview: Anasensyl® LS 9322



INCI: Mannitol (and) Ammonium Glycyrrhizate (and) Caffeine (and) Zinc Gluconate (and) Aesculus Hippocastanum Seed Extract

China registration: The INCI name is currently listed in the IECIC 2015 and/or positive lists of the Cosmetic Safety and Technical Standard (2015 version).

Appearance: White powder with a weak characteristic odor.

Preservative: None

Recommended dosage: 1 %

Mode of incorporation: Anasensyl is incorporated into the aqueous phase of the cosmetic product at 70°C. Suitable pH 6 to 8.

Origin and activity of the components of Anasensyl

Components	Origin	Activity
Flavonoid	*Horse Chesnut* (*Aesculus hippocastanum L.*)	**Decongestive** and **local anti-inflammatory**
Saponoside	*Liquorice* (*Glycyrrhiza glabra*)	**Corticoid like effect** Strengthens the peripheral micro-vascular tonicity
Caffeine	Synthesis	**Inhibition** of **phosphodiesterases** of cyclic nucleotides
Zinc gluconate	Botanical	**Active oligo-element** for keratinocyte and fibroblast metabolism

Skin benefits

Anasensyl gives a total answer to male skin sensitivity:

- soothing effect against different daily stresses (UV, shaving, no adapted practices of care,…)
- long term effect decreasing the hyper reactivity of male skin: tolerance enhancer
- anti-inflammatory effect
- protecting effect

Efficacy

Anti-inflammatory effect (*in vitro* test)


Aim

Demonstration of the anti-inflammatory capacity of Anasensyl on human keratino-cytes irradiated by UV-B and compared to Aspirin, a reference anti-inflammatory product.

Protocol

Cultures of human keratinocytes were incubated in the presence of different concentrations of Anasensyl or Aspirin (used as reference), and irradiated. Measurement of released inflammatory mediators: LDH (Lactate DeHydrogenase), PGE2 (ProstaGlandin E-2) and IL-1α (Inter- Leukin-1α).

Results



Conclusion

Anasensyl has significantly reduced the UVB-induced release of inflammation mediators, with activity similar to that of Aspirin.

Anti-irritant effect (*in vitro* test)

Aim

To demonstrate the potential of Anasensyl to protect the skin cells from irritant ingredients usually used in cosmetic products such as AHA (malic acid) and sodium dodecyl sulphate (SDS).

Protocol

Seeding of human keratinocytes within growth medium
Incubation for 3-5 days at 37°C, CO_2=5%

↓

Treatment:
Exchange of the growth medium by standard medium with a range of concentrations of products to be tested
Incubation for 1 day at 37°C, CO_2=5%

↓

Irritation:
Exchange of the standard medium with products to be tested, to a standard medium with irritant substances: 1.5% malic acid and 0.03% SDS
Incubation for 4 hours at 37°C, CO_2=5%


↓

Incubation post-irritation:
Exchange of the standard medium with irritant substance to a standard medium without irritant substance
Incubation for 1 day at 37°C, CO_2=5%

↓

Recording of viable cell number by DNA measurement with a fluorescent probe, recording of the level of released LDH (by an enzymatic reaction), recording of the level of released IL-1α by an ELISA method

Results



Conclusion

The test has shown that malic acid and SDS cause a skin inflammatory process by release of LDH and IL-1α.
0.1 % Anasensyl has significantly decreased the irritant effects of malic acid and SDS. It has a good anti-irritant activity.

Calming effect on sensitive skin / capsaicin stinging test (clinical test)

Aim

Demonstration of the soothing and anti-erythema effect of Anasensyl.


Protocol


Study on 10 volunteers with skin sensitive to capsaicin, which causes irritation and erythema. First, the volunteers applied on one cheek one of the three following products:

- placebo cream
- cream containing 1% a reference substance (commercial product claiming a soothing effect on sensitive skin)
- cream containing 1% Anasensyl, the other cheek is used as a control

Then, after 30 minutes, application of capsaicin in the same area of the cheek.

Results





Results

The intensity of the stinging sensation was evaluated using a semi-quantitative scale and the intensity of the erythema by visual appraisals.

1 % Anasensyl shows the strongest decrease of stinging sensation and erythema compared to placebo and the reference substance.

Conclusion

Anasensyl decreases neurogenic inflammation. The soothing efficacy will be felt and perceived by the end user.

Anti-redness effect after shaving
(clinical test)

Aim


To demonstrate the anti-redness effect of an after-shave balm containing 1% Anasensyl versus placebo on male volunteers.

Protocol

The test has been carried on 28 male healthy volunteers having redness and irritation on the face during shaving. Randomized single application after shaving every morning for 2 weeks: On one side application of the placebo after-shave balm. On the other side application of the after-shave balm containing 1% Anasensyl. Visual subjective appraisal by a beautician of the redness area and intensity according to a semi-quantitative scale from 1 (not at all) to 9 (a lot):

- Before treatment after the first shaving
- After 7 days and 14 days of treatment:
  T0 = 5 minutes after shaving before product applications
  T15 = 15 minutes after product applications

Results



Conclusion

The after-shave balm containing 1% Anasensyl has significantly decreased the skin redness after shaving. This effect is improved with the number of applications. Anasensyl has a good anti-redness activity on male skin. More than an immediate soothing activity, we have evidenced the ability of Anasensyl to increase skin's tolerance and to reduce its reactivity towards daily stresses.

Publisher
BASF Beauty Care Solutions France SAS
3, Rue de Seichamps - 54425 Pulnoy (France)
Email: bcs-europe@basf.com
www.carecreations.basf.com

© BASF Beauty Care Solutions France SAS.
All rights reserved.
® Registered trademark / trademark of BASF in several countries
Edition May 2019

Although all statements and information in this publication are believed to be accurate and reliable, they are presented gratis and for guidance only, and risks and liability for results obtained by use of the products or application of the suggestions described are assumed by the user. SELLER MAKES NO WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, BY FACT OR LAW, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Statements or suggestions concerning possible use of the products are made without representation or warranty that any such use is free of patent infringement and are not recommendations to infringe any patent. The user should not assume that toxicity data and safety measures are indicated or that other measures may not be required. The claims and supporting data provided in this publication have not been evaluated for compliance with any jurisdiction's regulatory requirements and the results reported may not be generally true under other conditions or in other matrices. Users must evaluate what claims and information are appropriate and comply with a jurisdiction's regulatory requirements. Recipient of this publication agrees to (1) indemnify and hold harmless each entity of the BASF organization for any and all regulatory action arising from recipient's use of any claims or information in this publication, including, but not limited to, use in advertising and finished product label claims, and (2) not present this publication as evidence of finished product claim substantiation to any regulatory authority.