Hydrasensyl® Glucan Green

Inclusive β-glucan

The essential answer for all skins

1 MOISTURIZING BOOST

2 SKIN PROTECTION

3 POST TREATMENT RECOVERY


NEW 2026



Hydrasensyl® Glucan Green


Unique bio functional intrinsic properties hyaluronic-acid like

Purified solution of native β-1,3(1,6)-Glucan derived from fermentation




3D visualization of **Hydrasensyl® Glucan Green** lyophilizate

Hyaluronic acid



Hydrasensyl® Glucan Green



Macromolecular chain with high water binding capacity for instant

Hydration

- Anti-ageing

- **Smoothing**
- **Skin protection**
- **Soothing**
- **Leave on & Rinse-off**
- **Easy to formulate**

Spread of long polymer fibers with multiple ramifications
Organized layout of glucans for filmogenic properties

FORMULATION PROPERTIES

BASF
We create chemistry

Hydrasensyl® Glucan Green

First responder to Post Laser Stress

NEW 2026

3

Post Treatment Recovery

1. BE A DAY AHEAD IN RECOVERY

2. EARLY DOMINANCE IN BARRIER REPAIR SUPERIOR

FASTER



1 DAY ANTI-REDNESS

2. ZERO RESIDUAL INFLAMMATION

CALMER

Hydrasensyl® Glucan Green

POST TREATMENT RECOVERY



"Be a Day Ahead in Recovery"

"No residual inflammation"

FASTER ACTION

CALMER SKIN

POST TREATMENT RECOVERY

IN-*VIVO* EFFICACY

FASTER

Barrier Recovery & Barrier Function Enhancement

- TEWL Reduction after Laser treatment
- TEWL Improvement beyond baseline

CALMER

Redness Recovery

- Reduction of redness after Laser treatment

Hydrasensyl® Glucan Green

Barrier Recovery & Barrier Function Enhancement



New data 2026

*panels are treated with a **non-ablative** fractional 1565 nm laser.

In-*vivo* results: Barrier Enhancement (TEWL)



Hydrasensyl® Glucan Green at 2.5% 2x/day vs placebo from Laser session

vs Baseline

Barrier Enhancement	Barrier Enhancement
-11%	-15%
D7	D14

Baseline (Before laser)

Laser* session

(Post laser application)

HGG restores the barrier **beyond baseline** with long-lasting, **superior results**.

4X vs placebo

2X vs placebo

POST TREATMENT RECOVERY

Barrier Recovery: Be a Day Ahead in Recovery

Back to baseline


-1.1 day

HGG 2.5% application

Faster recovery to the baseline vs placebo

Barrier function after 5 days of using HGG 2.5%


Beyond Baseline Levels



HGG speeds up skin barrier recovery post laser by over a full day and even restores the barrier beyond baseline levels


Barrier Enhancement: Dominance in Barrier Repair Remains Superior

Beyond baseline



Early dominance in barrier repair when the skin barrier is the weakest

Barrier enhancement **remains superior** showing sustained protection




HGG speeds up skin barrier recovery post laser by over a full day and even restores the barrier beyond baseline levels

Hydrasensyl® Glucan Green

Laser-induced Redness Recovery

New data 2026

In-*vivo* results – Redness Recovery



Leaves No Residual Inflammation

vs placebo remains unrecovered.

With extrapolation, placebo recovery is projected to **take 2× longer** with residual inflammation even after 30 days.

In-*vivo* results – Immediate Redness Reduction

In vivo results shows significant decrease in redness reduction just in **one day of application** with Hydrasensyl Glucan Green at 2.5%

Skin Redness

-37%

Hydrasensyl® Glucan Green
% redness reduction post laser



Skin Redness


x2.8

Hydrasensyl® Glucan Green
D1 vs **Placebo**


POST TREATMENT RECOVERY

Redness Recovery

HGG 2.5% restores redness to baseline at D15, whereas placebo remains unrecovered. With extrapolation, placebo recovery is projected to take 2× longer with residual inflammation even after 30 days.



Redness was quantified over time using image analysis. A defined area was analyzed, and redness was expressed as the percentage of surface occupied by red pixels




No Residual Inflammation after D15, placebo remains unrecovered


Redness Recovery

Hydrasensyl® Glucan Green delivers immediate redness reduction, with a 2.8× faster decrease in laser-induced redness as early as Day 1 versus placebo

Reduction of laser induced redness



Statistics:
Percentage on 32 volunteers
Student t test or Wilcoxon test
(***) p<0.001



Redness was quantified over time using image analysis.

A defined area was analyzed and redness was expressed as the percentage of surface occupied by red pixels.

Immediate Redness Reduction within the First Day by 2.8x vs placebo

Hydrasensyl® Glucan Green

POST TREATMENT RECOVERY



"Be a Day Ahead in Recovery"

"No residual inflammation"

FASTER ACTION

CALMER SKIN

POST TREATMENT RECOVERY

Skin regeneration after laser treatment follows a **three-phase process:**

First, an **inflammation phase** triggers cytokine release and immune response to clear damage and initiate repair.

This is followed by a **proliferation phase** where keratinocyte migration, fibroblast activity, and extracellular matrix production restore micro-injuries.

Finally an **ECM remodeling phase** where collagen reorganizes over time to improve skin structure.

IN-VITRO EFFICACY

1 INFLAMMATION PHASE	Histamine release inhibition IL-8 release reduction
2 PROLIFERATION / MIGRATION PHASE	Keratinocyte migration stimulation
3 ECM REMODELING PHASE	Fibroblast migration stimulation Collagen I stimulation


Hydrasensyl® Glucan Green

Anti-redness efficacy: histamine release inhibition




INFLAMMATION PHASE

Skin redness post-laser results from neurogenic inflammation and **histamine release** which lead to vasodilation.



Histamine release inhibition - *In-vitro* results



Statistics:
Mean +/- SEM, n=8
Mann Whitney test or ANOVA / Dunnett's
(*) $p<0.05$
(**) $p<0.01$

1H

Histamine Release

-38%

Hydrasensyl® Glucan Green 2.5%

SKIN PROTECTION

BASF
We create chemistry

Hydrasensyl® Glucan Green


Anti-inflammatory response



INFLAMMATION PHASE

Laser induces skin barrier disruption which create inflammation & the release of pro-inflammatory mediators

Keratinocytes stimulated by S. aureus, *UVB, SLS or LPS*
Dose of Hydrasensyl Glucan: 2.5%. Or Hydrasensyl Glucan Green 1.5% for LPS stimulation
Hydrasensyl® Glucan: Same active matter as Hydrasensyl® Glucan Green, *but preserved with phenoxyethanol*
Method: ELISA dosage - Mean ± SD, n=6; (**) p<0.01 or Mean ± SEM, n=8; (***) p<0.001 for LPS stimulation



In-*vitro* results Reduction of pro-inflammatory response induced By LPS, S. *aureus*, UVB and SLS

LPS induced IL-8 release

-32%

Hydrasensyl® Glucan Green 1.5%

Hydrasensyl® Glucan Green reduces the release of pro-inflammatory mediators of keratinocytes induced by LPS , *S. aureus*, UVB or SLS

Resulting in skin protection from irritations induced by microorganisms, sun or chemicals

-24%

PGE_2 inflammation mediator release induced by UVB

-43%

IL-8 inflammation mediator release induced by the opportunistic pathogen S. *aureus*

-17%


IL-1α inflammation mediator release induced by the chemical irritant SLS

SKIN PROTECTION

BASF
We create chemistry


Hydrasensyl® Glucan Green

skin barrier restoration




PROLIFERATION / MIGRATION PHASE

Keratinocyte migration is essential to rapidly re-epithelialize laser-induced micro-defects and restore the epidermal barrier



Stimulation of keratinocyte migration - In-*vitro* results



Keratinocyte Migration

+30%

Hydrasensyl® Glucan Green 0.5%

SKIN PROTECTION

BASF
We create chemistry


Hydrasensyl® Glucan Green

skin barrier restoration




ECM REMODELING PHASE

In skin repair process, **fibroblast migrate** toward the injured area, where they contribute to ECM deposition & reorganization



Stimulation of fibroblast migration - In-*vitro* results

Untreated control **HGG 0.5%**



Fibroblast Migration

+40%

Hydrasensyl® Glucan Green 0.5%

SKIN PROTECTION

BASF
We create chemistry

Hydrasensyl® Glucan Green

Skin remodeling or ECM restructuring by acting on the major dermal fiber




ECM REMODELING PHASE

Collagen I is the main structural collagen of the dermis. Following laser-induced micro-injuries, Collagen is deposited to form a stronger and organized dermal network.



Skin firmness efficacy - In-*vitro* results



Statistics:
Mean ± SEM, n=6
t-test *vs* untreated control
(***) p<0.001

Collagen I Stimulation

+72%

Hydrasensyl® Glucan Green 0.5%

SKIN PROTECTION

BASF
We create chemistry