

AIIMS CRE OT/Anesthesia Technician Exam

Complete Memory-Based Question Paper Solution

Contains all 115 Extracted Questions

Q1. Which instrument is primarily used to examine the airway during intubation?

- A. Suction catheter
- B. Laryngoscope
- C. LMA
- D. Guedel airway

Correct Answer: B. Laryngoscope

Q2. The laryngoscope blade is commonly made of:

- A. Plastic
- B. Aluminium
- C. Stainless Steel
- D. Rubber

Correct Answer: C. Stainless Steel

Q3. Which airway device can be inserted without using a laryngoscope?

- A. Endotracheal tube
- B. RAE tube
- C. LMA
- D. Bougie

Correct Answer: C. LMA

Q4. RAE tube is preferred in which surgery?

- A. Abdominal surgery
- B. Upper cleft surgery
- C. Neurosurgery
- D. Thoracic surgery

Correct Answer: B. Upper cleft surgery

Q5. Correct placement of an endotracheal tube is best confirmed by:

- A. Chest movement
- B. Auscultation
- C. Capnography
- D. Pulse oximetry

Correct Answer: C. Capnography

Q6. The standard connector size of an endotracheal tube is:

- A. 10 mm
- B. 12 mm
- C. 15 mm
- D. 18 mm

Correct Answer: C. 15 mm

Q7. Guedel airway size is measured by the distance from angle of mouth to:

- A. Nose tip
- B. Chin
- C. Ear lobe
- D. Angle of mandible

Correct Answer: D. Angle of mandible

Q8. Which device prevents aspiration of gastric contents?

- A. Guedel airway
- B. LMA
- C. Endotracheal tube
- D. Face mask

Correct Answer: C. Endotracheal tube

Q9. Definitive airway management is achieved by:

- A. Face mask
- B. LMA
- C. Endotracheal tube
- D. Nasal airway

Correct Answer: C. Endotracheal tube

Q10. Which LMA type cannot be used for intubation?

- A. ProSeal
- B. Supreme
- C. Classic
- D. Fastrach

Correct Answer: C. Classic

Q11. APL valve is used to:

- A. Measure pressure
- B. Deliver oxygen
- C. Control circuit pressure
- D. Remove CO₂

Correct Answer: C. Control circuit pressure

Q12. Which part of anesthesia machine removes excess anesthetic gases?

- A. Flowmeter
- B. Vaporizer
- C. Scavenging system
- D. Absorber

Correct Answer: C. Scavenging system

Q13. Sodalime is used to absorb:

- A. Oxygen
- B. Nitrous oxide
- C. Carbon dioxide
- D. Nitrogen

Correct Answer: C. Carbon dioxide

Q14. Exhausted sodalime leads to:

- A. Hypoxia
- B. CO₂ accumulation
- C. Barotrauma
- D. Awareness

Correct Answer: B. CO₂ accumulation

Q15. Flow control valve is used to:

- A. Measure gas volume
- B. Control gas flow
- C. Store gases
- D. Remove CO₂

Correct Answer: B. Control gas flow

Q16. Which circuit is commonly used in adults?

- A. Jackson Rees
- B. Mapleson F
- C. Bain circuit
- D. Ayre's T-piece

Correct Answer: C. Bain circuit

Q17. Circuit used for pediatric patients is:

- A. Bain
- B. Mapleson F
- C. Circle system
- D. Magill

Correct Answer: B. Mapleson F

Q18. For patients <10 kg body weight, preferred circuit is:

- A. Adult Bain
- B. Circle system
- C. Junior circuit
- D. Magill

Correct Answer: C. Junior circuit

Q19. Scavenging system primarily prevents:

- A. Hypoxia
- B. Infection
- C. OT pollution
- D. Hypercapnia

Correct Answer: C. OT pollution

Q20. Which gas supports combustion in OT?

- A. Nitrous oxide
- B. Carbon dioxide
- C. Oxygen
- D. Air

Correct Answer: C. Oxygen

Q21. High FiO₂ delivery is best achieved by:

- A. Nasal prongs
- B. Simple mask
- C. HFNC
- D. Room air

Correct Answer: C. HFNC

Q22. In head injury patients, which fluid should be avoided?

- A. Normal saline
- B. Ringer lactate
- C. Dextrose
- D. Colloid

Correct Answer: C. Dextrose

Q23. Which fluid is a colloid?

- A. Normal saline
- B. Ringer lactate
- C. Hetastarch
- D. Dextrose

Correct Answer: C. Hetastarch

Q24. Which is NOT used in sepsis management?

- A. Crystalloids
- B. Colloids
- C. Vasopressors
- D. Dextrose bolus

Correct Answer: D. Dextrose bolus

Q25. Suction pressure in OT should be maintained at:

- A. 50-80 mmHg
- B. 80-100 mmHg
- C. 100-150 mmHg
- D. 200 mmHg

Correct Answer: C. 100-150 mmHg

Q26. Humidification of anesthetic gases is done by:

- A. Nebulizer
- B. HME filter
- C. Flowmeter
- D. Vaporizer

Correct Answer: B. HME filter

Q27. Which is NOT part of an anesthesia machine?

- A. Flowmeter
- B. Vaporizer
- C. Pulse oximeter
- D. Absorber

Correct Answer: C. Pulse oximeter

Q28. In electricity failure, which part of anesthesia machine continues to work?

- A. Ventilator
- B. Monitor
- C. Mechanical Flowmeter
- D. Vaporizer

Correct Answer: C. Mechanical Flowmeter

Q29. Normal EtCO₂ waveform shape is:

- A. Triangular
- B. Square
- C. Irregular
- D. Flat

Correct Answer: B. Square

Q30. EtCO₂ is measured at:

- A. Inspiratory limb
- B. Expiratory limb
- C. Oxygen source
- D. Flowmeter

Correct Answer: B. Expiratory limb

Q31. COPD EtCO₂ waveform shows:

- A. Short expiratory phase
- B. Prolonged expiratory phase
- C. Flat line
- D. Normal square

Correct Answer: B. Prolonged expiratory phase

Q32. Normal EtCO₂ value is:

- A. 15-20 mmHg
- B. 20-25 mmHg
- C. 35-45 mmHg
- D. 50-60 mmHg

Correct Answer: C. 35-45 mmHg

Q33. Which induction agent can cause bradycardia?

- A. Ketamine
- B. Etomidate
- C. Propofol
- D. Thiopentone

Correct Answer: C. Propofol

Q34. Which drug is an induction agent?

- A. Atracurium
- B. Ketamine
- C. Neostigmine
- D. Sugammadex

Correct Answer: B. Ketamine

Q35. Which is a muscle relaxant?

- A. Thiopentone
- B. Atracurium
- C. Propofol
- D. Ketamine

Correct Answer: B. Atracurium

Q36. Sugammadex cannot reverse:

- A. Rocuronium
- B. Vecuronium
- C. Atracurium
- D. Pancuronium

Correct Answer: C. Atracurium

Q37. Reversal drug for non-depolarizing muscle relaxants is:

- A. Atropine
- B. Adrenaline
- C. Neostigmine
- D. Dopamine

Correct Answer: C. Neostigmine

Q38. Ester local anesthetic is:

- A. Lidocaine
- B. Bupivacaine
- C. Procaine
- D. Ropivacaine

Correct Answer: C. Procaine

Q39. Most common complication of spinal anesthesia is:

- A. Hypertension
- B. Hypotension
- C. Bradycardia
- D. Apnea

Correct Answer: B. Hypotension

Q40. Which ligament is crossed during subarachnoid block?

- A. Supraspinous
- B. Interspinous
- C. Ligamentum flavum
- D. Posterior longitudinal

Correct Answer: C. Ligamentum flavum

Q41. Caudal block is contraindicated in children with:

- A. Hernia
- B. Hydrocephalus
- C. Hypospadias
- D. Fracture femur

Correct Answer: B. Hydrocephalus

Q42. Minimum safe SpO2 level is:

- A. 85%
- B. 90%
- C. 95%
- D. 100%

Correct Answer: C. 95%

Q43. Most commonly used site for SpO2 monitoring is:

- A. Ear lobe
- B. Toe
- C. Finger
- D. Forehead

Correct Answer: C. Finger

Q44. Most commonly cannulated artery for IBP is:

- A. Femoral
- B. Radial
- C. Brachial
- D. Ulnar

Correct Answer: B. Radial

Q45. Red ECG lead is placed on:

- A. LA
- B. RA
- C. LL
- D. RL

Correct Answer: B. RA

Q46. Minimum alveolar concentration (MAC) of sevoflurane is about:

- A. 0.5%
- B. 1%
- C. 2%
- D. 4%

Correct Answer: C. 2%

Q47. Isoflurane has:

- A. Maximum MAC
- B. Minimum MAC
- C. No MAC
- D. Variable MAC

Correct Answer: B. Minimum MAC

Q48. Bronchodilator anesthetic agent is:

- A. Halothane
- B. Sevoflurane
- C. Nitrous oxide
- D. Isoflurane

Correct Answer: B. Sevoflurane

Q49. Not a property of propofol:

- A. Hypnosis
- B. Anti-emetic
- C. Inotropic effect
- D. Rapid induction

Correct Answer: C. Inotropic effect

Q50. Which drug is NOT used in rapid sequence intubation?

- A. Succinylcholine
- B. Propofol
- C. Methylene blue
- D. Rocuronium

Correct Answer: C. Methylene blue

Q51. Which fluid is avoided in head injury?

- A. NS
- B. RL
- C. Dextrose
- D. Colloid

Correct Answer: C. Dextrose

Q52. Hyperkalemia treatment includes:

- A. Calcium gluconate
- B. Insulin with dextrose
- C. Salbutamol
- D. All of the above

Correct Answer: D. All of the above

Q53. Obese patient preparation should avoid:

- A. Short acting drugs
- B. Long acting drugs
- C. Proper positioning
- D. Preoxygenation

Correct Answer: B. Long acting drugs

Q54. Boyle's law relates to:

- A. Temperature-volume
- B. Pressure-volume
- C. Flow-pressure
- D. Resistance-flow

Correct Answer: B. Pressure-volume

Q55. Oxygen flush delivers flow of approximately:

- A. 10-20 L/min
- B. 20-30 L/min
- C. 35-75 L/min
- D. 80-100 L/min

Correct Answer: C. 35-75 L/min

Q56. Para-oxygenation refers to:

- A. Oxygen after intubation
- B. Oxygen before induction
- C. Oxygen during surgery
- D. Oxygen after extubation

Correct Answer: B. Oxygen before induction

Q57. Proper ET tube position is confirmed by:

- A. Chest rise
- B. SpO₂
- C. Capnography
- D. BP

Correct Answer: C. Capnography

Q58. Ideal cuff leak test finding is:

- A. No leak
- B. Decreased tidal volume delivery
- C. Increased airway pressure
- D. Desaturation

Correct Answer: B. Decreased tidal volume delivery

Q59. Which position reduces aspiration risk?

- A. Trendelenburg
- B. Supine
- C. Head-up
- D. Lithotomy

Correct Answer: C. Head-up

Q60. For upper airway surgery, preferred tube is:

- A. Oral ET
- B. Nasal ET
- C. RAE tube
- D. LMA

Correct Answer: C. RAE tube

Q61. Patient positioning helps to prevent:

- A. Hypotension
- B. Nerve injury
- C. Hypoxia
- D. Infection

Correct Answer: B. Nerve injury

Q62. Improper positioning may cause:

- A. Neuropraxia
- B. Infection
- C. Aspiration
- D. Hypoglycemia

Correct Answer: A. Neuropraxia

Q63. Most common nerve injured due to wrong positioning:

- A. Radial
- B. Ulnar
- C. Median
- D. Sciatic

Correct Answer: B. Ulnar

Q64. Human anatomical waste is disposed in:

- A. Blue bag
- B. Yellow bag
- C. Red bag
- D. Black bag

Correct Answer: B. Yellow bag

Q65. Plastic waste like IV tubing is disposed in:

- A. Yellow
- B. Blue
- C. Red
- D. Black

Correct Answer: C. Red

Q66. Glassware waste is disposed in:

- A. Yellow
- B. Blue
- C. Red
- D. Black

Correct Answer: B. Blue

Q67. General waste is disposed in:

- A. Yellow
- B. Red
- C. Blue
- D. Black

Correct Answer: D. Black

Q68. Biomedical waste management reduces:

- A. Cost
- B. Infection risk
- C. Surgery time
- D. Drug use

Correct Answer: B. Infection risk

Q69. Sharps are disposed in:

- A. Plastic bag
- B. Cardboard box
- C. Puncture-proof container
- D. Yellow bag

Correct Answer: C. Puncture-proof container

Q70. Needle stick injury risk is highest during:

- A. Disposal
- B. Recapping
- C. Transport
- D. Storage

Correct Answer: B. Recapping

Q71. Adult CPR compression-ventilation ratio is:

- A. 15:2
- B. 30:2
- C. 30:1
- D. 15:1

Correct Answer: B. 30:2

Q72. First drug used during CPR is:

- A. Atropine
- B. Amiodarone
- C. Adrenaline
- D. Dopamine

Correct Answer: C. Adrenaline

Q73. CPR is considered failed if interruption is more than:

- A. 10 seconds
- B. 20 seconds
- C. 30 seconds
- D. 60 seconds

Correct Answer: C. 30 seconds

Q74. Normal adult respiratory rate is:

- A. 8-10
- B. 10-12
- C. 12-20
- D. 20-30

Correct Answer: C. 12-20

Q75. Bradycardia is commonly caused by:

- A. Ketamine
- B. Propofol
- C. Sevoflurane
- D. Nitrous oxide

Correct Answer: B. Propofol

Q76. Hypotension increases risk of:

- A. Aspiration
- B. Awareness under anesthesia
- C. Infection
- D. Bronchospasm

Correct Answer: B. Awareness under anesthesia

Q77. Control of bleeding in pre-eclampsia patient during LSCS is done by:

- A. Misoprostol
- B. Oxytocin
- C. Methylergometrine
- D. Tranexamic acid

Correct Answer: B. Oxytocin

Q78. Most common cause of awareness under anesthesia is:

- A. Overdose
- B. Hypotension
- C. Hypoxia
- D. Hypercapnia

Correct Answer: B. Hypotension

Q79. CO2 cylinder color is:

- A. Blue
- B. Grey
- C. Black
- D. Green

Correct Answer: B. Grey

Q80. Nitrous oxide cylinder color is:

- A. Grey
- B. Black
- C. Blue
- D. Green

Correct Answer: C. Blue

Q81. Oxygen pin index is:

- A. 1, 3
- B. 2, 5
- C. 3, 6
- D. 4, 7

Correct Answer: B. 2, 5

Q82. Capacity of E type oxygen cylinder is approximately:

- A. 330 L
- B. 500 L
- C. 660 L
- D. 1000 L

Correct Answer: C. 660 L

Q83. Most commonly used bronchodilator anesthetic agent is:

- A. Isoflurane
- B. Sevoflurane
- C. Nitrous oxide
- D. Halothane

Correct Answer: B. Sevoflurane

Q84. Aldrete score is used for:

- A. Pre-anesthetic checkup
- B. OT discharge
- C. PACU discharge
- D. ICU admission

Correct Answer: C. PACU discharge

Q85. Most accurate way to assess ventilation is:

- A. SpO₂
- B. Chest movement
- C. Capnography
- D. BP

Correct Answer: C. Capnography

Q86. Which gas is least soluble in blood?

- A. Nitrous oxide
- B. Isoflurane
- C. Sevoflurane
- D. Oxygen

Correct Answer: D. Oxygen

Q87. Normal adult heart rate is:

- A. 40-60
- B. 60-100
- C. 100-120
- D. 120-150

Correct Answer: B. 60-100

Q88. Hypoxia first affects:

- A. Kidney
- B. Liver
- C. Brain
- D. Muscle

Correct Answer: C. Brain

Q89. Most reliable sign of successful CPR is:

- A. Pupillary reaction
- B. Palpable pulse
- C. Chest rise
- D. ECG rhythm

Correct Answer: B. Palpable pulse

Q90. Which is NOT a sign of effective CPR?

- A. Chest recoil
- B. Palpable pulse
- C. Cyanosis
- D. Improved SpO₂

Correct Answer: C. Cyanosis

Q91. During CPR, compression depth in adults should be:

- A. 2 cm
- B. 3 cm
- C. 5-6 cm
- D. 8 cm

Correct Answer: C. 5-6 cm

Q92. Primary goal of CPR is to:

- A. Restore breathing
- B. Maintain circulation
- C. Prevent infection
- D. Control bleeding

Correct Answer: B. Maintain circulation

Q93. Sudden loss of consciousness, pulse and breathing indicates:

- A. Shock
- B. Cardiac arrest
- C. Stroke
- D. Syncope

Correct Answer: B. Cardiac arrest

Q94. Best site for chest compression is:

- A. Upper sternum
- B. Lower half of sternum
- C. Xiphoid
- D. Left chest

Correct Answer: B. Lower half of sternum

Q95. During CPR, ventilation should be avoided if:

- A. Advanced airway present
- B. No oxygen
- C. Child patient
- D. Trauma

Correct Answer: A. Advanced airway present

Q96. Which monitor gives early warning of hypoventilation?

- A. ECG
- B. SpO₂
- C. Capnography
- D. NIBP

Correct Answer: C. Capnography

Q97. In CPR, adrenaline dose in adults is:

- A. 0.1 mg
- B. 0.5 mg
- C. 1 mg
- D. 5 mg

Correct Answer: C. 1 mg

Q98. CPR should be started immediately when:

- A. SpO₂ <90%
- B. BP low
- C. No pulse
- D. Bradycardia

Correct Answer: C. No pulse

Q99. Most important step before CPR is:

- A. Call family
- B. Check responsiveness
- C. Check BP
- D. Give oxygen

Correct Answer: B. Check responsiveness

Q100. Ultimate goal of CPR is:

- A. Restore spontaneous circulation
- B. Improve BP
- C. Increase SpO₂
- D. Prevent infection

Correct Answer: A. Restore spontaneous circulation

Q101. Which fluid is NOT recommended in septic patients?

- A. Normal saline
- B. Ringer lactate
- C. Colloids
- D. Dextrose

Correct Answer: D. Dextrose

Q102. Awareness under anesthesia is most commonly associated with:

- A. Hypertension
- B. Hypotension
- C. Hypothermia
- D. Bradycardia

Correct Answer: B. Hypotension

Q103. Which drug is NOT used in the management of DVT?

- A. Heparin
- B. Warfarin
- C. Protamine
- D. LMWH

Correct Answer: C. Protamine

Q104. Cuff leak test is ideally assessed by observing:

- A. Oxygen saturation
- B. Tidal volume decrease
- C. Heart rate
- D. Blood pressure

Correct Answer: B. Tidal volume decrease

Q105. Which device is used for aspiration prevention during anesthesia?

- A. LMA
- B. Guedel airway
- C. Endotracheal tube
- D. Face mask

Correct Answer: C. Endotracheal tube

Q106. Permanent memory of a computer is stored in:

- A. RAM
- B. Cache
- C. Hard Disk
- D. Register

Correct Answer: C. Hard Disk

Q107. Computer processing speed is measured in:

- A. Bytes
- B. Hertz
- C. Inches
- D. Volts

Correct Answer: B. Hertz

Q108. Windows is an example of:

- A. Application software
- B. System software
- C. Utility software
- D. Hardware

Correct Answer: B. System software

Q109. Three boxes contain balls. Box 1: Black, Box 2: White, Box 3: Black & White. A ball drawn is white. From which box is it most likely drawn?

- A. Box 1
- B. Box 2
- C. Box 3
- D. Box 2 and Box 3 equally

Correct Answer: B. Box 2

Q110. A man points to a photo and says: 'The woman in the photo is the daughter of my grandfather's only son'. How is the woman related to the man?

- A. Daughter
- B. Cousin
- C. Sister
- D. Aunt

Correct Answer: C. Sister

Q111. How many floors are there in Burj Khalifa?

- A. 150
- B. 160
- C. 163
- D. 170

Correct Answer: C. 163

Q112. Which country is the largest exporter of electricity in the world?

- A. Germany
- B. China
- C. France
- D. USA

Correct Answer: C. France

Q113. Country with the highest number of UNESCO World Heritage Sites is:

- A. China
- B. Spain
- C. Italy
- D. France

Correct Answer: C. Italy

Q114. Norway is a _____ country:

- A. Western European
- B. Southern European
- C. Northern European
- D. Eastern European

Correct Answer: C. Northern European

Q115. Which country is considered the northernmost country in the world?

- A. Norway
- B. Canada
- C. Russia
- D. Iceland

Correct Answer: C. Russia