

OT / Anesthesia Technician Exam Preparation

AIIMS CRE Guess Paper (Part 8) - Multiple Choice Questions

Q1. Which is the preferred method to open the airway in suspected cervical spine injury?

- A) Head tilt chin lift
- B) C E technique
- C) Jaw thrust

Correct Answer: C) Jaw thrust

Q2. What is the optimum pressure to which an endotracheal tube must be inflated to produce an adequate seal between the cuff and the wall of the trachea?

- A) 10 mm of Hg
- B) 18 mm of Hg
- C) 32 mm of Hg
- D) 40 mm of Hg

Correct Answer: B) 18 mm of Hg

Q3. An intravenous solution of 0.90% sodium chloride is:

- A) Hypotonic
- B) Isotonic
- C) Hypertonic
- D) Isometric

Correct Answer: B) Isotonic

Q4. What should be the rate of chest compressions per minute while providing CPR for an adult?

- A) 80
- B) 90
- C) 120
- D) 140

Correct Answer: C) 120

Q5. The perianal procedure should be performed in which of the following positions?

- A) Lateral
- B) Lithotomy
- C) Dorsal recumbent
- D) Trendelenburg

Correct Answer: B) Lithotomy

Q6. What is the temperature and air exchange maintained in an OT?

- A) Temp 20-26°C, Air Exchange 7-8 per hour
- B) Temp 18-22°C, Air Exchange 10-12 per hour
- C) Temp 10-12°C, Air Exchange 9-10 per hour
- D) Temp 30-35°C, Air Exchange 15-20 per hour

Correct Answer: B) Temp 18-22°C, Air Exchange 10-12 per hour

Q7. At what pressure are the medical gases supplied by the hospital maintained at the wall outlet?

- A) 225-315 kPa
- B) 245-325 kPa
- C) 265-376 kPa
- D) 275-345 kPa

Correct Answer: D) 275-345 kPa

Q8. The method of sterilizing the operating room using a gas that destroys microorganisms is called:

- A) Autoclaving
- B) Disinfection
- C) Fumigation
- D) Sterilization

Correct Answer: C) Fumigation

Q9. What is the Pin Index System number for Air?

- A) 1, 5
- B) 2, 5
- C) 3, 5
- D) 1, 6

Correct Answer: A) 1, 5

Q10. The ratio of chest compressions to respiration during CPR is:

- A) 15:2
- B) 30:2
- C) 30:1
- D) 15:1

Correct Answer: B) 30:2

Q11. The roots of the brachial plexus include:

- A) C3, C4, C5, C6, C7
- B) C7, C8, T1, T2, T3
- C) C5, C6, C7, C8, T1
- D) C6 to T1, T2

Correct Answer: C) C5, C6, C7, C8, T1

Q12. Which of the following is NOT required during spinal hypotension?

- A) Oxygen inhalation
- B) Esmolol
- C) Intravenous fluid administration
- D) Ephedrine

Correct Answer: B) Esmolol

Q13. Esophageal placement of an endotracheal tube can be suspected by:

- A) Falling value of SPO2
- B) Reduced recoil in airway bag
- C) Absent rattling sound during respiration
- D) ETCO2 changes

Correct Answer: D) ETCO2 changes (Capnography)

Q14. Which of the following is NOT correct about posterior fossa surgery?

- A) Venous air embolism is not a complication
- B) Peripheral nerve injuries may be a complication
- C) Eye injuries are a possibility
- D) Patients may develop cranial nerve injury

Correct Answer: A) Venous air embolism is not a complication

Q15. Which of the following is NOT correct about one lung ventilation?

- A) Double lumen tube may be required for one lung ventilation
- B) Direct laryngoscopy may be required for placement of double lumen tube
- C) Can be used for lung separation during bronchopleural fistula
- D) Left and right-sided double lumen tubes are not different

Correct Answer: D) Left and right-sided double lumen tubes are not different

Q16. Minimum standard monitoring during anesthesia does NOT include:

- A) Constant presence of anesthesiologist
- B) ECG monitoring
- C) EEG monitoring
- D) Temperature monitoring

Correct Answer: C) EEG monitoring

Q17. Duration of one cardiac cycle is:

- A) 1.8 seconds
- B) 0.8 seconds
- C) 0.4 seconds
- D) 0.6 seconds

Correct Answer: B) 0.8 seconds

Q18. Regarding the endotracheal tube, which option is incorrect?

- A) Cannot be used to administer medicine
- B) Can be used to administer anesthesia
- C) Can be used for resuscitation
- D) Can be cuffed or uncuffed

Correct Answer: A) Cannot be used to administer medicine

Q19. Which of the following is a muscle relaxant?

- A) Succinylcholine
- B) Ketamine
- C) Fentanyl
- D) Paracetamol

Correct Answer: A) Succinylcholine

Q20. What should be given to a patient who is experiencing desaturation?

- A) Air
- B) Oxygen
- C) Carbon dioxide
- D) Nitrous oxide

Correct Answer: B) Oxygen

Q21. The volume of air used to inflate the cuff of a pilot balloon if the size of the LMA is 2:

- A) 40 ml
- B) 30 ml
- C) 10 ml
- D) 20 ml

Correct Answer: C) 10 ml

Q22. The unit of Heparin used to make Heparinized saline solution is:

(Homework Question)

- A) 1000 U
- B) 25000 U
- C) 3000 U
- D) 10000 U

Correct Answer: A) 1000 U (General standard for IV flushes, though it varies)