# Actividad 03, individual

Desarrollo de Métricas de software

Ginez Pérez Josué Iván 5A DSM




```
Administrador: XAMPP for Windows - mysql  -u jginez -p
MariaDB [(none)]> use ecommerce_jginez;
Database changed
MariaDB [ecommerce_jginez]> select * from clients;
Empty set (0.000 sec)

MariaDB [ecommerce_jginez]> show tables;
+----------------------------+
| Tables_in_ecommerce_jginez |
+----------------------------+
| bill_products              |
| bills                      |
| clients                    |
| products                   |
+----------------------------+
4 rows in set (0.001 sec)

MariaDB [ecommerce_jginez]> desc clients;
+--------------+------------------+------+-----+---------------------+----------------+
| Field        | Type             | Null | Key | Default             | Extra          |
+--------------+------------------+------+-----+---------------------+----------------+
| client_id    | int(10) unsigned | NO   | PRI | NULL                | auto_increment |
| name         | varchar(100)     | NO   |     | NULL                |                |
| email        | varchar(100)     | NO   | UNI | NULL                |                |
| phone_number | varchar(15)      | YES  |     | NULL                |                |
| create_at    | timestamp        | NO   |     | current_timestamp() |                |
| update_at    | timestamp        | NO   |     | current_timestamp() |                |
+--------------+------------------+------+-----+---------------------+----------------+
6 rows in set (0.014 sec)

MariaDB [ecommerce_jginez]>
```







El problema se corrigió cambiando la capacidad de

[mysqld]

max_allowed_packet = 100M

en el my.ini


Administrador: XAMPP for Windows
Setting environment for using XAMPP for Windows.
Usuario@DESKTOP-CEKD051 c:\xampp
# mysql -u jginez -p < C:\Users\Usuario\OneDrive\Desktop\BDA\clients.sql
Enter password: ******
ERROR 1153 (08S01) at line 1: Got a packet bigger than 'max_allowed_packet' bytes
Usuario@DESKTOP-CEKD051 c:\xampp
# mysql -u jginez -p < C:\Users\Usuario\OneDrive\Desktop\BDA\clients.sql
Enter password: ******
ERROR 2013 (HY000) at line 2: Lost connection to MySQL server during query
Usuario@DESKTOP-CEKD051 c:\xampp
# mysql -u jginez -p < C:\Users\Usuario\OneDrive\Desktop\BDA\clients.sql
Enter password: ******
Usuario@DESKTOP-CEKD051 c:\xampp
#


Administrador: XAMPP for Windows - mysql -u jginez -p
+----------------------------+
4 rows in set (0.001 sec)
MariaDB [ecommerce_jginez]> desc clients;
| Field | Type | Null | Key | Default | Extra |
| client_id | int(10) unsigned | NO | PRI | NULL | auto_increment |
| name | varchar(100) | NO | | NULL | |
| email | varchar(100) | NO | UNI | NULL | |
| phone_number | varchar(15) | YES | | NULL | |
| create_at | timestamp | NO | | current_timestamp() | |
| update_at | timestamp | NO | | current_timestamp() | |
6 rows in set (0.014 sec)
MariaDB [ecommerce_jginez]> select count(*) from clients;
ERROR 2006 (HY000): MySQL server has gone away
No connection. Trying to reconnect...
Connection id: 9
Current database: ecommerce_jginez
| count(*) |
| 98023 |
1 row in set (0.096 sec)
MariaDB [ecommerce_jginez]>