App.jsx:

```
import React from 'react';
import Header from './Header'; // Corrected import path
import NavigationBar from './Navigationbar'; // Corrected import path
import HeroSection from './Herosection'; // Corrected import path
import FeaturesSection from './Featuressection'; // Corrected import path
import AboutSection from './Aboutsection'; // Corrected import path
import TestimonialsSection from './Testimonialssection'; // Corrected import path
import ContactSection from './Contactsection'; // Corrected import path
import Footer from './Footer'; // Corrected import path
import './react.css'; // Corrected import path and removed unnecessary alias
const App = () \Rightarrow \{
 return (
  <div>
   <Header />
   <NavigationBar/>
    <HeroSection />
    <FeaturesSection />
    <AboutSection />
    <TestimonialsSection />
    <ContactSection />
   <Footer/>
export default App;
```

Main.jsx:

```
</React.StrictMode>,
document.getElementById('root1') // Render to an element with id 'root'
);
```

Contactsection:

Footer.jsx:

Testimonialsection:

```
);
};
export default TestimonialsSection;
```

React.css:

```
* Header */
.header {
  background-color: #333;
  color: #fff;
  padding: 20px;
 /* Navigation Bar */
 .navbar {
  background-color: #444;
  color: #fff;
  padding: 10px;
  display: flex;
  justify-content: space-between;
  align-items: center;
 .navbar ul {
  list-style: none;
  display: flex;
  justify-content: flex-end; /* Align menu items to the right */
 .navbar ul li {
  margin: 0 10px;
 /* Features Section */
 .features-section {
  background-color: #f5f5f5;
  padding: 20px;
  display: flex;
  flex-wrap: wrap; /* Wrap feature items if they exceed the container width */
 .features-section h2 {
  color: #333;
  width: 100%; /* Ensure the h2 takes the full width */
  text-align: center; /* Center align the heading */
```

```
.hero-section{
 color:blue;
 background-color: #f0f0f0;
 text-align: center;
.learn-more-container {
 text-align:center;
 color: goldenrod;
.feature-item {
 flex: 1; /* Distribute feature items evenly */
 padding: 10px;
/* About Section */
.about-section {
 background-color: #eee;
 padding: 20px;
 text-align:center;
.about-section h2 {
 color: #333;
/* Testimonials Section */
.testimonials-section {
 background-color: #f0f0f0;
 padding: 20px;
 display: flex;
 justify-content: center; /* Center testimonials */
 align-items: center; /* Center testimonials */
.testimonials-section h2 {
 color: #333;
/* Contact Section */
.contact-section {
 background-color: #ccc;
 padding: 20px;
 display: flex;
 flex-direction: column; /* Align items vertically */
 align-items: center; /* Center align items */
```

```
.contact-section h2 {
    color: #333;
}

/* Footer */
.footer {
    background-color: #333;
    color: #fff;
    padding: 20px;
}

.footer-content {
    text-align: center;
}

.footer-content a {
    color: #fff;
    text-decoration: none;
}

.footer-content a:hover {
    text-decoration: underline;
}
```

Featuressection:

Aboutsection:

```
import React from 'react';
```

Header:

Navigationbar:

Herosection:

```
import React, { useState } from 'react';
import LearnMore from './Learnmore'; // Assuming LearnMore component is defined in
LearnMore.js
const HeroSection = () => {
 const [showLearnMore, setShowLearnMore] = useState(false);
 const handleLearnMoreClick = () => {
 setShowLearnMore(true);
 return (
  <section className="hero">
   <div className="hero-section">
   <h1> WELCOME TO OUR WEBSITE!</h1>
   <h4>WE OFFER AMAZING PRODUCTS /SERVICES.</h4>
   <button id="learn" onClick={handleLearnMoreClick}>Learn More
   {showLearnMore && <LearnMore />}
  </section>
export default HeroSection;
```

<u>Learnmore.jsx:</u>