Title

Subtitle

Subject

Degree University

Author name E-mail author@mail.es

January 8, 2018, local city

Contents

1	\mathbf{Sec}	tion Example
	1.1	Subsection example
	1.2	Verbatim (code) blocs
		1.2.1 Indented
		1.2.2 Fenced / backtic
	1.3	Lists
		1.3.1 Ordered lists
	1.4	Tables
		1.4.1 Simple tables
		1.4.2 Multi line tables
		1.4.3 Grid tables
		1.4.4 Pipe tables
	1.5	Text style
	1.6	Foot notes
	1.7	Inline notes
R	efere	nces section
L	ist (of Figures
	1.1	Figure example
	1.2	Figure example


1 Section Example

Referencing example [1].

1.1 Subsection example

This is a figure example (figures 1.1, 1.2).

Figure 1.1: Figure example.



Another way of including an image:




Figure 1.2: Figure example.

1.2 Verbatim (code) blocs

1.2.1 Indented

```
if (a > 3) {
    moveShip(5 * gravity, DOWN);
}
```

1.2.2 Fenced / backtic

```
It is the same to use ~ or `
    x = None
    if x is None:
        print('None')
    simple one:
    x = None
    if x is None:
        print('None')
```

1.3 Lists

• First paragraph.

Continued.

• Second paragraph. With a code block, which must be indented eight spaces:

```
{ code }
```

1.3.1 Ordered lists

- 1. first
- 2. second
- 3. third

1.3.1.1 Fancy lists

- 1. one
- 2. two

1.3.1.2 StartNum

- 9) Ninth
- 10) Tenth
- 11) Eleventh
 - i. subone
 - ii. subtwo
 - iii. subthree

1.4 Tables

1.4.1 Simple tables

Table 1.1: Demonstration of simple table syntax.

Right	Left	Center	Default
12	12	12	12
123	123	123	123
1	1	1	1

12	12	12	12
123	123	123	123
1	1	1	1

1.4.2 Multi line tables

Table 1.3: Here's the caption. It, too, may span multiple lines.

Centered Header	Default Aligned	Right Aligned	Left Aligned
First	row	12.0	Example of a row that spans multiple lines.
Second	row	5.0	Here's another one. Note the blank line between rows.

Table 1.4: Here's a multiline table without headers.

First	row	12.0	Example of a row that
			spans multiple lines.
Second	row	5.0	Here's another one. Note
			the blank line between
			rows.

1.4.3 Grid tables

Table 1.5: Sample grid table.

Fruit	Price	Advantages
Bananas	\$1.34	built-in wrapper
		• bright color

Fruit	Price	Advantages
Oranges	\$2.10	cures scurvytasty

Right	Left	Centered
Bananas	\$1.34	built-in wrapper
Right	Left	Centered

1.4.4 Pipe tables

Table 1.8: Demonstration of pipe table syntax.

Right	Left	Default	Center
12	12	12	12
123	123	123	123
1	1	1	1

fruit	price
apple	2.05
pear	1.37
orange	3.09

1.5 Text style

 H_2O is a liquid. 2^{10} is 1024.

SMALL CAPS

1.6 Foot notes

Here is a footnote reference, and another.

This paragraph won't be part of the note, because it isn't indented.

The whole paragraph can be indented, or just the first line. In this way, multi-paragraph footnotes work like multi-paragraph list items.

¹Here is the footnote.

²Here's one with multiple blocks.

Subsequent paragraphs are indented to show that they belong to the previous footnote.

[{] some.code }

1.7 Inline notes

Here is an inline note. 3

References section

[1] Author, "Title," Year. [Online]. Available: Link.

 $^{^{3}}$ Inlines notes are easier to write, since you don't have to pick an identifier and move down to type the note.