

Title

Author

January 8, 2018

Abstract

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

Contents

1	Section Example	3
1.1	Subsection example	3
1.2	Verbatim (code) blocs	4
1.2.1	Indented	4
1.2.2	Fenced / backtic	4
1.3	Lists	5
1.3.1	Ordered lists	5
1.4	Tables	6
1.4.1	Simple tables	6
1.4.2	Multi line tables	6

1.4.3	Grid tables	7
1.4.4	Pipe tables	8
1.5	Text style	8
1.6	Foot notes	9
1.7	Inline notes	9

References section	9
---------------------------	----------

List of Figures

1.1	Figure example.	3
1.2	Figure example.	4


1 Section Example

Referencing example [1].

1.1 Subsection example

This is a figure example (figures 1.1, 1.2).

Figure 1.1: Figure example.



Another way of including an image:




Figure 1.2: Figure example.

1.2 Verbatim (code) blocs

1.2.1 Indented

```
if (a > 3) {  
    moveShip(5 * gravity, DOWN);  
}
```

1.2.2 Fenced / backtic

It is the same to use ~ or `

```
0 x = None
1 if x is None:
2     print('None')
```

simple one:

```
x = None
if x is None:
    print('None')
```

1.3 Lists

- First paragraph.

Continued.

- Second paragraph. With a code block, which must be indented eight spaces:

```
{ code }
```

1.3.1 Ordered lists

1. first
2. second
3. third

1.3.1.1 Fancy lists

1. one
2. two

1.3.1.2 StartNum

- 9) Ninth
- 10) Tenth
- 11) Eleventh
 - i. subone
 - ii. subtwo
 - iii. subthree

1.4 Tables

1.4.1 Simple tables

Table 1.1: Demonstration of simple table syntax.

Right	Left	Center	Default
12	12	12	12
123	123	123	123
1	1	1	1

12	12	12	12
123	123	123	123
1	1	1	1

1.4.2 Multi line tables

Table 1.3: Here’s the caption. It, too, may span multiple lines.

Centered Header	Default Aligned	Right Aligned	Left Aligned
First	row	12.0	Example of a row that spans multiple lines.
Second	row	5.0	Here’s another one. Note the blank line between rows.

Table 1.4: Here’s a multiline table without headers.

First	row	12.0	Example of a row that spans multiple lines.
Second	row	5.0	Here’s another one. Note the blank line between rows.

1.4.3 Grid tables

Table 1.5: Sample grid table.

Fruit	Price	Advantages
Bananas	\$1.34	<ul style="list-style-type: none">• built-in wrapper• bright color
Oranges	\$2.10	<ul style="list-style-type: none">• cures scurvy• tasty

Right	Left	Centered
Bananas	\$1.34	built-in wrapper
Right	Left	Centered

1.4.4 Pipe tables

Table 1.8: Demonstration of pipe table syntax.

Right	Left	Default	Center
12	12	12	12
123	123	123	123
1	1	1	1

fruit	price
apple	2.05
pear	1.37
orange	3.09

1.5 Text style

H₂O is a liquid. 2¹⁰ is 1024.

Small caps

1.6 Foot notes

Here is a footnote reference,¹ and another.²

This paragraph won't be part of the note, because it isn't indented.

1.7 Inline notes

Here is an inline note.³

References section

[1] Author, "Title," Year. [Online]. Available: Link.

¹Here is the footnote.

²Here's one with multiple blocks.

Subsequent paragraphs are indented to show that they belong to the previous footnote.

`{ some.code }`

The whole paragraph can be indented, or just the first line. In this way, multi-paragraph footnotes work like multi-paragraph list items.

³Inlines notes are easier to write, since you don't have to pick an identifier and move down to type the note.