


# SFT221 – Project

## Learning Outcomes

- Design and build the solution to a small problem.
- Design the testing for the problem.

## Project Description

You have been hired by a local delivery company that has three different trucks that deliver on three different routes in your part of the city. The map of your city is represented as a 25 by 25 square grid as shown in the diagram below.



Our offices are located at square 1A. From that location our three different delivery vans start out initially on a common path and then branch out to cover different parts of the neighborhood. The paths taken by our delivery trucks are shown in blue, yellow, and green. Initially, all trucks start out and follow the blue path and then the green and yellow trucks branch off from the path taken by the blue trucks. The black rectangles represent buildings to which packages can be delivered. The white areas are empty space, and the blue, yellow, and green areas represent the paths taken by our three delivery trucks. All addresses are specified in terms of the row number and column letter to which a package should be delivered.

All our trucks are the same size and can hold up to 2500 kilograms of cargo. The trucks are also capable of carrying 100 cubic meters of boxes. The boxes that we use for shipping come in 1 cubic meter, 3 cubic meters, and 5 cubic meters sizes. All our boxes are square, meaning that they have the same dimensions on all sides.

When a customer comes in with a shipment, they specify:

- The weight of the shipment in kilograms,
- The size of the box required in cubic meters,
- The destination of the box in terms of a building specified by a row number and column letter that is within the black rectangle represented by the building.

When a shipment comes in, your job is to find a truck which is big enough to hold the shipment as well as finding a truck which is going to go as close as possible to the destination of the package. The trucks can divert slightly from their assigned routes and pass through any of the white parts of the grid to deliver the package. You should always put the package in the truck that we'll have to divert the least distance to deliver the package. When considering the distance, a truck must divert from its route to get to the destination, you must remember the trucks cannot drive through any of the black buildings on the map. If two trucks are the same distance away from the destination, you should put the package in the truck which is less full.

A truck is full when it hits either its maximum weight or maximum volume – whichever is reached first. For example, if a truck already has 2600 kilograms in it but only has 80 cubic meters of boxes then the limiting factor must be taken as the weight. If another truck has 95 cubic meters of boxes but only 200 kilograms of cargo, then you must assume that it is limited on space rather than weight. When you compare two trucks to see which one has the most space remaining, you should look at the limiting factor for each truck as a percentage and compare the percentages.

### Measuring Distance

While it is relatively easy to determine the truck that has the most room or weight available for a package, it is less obvious how to determine which truck comes closest to the destination for a particular package. In some cases, it doesn't really matter since they will be equidistant.

Consider the case where a package needs to be delivered to 7F. This location is actually on the route of two of our trucks. Since the green and blue routes overlap at this point it does not really matter whether we assign it to a blue or a green truck and that must be determined by the truck which has the most available space. On the other hand, it is very close to the route of the yellow truck. To determine whether we should put it in a yellow truck or one of the blue or green trucks we must measure the distance from the nearest point on the yellow truck's route to destination and the distance from the blue and green trucks to the destination. Looking at the problem visually, we can see that the blue and green trucks come within two squares of the destination, but the yellow truck comes within three squares of the destination. Therefore, since the blue and green trucks come equally close to the destination, the truck in which the object will be placed is based upon available weight and volume.

Now, let's look at a more difficult problem. Consider the case where we want to make a delivery to 8P. This is near to both the blue line as well as the green line, but it is not obvious which one is the closest in order to find which was the closest we have to do a little bit of Euclidean geometry. As you might remember from school, the distance between any two points is the square root of the sum of the two sides of the triangle. The nearest point on the blue route is at 11K and the distance to 8P is  $\sqrt{3^2 + 5^2}$  which equals 5.83. The green truck might be closest at 6 T or it might be closest at 10T. To figure out which is closest, we use the technique we just used above to calculate the distance for each. The distance from 6T 8P is 4.47 and the distance from 10T to 8P is exactly the same. Of course, 8T is only 4 spaces away from 8P, making it the closest in terms of Euclidian distance. A human can see this, but the

human also sees that there is a building in the way and the truck needs to go around it, making that route even longer.

### The Shortest Path Algorithm

One of the problems we need to solve is how to find the shortest path between two points given that you cannot go through a building. One solution to this problem is what is called the A\* algorithm. The A\* algorithm uses the Euclidean distance from where you are on the path to the destination as a heuristic as to which way to go at any point.

Consider being at 8T and wanting to go to 8P. This is the shortest Euclidian distance to the destination but might not be the shortest when you consider not being able to go through buildings. When you are at 8T, you can go to 7T, 7U, 8U, 9T or 9U since these all touch 8T and are not part of a building. What we do next is to measure the Euclidian destination from each of these squares to the destination, as shown in the table below.

Start Square	Distance to 8P
7T	4.12
7U	5.1
8U	5
9T	4.12
9U	5.1

From this table you can see that both 7T and 9T are equidistant to destination and our shortest distances. The algorithm says you always pick the shortest distance and go to that square. Since the two squares are the same distance, it does not matter which one we pick. Therefore, we will randomly select 7T as our destination.

Once we get to 7T, we need to go through the same process again. We select all the squares it is possible to move to and then calculate the distance to the destination square and move to the square which is closest to the destination. We repeat this process until we reach the destination. If we count the number of squares we move along the way, we will find the total distance that it takes to get to the destination.

One of the big problems with the shortest path algorithm is that it can get stuck. It can get stuck either at the edge of the map or in a corner of a building. You know you are stuck when you have tried every direction in which you can move forward, and you cannot reach the destination. Remember, you cannot go back along the path you came, as this can result in going in circles. At this point, you will simply say that the destination cannot be reached and mark that as not an eligible point to divert from the route to make a delivery.

### The Overall Algorithm

The overall algorithm will

- Follow the route for each of the trucks.
- At every square on the route for each truck it will calculate the Euclidean distance to the destination.

- It will select the minimum Euclidean distance for each of the trucks and then calculate the shortest path from each of those positions to the destination.
- In the event one of the trucks cannot find a path to the destination, that truck will not be used for the delivery and one of the other trucks will be used.
- Finally, it will select the truck which has the shortest path from the nearest point on its route to the destination and attempt to add the package to that truck.
- If that truck cannot hold the package, it will try to put it in the truck that is next closest to the destination.
- If no truck can take the package, it will be placed in storage at the depot until the trucks return empty and it will be shipped out the next day. It will print the message "Ships tomorrow".


Our algorithm will run for one day. This means we accept items until all trucks are full or items stop arriving. Once this happens, the trucks will be dispatched but that is not the responsibility of the program. All the program needs to do is:

- Decide which truck the package will be placed in.
- Print out where the truck will deliver the package.
- If the truck needs to divert to deliver the package, you will print the path to divert.

## Sample Output

```
=====
Seneca Polytechnic Deliveries
=====
Enter shipment weight, box size and destination (0 0 x to stop): 20 5 28x
Invalid destination
Enter shipment weight, box size and destination (0 0 x to stop): 20 4 12L
Invalid size
Enter shipment weight, box size and destination (0 0 x to stop): 2600 5 12L
Invalid weight (must be 1-2500 Kg.)
Enter shipment weight, box size and destination (0 0 x to stop): 20 5 12L
Ship on BLUE LINE, no diversion
Enter shipment weight, box size and destination (0 0 x to stop): 1000 1 8Y
Ship on GREEN LINE, divert: 7T, 7U, 7V, 7W, 7X, 7Y, 8Y
Enter shipment weight, box size and destination (0 0 x to stop): 1000 1 8Y
Ship on GREEN LINE, divert: 7T, 7U, 7V, 7W, 7X, 7Y, 8Y
Enter shipment weight, box size and destination (0 0 x to stop): 1000 1 8Y
Ship on BLUE LINE, divert 18V, 17V, 16V, 15V, 14V, 13V, 12V, 11V, 10V, 9V,
8V, 7V, 7W, 7X, 7Y, 8Y
Enter shipment weight, box size and destination (0 0 x to stop): 0 0 x
Thanks for shipping with Seneca Polytechnic!
```

## Deliverables



This project has multiple milestones and will follow a development process approximately the same as indicated above. Since the process is agile, it will deviate from the above process whenever it makes sense to do so.

During the project, teams are expected to:

- Use the Git repository to store all work produced by the team.
- Document code with a comment at the top of each data structure and function which not only states the purpose of the data structure or function but also the author(s). Changes to code should include a comment saying who made the change and why.
- Add comments when items are committed to Git indicating what is being added or changed and why.
- Create an issue in Jira every time new work needs to be done.
  - Move the issue across the Kanban board as its status changes.
- Add comments to the issue as work progresses.
- Meet one or more times per week to discuss the project.
- Team members should select work items they want from the Kanban board and assign it to themselves. It is the responsibility of each team member to ensure that they do their fair share of the work.

## Marking


Marking is split into individual and group sections. The individual marks are for your contribution to the project. You could lose marks for not having your name on a fair share of the work, missing team meetings, not having your material ready on time etc. You are also marked on your teamwork, which is another measure of timeliness and collaboration with the group. You could lose marks for not selecting work to do, not being on time with submissions, not helping with administrative duties like updating Kanban or updating Git.

Group marks are based on the overall results of the group. The “Meets Deadlines” part is how well the group overall meets its deadlines. This involves individuals meeting deadlines and the group having everything complete and well done by the deadline. You could lose marks for having all the work done just before the deadline, having part of the work missing by the deadline or poor-quality work on the deadline.

Students are expected to store their code in GitHub and to document all of their activities on Jira. All functions created are to be documented and have tests specified and written for them. Unit tests, integration tests and acceptance tests must be documented and the code for them created and executed. In milestone 4, the tests need to be automated so they are done automatically when an attempt is made to push changes to the repository. Tests must be well-designed and have properly designed data to do minimal but thorough testing. All work must be on time and complete. Any failure to achieve these objectives will result in a loss of marks.

## Create GitHub Account

1. Sign into the Seneca VPN
2. Go to <https://github.senecacollege.ca>
3. Login using the SAML button



4. This will set up GitHub for each student. One (and only one) member of the group will be selected as the group leader for GitHub. The group leader should create an empty repository following the naming pattern: Term-CourseID-SectionID-Group. For example, I used summer24-sft221-nxx-1 which means it is for the Summer 2024 term for the course SFT221 for section NXX and this is group 1. The repository must be private so only your group members can see it. Check to add a readme file and a .gitignore file for VisualStudio. Once the repository is set up, you should add your fellow group members and your professor to the repository.

## Create a new repository

A repository contains all project files, including the revision history.

Owner \*



ziad-diab ▾

Repository name \*

winter24-sft221-nxx-1 ✓

Great repository names are short and memorable. Need inspiration? How about [super-duper-funicular?](#)

Description (optional)

Project for software testing for group 1



Public

Any logged in user can see this repository. You choose who can commit.



Private

You choose who can see and commit to this repository.

Initialize this repository with:

Skip this step if you're importing an existing repository.

☒ Add a README file

This is where you can write a long description for your project. [Learn more.](#)

Add .gitignore

Choose which files not to track from a list of templates. [Learn more.](#)

.gitignore template: VisualStudio ▾


This will set main as the default branch. Change the default name in your [settings](#).



You are creating a private repository in your personal account.


Create repository

5. Add your fellow group members and your professor to the project by going to **Settings**, then **Collaborators** and selecting **Add people**. Note that you need to add users by their GitHub user ID:



6. Install tortoiseGit on your windows computer which can be downloaded from <https://tortoisegit.org>.
7. The group leader should clone the group repository onto a local computer and set up the following directory structure with one readme.md file in each directory.





The group leader should then commit and push the changes to the remote repository.


8. Finally, GitHub is moving away from usernames and passwords and requiring the use of access tokens. These are strings you can use in place of a password. There are instructions on how to create them here:

[Tokens and Keys \(sharepoint.com\)](https://github.com/settings/tokens)

Follow these steps if the above link is not working:

- a. Download and install Git from <https://git-scm.com/downloads>

- b. Follow the steps here <https://docs.github.com/en/authentication/connecting-to-github-with-ssh/generating-a-new-ssh-key-and-adding-it-to-the-ssh-agent?platform=windows> to generate a new SSH key and adding it to the ssh-agent.
  - c. Follow the instructions here <https://help.github.com/articles/set-up-git> to set up the Username and Email for Git
  - d. Set up your private and public SSH identification following these instructions <https://help.github.com/articles/generating-ssh-keys>
9. Then, you need to set up TortoiseGit to access your account. Right click on a file browser to show the TortoiseGit menu and select settings.



To link a local directory to your GitHub repository:

- a. Create a repo directory on your machine.
- b. Right click on the repo directory and select Git Clone...
- c. Past in the URL for the GitHub repository in the URL field
- d. Make sure the Directory field point to the <local\_repo\_directory>\<name\_of\_github\_repo>
- e. Click OK

This is my example for GitHub.com. You will build a new Global credential for github.senecacollege.ca and fill in your username. Use the **Add /New/Save** button to create the new credential and click **OK** at the bottom. Once you try to access the remote repository, it will prompt you for the token you were given, which you will use in lieu of a password. It will store this so that you only need to provide it again if it expires.

#### NOTE:


- All source code and testing code **must** be placed in the SourceCode directory. There should be one Visual Studio solution like the one set up in earlier workshops.
- It is important that you use the Visual Studio test framework for this project as we will automate the testing and it will expect this format. For this reason, if you do not have a PC, you should use one of the PC's provided by the college.
- Weekly scrum reports should be stored in the ScrumReports directory at the end of every class. You should change the name of each scrum report to have the milestone number in the name to make it easy to identify.
- The group contract should be completed and stored in the GroupContract directory.
- Function specifications refer to the new functions you will be writing to complete the project. These function specifications are textual documents that use the provided template and should be stored in the FunctionSpecs directory.
- All documents about testing should be stored in the Testing directory. The main Test Plan and the requirements traceability matrix should go in the TestPlan directory.
- Documents which describe the individual tests to be performed will be placed in TestDocuments. Although you only need to write specifications for the new functions you will create, you will need to write test descriptions for both the existing functions provided for you as well as the new functions you create. You should either create subdirectories for black box tests, white box tests, integration tests and acceptance tests or name the test documents so that the type of test they describe is indicated in the file name.

#### Set Up a Jira Account

1. All group members should go to <https://www.atlassian.com> and create a new account using their Seneca username.
2. The group leader should set up a new project. Go to <https://www.atlassian.com/software/jira/free>
  - a. Click on **Select** next to "Jira Service Management" then click on **Next**.
  - b. Enter your Seneca email address then click on Agree:


# Get started

Free for up to 10 users

 Continue with Google

OR

Work email




☐ Yes! I would like to receive promotional emails including product news, events and more from Atlassian and its affiliates.

By clicking below, you agree to the [Atlassian Cloud Terms of Service](#) and [Privacy Policy](#).

Agree

NO CREDIT CARD REQUIRED


This site is protected by reCAPTCHA and the Google [Privacy Policy](#) and [Terms of Service](#) apply.


 ATlassian

- c. Create a new project/site. Make sure to set the project name to be the same as the GitHub repository you created:

## Let's name your site, Ziad


Your site name appears in the URL for your Atlassian products. Most people use their team or company name. You can change your site name later.

Your site 




☐ Yes! I would like to receive promotional emails including product news, events and more from Atlassian and its affiliates.

Go to Jira

 ATlassian

d. Skip all questions.

e. Then select KANBAN:



f. Skip all questions.

g. Use the same name to create a new project:


## Add project details

Explore what's possible when you collaborate with your team. Edit project details anytime in project settings.

Name \*

Access Anyone with access to winter24-sft221-nxx-1 can access and administer this project. [Upgrade your plan](#) to customize project permissions.

h. Click on the **Teams** and select **Invite people to Jira** to add your teammates and your professor to the project.



We will use Jira to record all issues in the project. When you need to write a document, a function, test code, or fix a bug you will create the issue and add it to the **to do** column of the kanban board. One of the team members should assign the work item to themselves in the SCRUM meeting and then move it through the kanban board until it is completed. Each issue should have a tag on it indicating the milestone to which it pertains.

When you write a Jira issue, you should provide:

- A short description used as a title,
- A description of what is to be done to the issue. If code or documents are to be written, it should list all the files to be produced.
- Whether this issue is related to other issues such as being blocked by other issues or blocking other issues.

## Milestone 1

**Deliverables due 4 days after your lab day:**

- Completed team contract.
- Fully initialized Git repository. **Be sure to send your professor the link to your GitHub repository and a screenshot of the GitHub users.**
- Fully setup Jira project. **Be sure to send your professor the link to your Jira Project.**

- Completed scrum report including reflection questions answered.

**Rubric:**

<b>Individual</b>	Group participation	80%
	Teamwork	20%
<b>Group</b>	Contract	25%
	Git repository	25%
	Jira project	25%
	Scrum report & reflections	25%
<b>Deadline</b>	20% deduction for each day you are late	

## Milestone 2

Some of the software for the project has already been written for you and is available on Blackboard. You must use this in your project and every team should add it to the source code for their repository. Anything in the main function is simply for demonstration purposes and can be replaced. The software you are being given has not been tested and you will need to test it.

You need to study the problem and the code provided for you and then:

- Add any new data structures you will require This will require a thorough analysis of the problem and the existing software. This should be done by creating a new header file in the directory where the rest of the source code has been placed. You do not want to go back and modify it later if you can avoid it as it will slow the project.
- Create a test plan for the project by replacing the text in the supplied test plan template with your test plan.

**MS2 deliverables due 4 days after your lab day:**

- An analysis of the problem (no written artifacts produced).
- A series of data structures created as header files and **stored in the repository**.
- A test plan stored in the repository.
- Completed scrum report including reflection questions answered.

**Rubric:**

<b>Individual</b>	Group participation (includes GitHub commits and Jira usage)	80%
	Teamwork	20%
<b>Group</b>	Data structures (complete, correct, and well-designed, updated in the project, and added to the repository)	25%
	Test plan (complete, well-written)	25%
	Git usage (used properly with good structure)	10%

	Jira usage (creates issues, tracks progress)	20%
	Scrum report & reflections	20%
<b>Deadline</b>	20% deduction for each day you are late	

## Milestone 3

### Function Specification

Before building functions, we need to specify them. These specifications are in textual form and provide all the information to start writing black box tests for the function as well as to provide the information the developers need to create the functions. A function specification should contain:

- The name of the function
- A description of what the function does
- A description of any unusual conditions
- The return type and parameters

Here is an example of what one should look like:

**NAME:** findTruckForShipment

**Description:** Finds the best truck for a shipment. It considers both the load on the truck, the size and weight of the shipment, and the route of the truck to try to place it on a truck which goes closest to the destination. If there is no truck that can deliver the shipment, it returns -1.

**Parameters:**

- Map – the map of the delivery area with buildings on it.
- Trucks[] – an array of trucks including the route for each of the trucks.
- numTrucks – the number of trucks in the array of trucks.
- shipment – a data structure containing the size and weight of the shipment.

**Returns:** An integer representing the index of the truck in the trucks array on which the shipment should be placed. If no truck can take the shipment, then -1 is returned.

**MS3 deliverables due 4 days after your lab day:**

- A set of AT LEAST 4 function specifications added to a new header file and stored in the repository.
- A set of blackbox tests as test documents (in an Excel file) with test data for the functions you created. At least 4 sets of test data are required for each function. You must have test cases for at least 6 functions (including all your custom function). Stored in the repository.
- **Create and add a C++ testing project to your solution.**
- Start writing blackbox test code (for the functions above) and store in repository (at least 1 is required for this milestone).
- Start implementing the functions and store them in repository (optional).



- A requirements traceability matrix added to the repository and shows the mapping between the requirements and test cases.
- Updated Jira project to show activities and progress.
- Completed scrum report including reflection questions answered.

#### Rubric:

<b>Individual</b>	Group participation (includes GitHub commits and Jira usage)	80%
	Teamwork	20%
<b>Group</b>	Function specifications (documented, complete, well-written, added to the project)	10%
	Blackbox test cases document (well-written, complete, good test data)	10%
	Blackbox test code (in the C++ project) well-designed and documented	10%
	Functions implementation (coded in the C project & well documented)	15%
	Requirements traceability matrix (complete and added to GitHub)	15%
	Git usage (used properly with good structure)	10%
	Jira usage (creates issues, tracks progress)	15%
	Scrum report & reflections	15%
<b>Deadline</b>	20% deduction for each day you are late	

## Milestone 4

This milestone will complete the implementation of the functions, the blackbox tests, execute the blackbox tests, and create new issues for any failed tests. Tests which passed can have comments added to the issue and it can be moved ahead on the Kanban board. Whitebox tests will be written and stored in the repository and then implemented and executed. The goal is by the end of the milestone all unit tests will have been run and the code debugged.

### Test Automation

Now that we have tests to run, we need to automate the testing process. The goal of this automation is to ensure the code has passed the suite of tests before pushing the code to the repository. This will keep bugs out of the repository and eliminate the headaches which result from having a bug introduced into the repository.

To automate the testing, we need to copy a script into the **.git/hooks** directory in your repository. Directories under **.git** are not checked into the remote repository so every team member on the project must copy/use their own hook file. The hook must be stored in a file called **pre-push** in the **hooks** directory. The contents of the file will be similar to:

```
#!/bin/sh
echo "Starting test runner..."

test_runner="C:\Program Files\Microsoft Visual
Studio\2022\Community\Common7\IDE\CommonExtensions\Microsoft\TestWindow\vtst
t.console.exe"
```

```

tests_dll="SimpleVSUnitTest\Debug\UnitTest1.dll"
failure_string="Failed:"

testout=`"$test_runner" "$tests_dll"`

if [[ $testout == *"$failure_string"* ]]; then
    echo >&2 "Unit test are not passing! Push aborted!"
    exit 1
fi
echo >&2 "All tests run successfully."
exit 0

```

This is the script set up for my machine and every team member will need to edit it to work on their own computer. You need to edit:

- **test\_runner** – this is the location of the vstest.console.exe program installed by Visual Studio. Check the location and modify it if it is different on your computer.
- **tests\_dll** – this is the location of the dll built for your test project. It is relative to the root of the project. Modify this to refer to the dll you want to test.

Once this is installed, every time you try to push to the remote repository, it will run the tests. If the tests fail, the push will be aborted. You will need to fix the code and then commit the changes and push again until the tests pass. This step is an important part of the setup of the testing process and cannot be skipped.

#### MS4 deliverables due 4 days after your lab day:

- Finish implementing/coding the functions.
- Finish implementing/coding blackbox tests. Store in repo, executed, results in Jira (and on corresponding test documents, and debugged).
- A set of whitebox tests as test documents (in an Excel file) with test data for the functions you created. At least 4 sets of test data are required for each function. You must have test cases for at least 6 functions (including all your custom function). Stored in the repository.
- Whitebox tests implemented (in the C++ testing project), stored in repository, executed, results in Jira and on corresponding test documents, and debugged (at least 1 SET is required).
- Updated requirements traceability matrix stored in the repository.
- Completed hook file (for EACH team member) for test automation stored in the repository.
- Completed scrum report including reflection questions answered.

#### Rubric:

<b>Individual</b>	Group participation (includes GitHub commits and Jira usage)	80%
	Teamwork	20%
<b>Group</b>	Implemented functions and main (well-designed, and documented)	10%

	Finish coding blackbox code (well-designed, written, and documented)	5%
	Whitebox test case document (well written, complete, good test data)	10%
	Whitebox test code (well designed and documented)	10%
	Updated requirements traceability matrix	10%
	Test execution (performed, results recorded, issues created)	10%
	Debugging (bugs fixed, documented, Jira updated)	5%
	Hook files	10%
	Git usage (used properly with good structure)	5%
	Jira usage (creates issues, tracks progress)	15%
	Scrum report & reflections	10%
<b>Deadline</b>	20% deduction for each day you are late	

## Milestone 5

In this milestone, you should write, implement, and execute integration tests. Integration tests test how multiple functions work together to complete a task.

Integration tests execute multiple functions that work together to make sure that no bugs appear from the interaction of the functions as they work together. Typically, you would prepare some test data, pass it to one function and then pass the results of that function onto another function. At the end, you should compare the results from the last function with the expected results to make sure things are working as expected.

In some situations, you might have written new functions that invoke several simpler functions. You can test these functions to ensure they have integrated the functions they call by creating unit tests for the functions as you would create unit tests for any other function.

Acceptance testing is the phase in software development where the software is evaluated to ensure that it meets the requirements and expectations of the stakeholders. This testing phase typically occurs after the completion of functional and system testing. It involves validating the software against the business requirements, user needs, and other criteria defined during the project's planning phase. Acceptance testing is often performed by end users or client representatives to determine whether the software is ready for deployment and meets the desired standards for acceptance and use.

To validate the user requirements, you need to write one test case for each requirement.

### MS5 deliverables due 11 days after your lab day:

- Integration tests document (for the new functions you added) stored in repository with at least 4 sets of distinct test cases (each case must have at least 4 distinct test data).
- Integration tests coded (store in repo), executed (results in Jira and in test documents) and debugged.
- Finish implementing/coding whitebox tests. Store in repo, executed, results in Jira (and on corresponding test documents, and debugged).
- One acceptance test case for each requirement added to the test cases excel sheet.

- All acceptance tests implemented and added to the C++ testing project.
- Updated requirements traceability matrix stored in the repository.
- Completed scrum report including reflection questions answered.

**Rubric:**

<b>Individual</b>	Group participation (includes GitHub commits and Jira usage)	80%
	Teamwork	20%
<b>Group</b>	Integration test case document (well written, complete, good test data)	10%
	Integration test code (well designed and documented)	10%
	Finish coding all functions and main (well-designed, written, and documented)	10%
	Finish coding blackbox and whitebox cases (well-designed, written, and documented)	5%
	Acceptance tests (well-designed, documented, and implemented)	15%
	Requirements traceability matrix updated	5%
	Test execution (performed, results recorded, issues created)	5%
	Debugging (bugs fixed, documented, Jira updated)	5%
	Git usage (used properly with good structure)	5%
	Jira usage (creates issues, tracks progress)	15%
	Scrum report & reflections	15%
<b>Deadline</b>	20% deduction for each day you are late	

## Milestone 6

This is the final milestone where you will run the acceptance tests and fix any remaining bugs found. In addition, you will produce a testing report which lists all the tests conducted, the results and whether the bugs were fixed, and the final test passed. You will also review the test matrix to ensure every test has been performed and passed. You can change the colour of the test in the matrix to show it was run and passed. At the end, all tests in the matrix should have been passed.

The final test report can be tabular like this:

Function/acceptance/requirement	Test Run	Bugs Fixed	Passed
Distance	TF001	Did not handle negative coordinates	<input checked="" type="checkbox"/>

**MS6 deliverables due 4 days after your lab day:**

- Final testing report listing tests conducted, bugs fixed, and the final tests passed.

- Execute acceptance tests (results in Jira), and debug.
- Updated requirements traceability matrix stored in the repository.
- Completed scrum report including reflection questions answered.

**Rubric:**

<b>Individual</b>	Group participation (includes GitHub commits and Jira usage)	80%
	Teamwork	20%
<b>Group</b>	Complete solution code running and executing successfully	15%
	Test execution (performed, results recorded, issues created)	10%
	Updated requirements traceability matrix	5%
	Final test report	30%
	Debugging (bugs fixed, documented, Jira updated)	5%
	Git usage (used properly with good structure)	5%
	Jira usage (creates issues, tracks progress)	15%
	Scrum report & reflections	15%
<b>Deadline</b>	20% deduction for each day you are late	

## Presentations

In an agile development the team have daily standup meetings. The meeting usually takes place at the same time and place every working day. All team members are encouraged to attend, but the meetings are not postponed if some of the team members are not present. This is a brief, daily collaboration meeting in which the team review progress from the previous day, declares intentions for the current day, and highlights any obstacles encountered or anticipated.

Throughout the project, there will be two presentations, during which EACH student will have to speak for up to 1.5 minutes, verbally stating their progress (what they worked on so far), any encountered challenges they had, and how they resolved these challenges.

**Rubric:**

GitHub usage and commits	20%
Jira updates and comments	20%
Code implementation, updates, and bug fixes	20%
Test cases implementation and traceability matrix updates	20%
Participate in team meetings and scrum report updates	20%