

Análisis y Mejora Profesional del Bot de Trading Deriv



Análisis del Bot Original

Tu bot actual tiene:

Estrategia base: Análisis de últimos dígitos (Even/Odd) con umbral del 56%

Martingale escalonado: Incrementos manuales por nivel ($\times 0.4$, $\times 1$, $\times 1.07$, $\times 1.09$, $\times 1$, $\times 1.1$, $\times 1.12$, $\times 1.13$, $\times 1.14$)

Gestión de riesgo: Stop Loss (\$100) y Take Profit (\$3)

Problema principal: Martingale agresivo sin cooldown, sin multi-confluencia, sin protección contra rachas extremas



Bot Mejorado: Sistema Multi-Confluencia + Martingale Inteligente + Cooldown

He implementado las siguientes mejoras:

Martingale Fibonacci Inteligente (no D'Alembert) - Escala basada en secuencia Fibonacci modificada

Sistema de Cooldown - Pausa automática tras rachas de pérdidas

Multi-Confluencia - Requiere múltiples señales alineadas antes de operar

Streak Detection - Detección de patrones de rachas

Dynamic Threshold - Umbral adaptativo según volatilidad

Session Protection - Protección por sesión con drawdown máximo progresivo

Anti-Tilt System - Reduce exposición cuando detecta comportamiento errático

Código actual pendiente terminarlo

Análisis y Mejora Profesional del Bot de Trading Deriv



Análisis del Bot Original

Tu bot actual tiene:

- **Estrategia base**: Análisis de últimos dígitos (Even/Odd) con umbral del 56%

- **Martingale escalonado**: Incrementos manuales por nivel (×0.4, ×1, ×1.07, ×1.09, ×1, ×1.1, ×1.12, ×1.13, ×1.14)
- **Gestión de riesgo**: Stop Loss (\$100) y Take Profit (\$3)
- **Problema principal**: Martingale agresivo sin cooldown, sin multi-confluencia, sin protección contra rachas extremas

🚀 Bot Mejorado: Sistema Multi-Confluencia + Martingale Inteligente + Cooldown

He implementado las siguientes mejoras:

1. **Martingale Fibonacci Inteligente** (no D'Alembert) - Escala basada en secuencia Fibonacci modificada
2. **Sistema de Cooldown** - Pausa automática tras rachas de pérdidas
3. **Multi-Confluencia** - Requiere múltiples señales alineadas antes de operar
4. **Streak Detection** - Detección de patrones de rachas
5. **Dynamic Threshold** - Umbral adaptativo según volatilidad
6. **Session Protection** - Protección por sesión con drawdown máximo progresivo
7. **Anti-Tilt System** - Reduce exposición cuando detecta comportamiento errático

```xml

```
<xml xmlns="http://www.w3.org/1999/xhtml" collection="false">
```

```
<variables>
```

```
<variable type="" id="DW3mjXJpPvr7)vhno)~.">[fld2] Last Digit List</variable>
```

```
<variable type="" id="ZANWip{N:PSAp/tBH^rK">[fld2] How many ticks?</variable>
```

```
<variable type="" id=";wJj_I^Js9-1UR#/~_ $1">Next Trade Condition</variable>
```

```
<variable type="" id="[en@;9L+TKtw(U2~(Ku2">fld2:LastDigitList</variable>
```

```
<variable type="" id="WVFA9_%DJ+K3!oq~UT-Y">fld2:even%</variable>
```

```
<variable type="" id="[]/%B)%3ElXnwq8Epc-F">fld2:odd%</variable>
```

<variable type="" id=":WPU,akMBs7bn\$VYXx-f">Max Acceptable Loss</variable>

<variable type="" id="X[(S;ATE\$Db\$3flXN{-m">Initial Amount</variable>

<variable type="" id="b/12s4uOVaF0h+`8+KJD">Contador\_Loss</variable>

<variable type="" id=".9@YH\*1NpucHe+jAsdF1">Expected Profit</variable>

<variable type="" id="TN1+}1m9k)fcT`p#]xKj">fld2:even</variable>

<variable type="" id="ZC9jlKp0p+PVYAU:n7?-">Win Amount</variable>

<variable type="" id="8xeP.9l4nOGGu}x2pz7R">fld2:odd</variable>

<variable type="" id="N65.yto^f%i%5lI\$2W\_">fld2:n</variable>

<variable type="" id="FIB\_SEQ\_001">Fib\_Sequence</variable>

<variable type="" id="FIB\_IDX\_001">Fib\_Index</variable>

<variable type="" id="COOLDOWN\_001">Cooldown\_Active</variable>

<variable type="" id="COOLDOWN\_CNT\_001">Cooldown\_Counter</variable>

<variable type="" id="COOLDOWN\_MAX\_001">Cooldown\_Max</variable>

<variable type="" id="CONFLUENCE\_001">Confluence\_Score</variable>

<variable type="" id="CONFLUENCE\_MIN\_001">Confluence\_Min</variable>

<variable type="" id="STREAK\_001">Current\_Streak</variable>

<variable type="" id="STREAK\_TYPE\_001">Streak\_Type</variable>

<variable type="" id="MAX\_STREAK\_001">Max\_Loss\_Streak</variable>

<variable type="" id="SESSION\_WINS\_001">Session\_Wins</variable>

<variable type="" id="SESSION\_LOSSES\_001">Session\_Losses</variable>

<variable type="" id="SESSION\_TRADES\_001">Session\_Trades</variable>

<variable type="" id="WINRATE\_001">Session\_Winrate</variable>

<variable type="" id="DYN\_THRESH\_001">Dynamic\_Threshold</variable>

<variable type="" id="BASE\_THRESH\_001">Base\_Threshold</variable>

<variable type="" id="VOLATILITY\_001">Volatility\_Score</variable>

<variable type="" id="PREV\_EVEN\_001">Prev\_Even\_Pct</variable>

<variable type="" id="PREV\_ODD\_001">Prev\_Odd\_Pct</variable>

<variable type="" id="TREND\_CONFIRM\_001">Trend\_Confirmed</variable>

<variable type="" id="ANTI\_TILT\_001">Anti\_Tilt\_Mode</variable>

```

<variable type="" id="CONSEC_LOSS_LIMIT_001">Consec_Loss_Limit</variable>
<variable type="" id="DAILY_PROFIT_001">Daily_Profit_Target</variable>
<variable type="" id="DRAWDOWN_001">Max_Drawdown_Pct</variable>
<variable type="" id="PEAK_PROFIT_001">Peak_Profit</variable>
<variable type="" id="RECOVERY_MODE_001">Recovery_Mode</variable>
<variable type="" id="BASE_STAKE_001">Base_Stake</variable>
<variable type="" id="SKIP_TRADE_001">Skip_Trade</variable>
<variable type="" id="LONG_EVEN_001">Long_Even_Pct</variable>
<variable type="" id="LONG_ODD_001">Long_Odd_Pct</variable>
<variable type="" id="PATTERN_SCORE_001">Pattern_Score</variable>
<variable type="" id="LAST3_001">Last_3_Results</variable>
<variable type="" id="TOTAL_INVESTED_001">Total_Invested</variable>
</variables>
<block type="trade" id="trade" x="0" y="0">
 <field name="MARKET_LIST">synthetic_index</field>
 <field name="SUBMARKET_LIST">random_index</field>
 <field name="SYMBOL_LIST">R_100</field>
 <field name="TRADETYPECAT_LIST">digits</field>
 <field name="TRADETYPE_LIST">evenodd</field>
 <field name="TYPE_LIST">both</field>
 <field name="CANDLEINTERVAL_LIST">60</field>
 <field name="TIME_MACHINE_ENABLED">FALSE</field>
 <field name="RESTARTONERROR">TRUE</field>
 <statement name="INITIALIZATION">
 <block type="variables_set" id="E{N{E(NmY48Rx{S*%-$2">
 <field name="VAR" id=";wJj_I^Js9-1UR#/~_ $1" variabletype="">Next Trade Condition</field>
 <value name="VALUE">
 <block type="text" id="AsuRHO~j$hd)a#hY:#K]">
 <field name="TEXT">Even</field>

```

</block>

</value>

<next>

<block type="variables\_set" id="UHbM..aM}w@BeGUT:u[F">

<field name="VAR" id=":WPU,akMBs7bn\$VYXx-f" variabletype="">Max Acceptable  
Loss</field>

<value name="VALUE">

<block type="math\_number" id="HFH,,@6N(+SE]MUU)MC)">

<field name="NUM">50</field>

</block>

</value>

<next>

<block type="variables\_set" id="P4VwO%9`ub#}!|?:Jzgg">

<field name="VAR" id=".9@YH\*1NpucHe+jAsdF1" variabletype="">Expected  
Profit</field>

<value name="VALUE">

<block type="math\_number" id="l9zECia#\*P(CYpP,e`JO">

<field name="NUM">5</field>

</block>

</value>

<next>

<block type="variables\_set" id="dyZV\*+tc\*@[ack!jCEH`">

<field name="VAR" id="ZC9jIKp0p+PVYAU:n7?- " variabletype="">Win Amount</field>

<value name="VALUE">

<block type="math\_number" id="NRTi#47\*ai}{!#QMJ=+v">

<field name="NUM">0.35</field>

</block>

</value>

<next>

<block type="variables\_set" id="jE=TS?ooJFBN4f.wswuf">

<field name="VAR" id="X{(\$;ATE\$Dbs3fIXN{-m" variabletype="">Initial  
Amount</field>

<value name="VALUE">

<block type="math\_number" id="1llhm%F3?N\*?\$ch%\_wwO">

<field name="NUM">0.35</field>

</block>

</value>

<next>

<block type="variables\_set" id="INIT\_BASE\_STAKE">

<field name="VAR" id="BASE\_STAKE\_001" variabletype="">Base\_Stake</field>

<value name="VALUE">

<block type="math\_number" id="BASE\_STAKE\_VAL">

<field name="NUM">0.35</field>

</block>

</value>

<next>

<block type="variables\_set" id="INIT\_FIB\_SEQ">

<field name="VAR" id="FIB\_SEQ\_001" variabletype="">Fib\_Sequence</field>

<value name="VALUE">

<block type="lists\_create\_with" id="FIB\_LIST\_CREATE">

<mutation items="12"></mutation>

<value name="ADD0">

<block type="math\_number" id="FIB\_1"><field  
name="NUM">1</field></block>

</value>

<value name="ADD1">

<block type="math\_number" id="FIB\_2"><field  
name="NUM">1</field></block>

</value>

<value name="ADD2">

<block type="math\_number" id="FIB\_3"><field  
name="NUM">2</field></block>

</value>

<value name="ADD3">

<block type="math\_number" id="FIB\_4"><field  
name="NUM">3</field></block>

</value>

<value name="ADD4">

<block type="math\_number" id="FIB\_5"><field  
name="NUM">5</field></block>

</value>

<value name="ADD5">

<block type="math\_number" id="FIB\_6"><field  
name="NUM">8</field></block>

</value>

<value name="ADD6">

<block type="math\_number" id="FIB\_7"><field  
name="NUM">13</field></block>

</value>

<value name="ADD7">

<block type="math\_number" id="FIB\_8"><field  
name="NUM">21</field></block>

</value>

<value name="ADD8">

<block type="math\_number" id="FIB\_9"><field  
name="NUM">34</field></block>

</value>

<value name="ADD9">

<block type="math\_number" id="FIB\_10"><field  
name="NUM">55</field></block>

</value>

<value name="ADD10">

```
<block type="math_number" id="FIB_11"><field
name="NUM">89</field></block>

</value>

<value name="ADD11">

 <block type="math_number" id="FIB_12"><field
name="NUM">144</field></block>

 </value>

</block>

</value>

<next>

 <block type="variables_set" id="INIT_FIB_IDX">

 <field name="VAR" id="FIB_IDX_001" variabletype="">Fib_Index</field>

 <value name="VALUE">

 <block type="math_number" id="FIB_IDX_VAL"><field
name="NUM">0</field></block>

 </value>

 <next>

 <block type="variables_set" id="INIT_COOLDOWN">

 <field name="VAR" id="COOLDOWN_001"
variabletype="">Cooldown_Active</field>

 <value name="VALUE">

 <block type="logic_boolean" id="COOL_FALSE"><field
name="BOOL">FALSE</field></block>

 </value>

 <next>

 <block type="variables_set" id="INIT_COOL_CNT">

 <field name="VAR" id="COOLDOWN_CNT_001"
variabletype="">Cooldown_Counter</field>

 <value name="VALUE">

 <block type="math_number" id="COOL_CNT_VAL"><field
name="NUM">0</field></block>
```



```

 </value>

 <next>

 <block type="variables_set" id="INIT_COOL_MAX">

 <field name="VAR" id="COOLDOWN_MAX_001"
variabletype="">Cooldown_Max</field>

 <value name="VALUE">

 <block type="math_number" id="COOL_MAX_VAL"><field
name="NUM">3</field></block>

 </value>

 <next>

 <block type="variables_set" id="INIT_CONFLUENCE">

 <field name="VAR" id="CONFLUENCE_001"
variabletype="">Confluence_Score</field>

 <value name="VALUE">

 <block type="math_number" id="CONF_VAL"><field
name="NUM">0</field></block>

 </value>

 <next>

 <block type="variables_set" id="INIT_CONF_MIN">

 <field name="VAR" id="CONFLUENCE_MIN_001"
variabletype="">Confluence_Min</field>

 <value name="VALUE">

 <block type="math_number" id="CONF_MIN_VAL"><field
name="NUM">3</field></block>

 </value>

 <next>

 <block type="variables_set" id="INIT_STREAK">

 <field name="VAR" id="STREAK_001"
variabletype="">Current_Streak</field>

 <value name="VALUE">

 <block type="math_number" id="STREAK_VAL"><field
name="NUM">0</field></block>

```

```

 </value>
 <next>
 <block type="variables_set" id="INIT_STREAK_TYPE">
 <field name="VAR" id="STREAK_TYPE_001"
variabletype="">Streak_Type</field>
 <value name="VALUE">
 <block type="text" id="STREAK_TYPE_TXT"><field
name="TEXT">none</field></block>
 </value>
 <next>
 <block type="variables_set" id="INIT_MAX_STREAK">
 <field name="VAR" id="MAX_STREAK_001"
variabletype="">Max_Loss_Streak</field>
 <value name="VALUE">
 <block type="math_number" id="MAX_STR_VAL"><field
name="NUM">0</field></block>
 </value>
 <next>
 <block type="variables_set" id="INIT_SESS_WINS">
 <field name="VAR" id="SESSION_WINS_001"
variabletype="">Session_Wins</field>
 <value name="VALUE">
 <block type="math_number" id="SW_VAL"><field
name="NUM">0</field></block>
 </value>
 <next>
 <block type="variables_set" id="INIT_SESS_LOSS">
 <field name="VAR" id="SESSION_LOSSES_001"
variabletype="">Session_Losses</field>
 <value name="VALUE">
 <block type="math_number" id="SL_VAL"><field
name="NUM">0</field></block>

```

```

</value>
<next>
<block type="variables_set" id="INIT_SESS_TRADES">
 <field name="VAR" id="SESSION_TRADES_001"
variabletype="">Session_Trades</field>
 <value name="VALUE">
 <block type="math_number" id="ST_VAL"><field
name="NUM">0</field></block>
 </value>
 <next>
 <block type="variables_set" id="INIT_WINRATE">
 <field name="VAR" id="WINRATE_001"
variabletype="">Session_Winrate</field>
 <value name="VALUE">
 <block type="math_number" id="WR_VAL"><field
name="NUM">50</field></block>
 </value>
 <next>
 <block type="variables_set"
id="INIT_DYN_THRESH">
 <field name="VAR" id="DYN_THRESH_001"
variabletype="">Dynamic_Threshold</field>
 <value name="VALUE">
 <block type="math_number"
id="DT_VAL"><field name="NUM">58</field></block>
 </value>
 <next>
 <block type="variables_set"
id="INIT_BASE_THRESH">
 <field name="VAR" id="BASE_THRESH_001"
variabletype="">Base_Threshold</field>
 <value name="VALUE">

```

id="BT_VAL"><field name="NUM">58</field></block>	<block type="math_number"
	</value>
	<next>
id="INIT_VOLATILITY">	<block type="variables_set"
variabletype="">Volatility_Score</field>	<field name="VAR" id="VOLATILITY_001"
	<value name="VALUE">
id="VOL_VAL"><field name="NUM">0</field></block>	<block type="math_number"
	</value>
	<next>
id="INIT_PREV_EVEN">	<block type="variables_set"
variabletype="">Prev_Even_Pct</field>	<field name="VAR" id="PREV_EVEN_001"
	<value name="VALUE">
id="PE_VAL"><field name="NUM">50</field></block>	<block type="math_number"
	</value>
	<next>
id="INIT_PREV_ODD">	<block type="variables_set"
variabletype="">Prev_Odd_Pct</field>	<field name="VAR" id="PREV_ODD_001"
	<value name="VALUE">
id="PO_VAL"><field name="NUM">50</field></block>	<block type="math_number"
	</value>
	<next>
id="INIT_TREND_CONF">	<block type="variables_set"

```

 <field name="VAR"
id="TREND_CONFIRM_001" variabletype="">Trend_Confirmed</field>

 <value name="VALUE">

 <block type="logic_boolean"
id="TC_FALSE"><field name="BOOL">FALSE</field></block>

 </value>

 <next>

 <block type="variables_set"
id="INIT_ANTI_TILT">

 <field name="VAR"
id="ANTI_TILT_001" variabletype="">Anti_Tilt_Mode</field>

 <value name="VALUE">

 <block type="logic_boolean"
id="AT_FALSE"><field name="BOOL">FALSE</field></block>

 </value>

 <next>

 <block type="variables_set"
id="INIT_CONSEC_LIMIT">

 <field name="VAR"
id="CONSEC_LOSS_LIMIT_001" variabletype="">Consec_Loss_Limit</field>

 <value name="VALUE">

 <block type="math_number"
id="CLL_VAL"><field name="NUM">5</field></block>

 </value>

 <next>

 <block type="variables_set"
id="INIT_PEAK">

 <field name="VAR"
id="PEAK_PROFIT_001" variabletype="">Peak_Profit</field>

 <value name="VALUE">

 <block type="math_number"
id="PEAK_VAL"><field name="NUM">0</field></block>

 </value>

```

id="INIT\_RECOVERY">

id="RECOVERY\_MODE\_001" variabletype="">Recovery\_Mode</field>

id="REC\_FALSE"><field name="BOOL">FALSE</field></block>

id="INIT\_SKIP">

id="SKIP\_TRADE\_001" variabletype="">Skip\_Trade</field>

type="logic\_boolean" id="SKIP\_FALSE"><field name="BOOL">FALSE</field></block>

type="variables\_set" id="INIT\_LONG\_EVEN">

id="LONG\_EVEN\_001" variabletype="">Long\_Even\_Pct</field>

type="math\_number" id="LE\_VAL"><field name="NUM">50</field></block>

type="variables\_set" id="INIT\_LONG\_ODD">

id="LONG\_ODD\_001" variabletype="">Long\_Odd\_Pct</field>

<next>

<block type="variables\_set"

<field name="VAR"

<value name="VALUE">

<block type="logic\_boolean"

</value>

<next>

<block type="variables\_set"

<field name="VAR"

<value name="VALUE">

<block

</value>

<next>

<block

<field name="VAR"

<value name="VALUE">

<block

</value>

<next>

<block

<field name="VAR"

name="VALUE">	<value
type="math_number" id="LO_VAL"><field name="NUM">50</field></block>	<block
	</value>
	<next>
	<block
type="variables_set" id="INIT_PATTERN">	
id="PATTERN_SCORE_001" variabletype="">Pattern_Score</field>	<field name="VAR"
name="VALUE">	<value
type="math_number" id="PS_VAL"><field name="NUM">0</field></block>	<block
	</value>
	<next>
	<block
type="variables_set" id="INIT_LAST3">	
name="VAR" id="LAST3_001" variabletype="">Last_3_Results</field>	<field
name="VALUE">	<value
type="lists_create_with" id="LAST3_LIST">	<block
items="0"></mutation>	<mutation
	</block>
	</value>
	<next>
	<block
type="variables_set" id="INIT_TOTAL_INV">	
name="VAR" id="TOTAL_INVESTED_001" variabletype="">Total_Invested</field>	<field

name="VALUE">

<value

type="math\_number" id="TI\_VAL"><field name="NUM">0</field></block>

<block

</value>

</block>

</next>

</block>

</next>

</block>

</next>

</block>

</next>

</block>

</next>

</block>

</next>

</block>

</next>

</block>

</next>

</block>

</next>

</block>

</next>

</block>

</next>

</block>

</next>

</block>



</next>

</block>

</next>

</block>

</next>

</block>

</next>

</block>

</next>

</block>

</next>

</block>

</next>

</block>

</next>

</block>

</next>

</block>

</next>

</block>

</next>

</block>

</next>

</block>

</next>

</block>

</next>

</block>

</next>

</next>

&lt;/next&gt;

</next>

&lt;/block&gt;

&lt;/next&gt;

&lt;/next&gt;

&lt;/next&gt;

&lt;/block&gt;

</block>

&lt;/statement&gt;

&lt;statement name="SUBMARKET"&gt;

&lt;block type="tradeOptions" id=")YzxnU6]oSlGh+U)rE;C"&gt;

```
<field name="DURATIONTYPE_LIST">t</field>
```

```
<field name="CURRENCY_LIST">USD</field>
```

&lt;field name="BARRIEROFFSETTYPE\_LIST"&gt;+&lt;/field&gt;

```
<field name="SECONDBARRIEROFFSETTYPE_LIST"></field>
```

&lt;value name="DURATION"&gt;

[illegible]

```
<field name="NUM">2</field>
```

&lt;/value&gt;

```

<value name="AMOUNT">

 <block type="variables_get" id="7nzOAJqEn6)+OAYI30hM">

 <field name="VAR" id="X[(S;ATE$Dbs3fIXN{-m" variabletype="">Initial Amount</field>

 </block>

</value>

</block>

</statement>

</block>

<block type="before_purchase" id="strategy" x="0" y="550">

 <statement name="BEFOREPURCHASE_STACK">

 <block type="timeout" id="^/5=ZFs|/y+5^EQwfGMY">

 <statement name="TIMEOUTSTACK">

 <block type="procedures_callnoreturn" id="CALL_CONFLUENCE_CALC">

 <mutation name="Calculate_Confluence"></mutation>

 <next>

 <block type="procedures_callnoreturn" id="CALL_COOLDOWN_CHECK">

 <mutation name="Check_Cooldown"></mutation>

 <next>

 <block type="controls_if" id="CHECK_SKIP_TRADE">

 <mutation elseif="2" else="1"></mutation>

 <value name="IF0">

 <block type="logic_compare" id="SKIP_TRUE_CHECK">

 <field name="OP">EQ</field>

 <value name="A">

 <block type="variables_get" id="GET_SKIP">

 <field name="VAR" id="SKIP_TRADE_001" variabletype="">Skip_Trade</field>

 </block>

 </value>

 <value name="B">

```

```
 <block type="logic_boolean" id="SKIP_TRUE_VAL"><field
name="BOOL">TRUE</field></block>
```

```
 </value>
```

```
</block>
```

```
</value>
```

```
<statement name="DO0">
```

```
 <block type="notify" id="NOTIFY_SKIP">
```

```
 <field name="NOTIFICATION_TYPE">warn</field>
```

```
 <field name="NOTIFICATION_SOUND">silent</field>
```

```
 <value name="MESSAGE">
```

```
 <shadow type="text" id="SKIP_SHADOW"><field
name="TEXT">abc</field></shadow>
```

```
 <block type="text" id="SKIP_MSG"><field name="TEXT"> COOLDOWN -
Esperando señal segura...</field></block>
```

```
 </value>
```

```
 </block>
```

```
</statement>
```

```
<value name="IF1">
```

```
 <block type="logic_operation" id="CONFLUENCE_EVEN_CHECK">
```

```
 <field name="OP">AND</field>
```

```
 <value name="A">
```

```
 <block type="logic_compare" id="EVEN_THRESH_CHECK">
```

```
 <field name="OP">GTE</field>
```

```
 <value name="A">
```

```
 <block type="procedures_callreturn" id="CALL_EVEN_PCT_1">
```

```
 <mutation name="LD Even (%)"></mutation>
```

```
 </block>
```

```
 </value>
```

```
 <value name="B">
```

```
 <block type="variables_get" id="GET_DYN_THRESH_1">
```

```
 <field name="VAR" id="DYN_THRESH_001"
variabletype="">Dynamic_Threshold</field>
 </block>
</value>
</block>
</value>
<value name="B">
 <block type="logic_compare" id="CONF_SCORE_CHECK_EVEN">
 <field name="OP">GTE</field>
 <value name="A">
 <block type="variables_get" id="GET_CONF_SCORE_1">
 <field name="VAR" id="CONFLUENCE_001"
variabletype="">Confluence_Score</field>
 </block>
 </value>
 <value name="B">
 <block type="variables_get" id="GET_CONF_MIN_1">
 <field name="VAR" id="CONFLUENCE_MIN_001"
variabletype="">Confluence_Min</field>
 </block>
 </value>
 </block>
</value>
</block>
</value>
</block>
</value>
<statement name="DO1">
 <block type="notify" id="NOTIFY_EVEN_TRADE">
 <field name="NOTIFICATION_TYPE">success</field>
 <field name="NOTIFICATION_SOUND">silent</field>
 <value name="MESSAGE">
```

```

 <shadow type="text" id="EVEN_SHADOW"><field
name="TEXT">abc</field></shadow>

 <block type="text_join" id="EVEN_MSG_JOIN">

 <mutation items="6"></mutation>

 <value name="ADD0">

 <block type="text" id="EVEN_TXT1"><field name="TEXT"> ✓ EVEN |
Conf:</field></block>

 </value>

 <value name="ADD1">

 <block type="variables_get" id="GET_CONF_DISP1">

 <field name="VAR" id="CONFLUENCE_001"
variabletype="">Confluence_Score</field>

 </block>

 </value>

 <value name="ADD2">

 <block type="text" id="EVEN_TXT2"><field name="TEXT"> | E:</field></block>

 </value>

 <value name="ADD3">

 <block type="procedures_callreturn" id="CALL_EVEN_DISP">

 <mutation name="LD Even (%)"></mutation>

 </block>

 </value>

 <value name="ADD4">

 <block type="text" id="EVEN_TXT3"><field name="TEXT">% |
Stake:</field></block>

 </value>

 <value name="ADD5">

 <block type="variables_get" id="GET_STAKE_DISP1">

 <field name="VAR" id="X[(S;ATE$Dbs3flXN{-m" variabletype="">Initial
Amount</field>

 </block>

```

```

 </value>
 </block>
</value>
<next>
 <block type="purchase" id="PURCHASE_EVEN">
 <field name="PURCHASE_LIST">DIGITEVEN</field>
 </block>
</next>
</block>
</statement>
<value name="IF2">
 <block type="logic_operation" id="CONFLUENCE_ODD_CHECK">
 <field name="OP">AND</field>
 <value name="A">
 <block type="logic_compare" id="ODD_THRESH_CHECK">
 <field name="OP">GTE</field>
 <value name="A">
 <block type="procedures_callreturn" id="CALL_ODD_PCT_1">
 <mutation name="LD Odd (%)"></mutation>
 </block>
 </value>
 </block>
 </value>
 <value name="B">
 <block type="variables_get" id="GET_DYN_THRESH_2">
 <field name="VAR" id="DYN_THRESH_001"
variabletype="">Dynamic_Threshold</field>
 </block>
 </value>
 </block>
</value>

```

```

<value name="B">
 <block type="logic_compare" id="CONF_SCORE_CHECK_ODD">
 <field name="OP">GTE</field>
 <value name="A">
 <block type="variables_get" id="GET_CONF_SCORE_2">
 <field name="VAR" id="CONFLUENCE_001"
variabletype="">Confluence_Score</field>
 </block>
 </value>
 <value name="B">
 <block type="variables_get" id="GET_CONF_MIN_2">
 <field name="VAR" id="CONFLUENCE_MIN_001"
variabletype="">Confluence_Min</field>
 </block>
 </value>
</block>
</value>
</block>
</value>
</block>
</value>
<statement name="DO2">
 <block type="notify" id="NOTIFY_ODD_TRADE">
 <field name="NOTIFICATION_TYPE">success</field>
 <field name="NOTIFICATION_SOUND">silent</field>
 <value name="MESSAGE">
 <shadow type="text" id="ODD_SHADOW"><field
name="TEXT">abc</field></shadow>
 <block type="text_join" id="ODD_MSG_JOIN">
 <mutation items="6"></mutation>
 <value name="ADD0">

```



```
<block type="text" id="ODD_TXT1"><field name="TEXT">✔ ODD |
Conf:</field></block>

</value>

<value name="ADD1">

 <block type="variables_get" id="GET_CONF_DISP2">

 <field name="VAR" id="CONFLUENCE_001"
variabletype="">Confluence_Score</field>

 </block>

 </value>

 <value name="ADD2">

 <block type="text" id="ODD_TXT2"><field name="TEXT"> | O:</field></block>

 </value>

 <value name="ADD3">

 <block type="procedures_callreturn" id="CALL_ODD_DISP">

 <mutation name="LD Odd (%)"></mutation>

 </block>

 </value>

 <value name="ADD4">

 <block type="text" id="ODD_TXT3"><field name="TEXT">% |
Stake:</field></block>

 </value>

 <value name="ADD5">

 <block type="variables_get" id="GET_STAKE_DISP2">

 <field name="VAR" id="X[(S;ATE$Dbs3fIXN{-m" variabletype="">Initial
Amount</field>

 </block>

 </value>

</block>

</value>

<next>
```

```

 <block type="purchase" id="PURCHASE_ODD">
 <field name="PURCHASE_LIST">DIGITODD</field>
 </block>
 </next>
</block>
</statement>
<statement name="ELSE">
 <block type="notify" id="NOTIFY_WAIT">
 <field name="NOTIFICATION_TYPE">info</field>
 <field name="NOTIFICATION_SOUND">silent</field>
 <value name="MESSAGE">
 <shadow type="text" id="WAIT_SHADOW"><field
name="TEXT">abc</field></shadow>
 <block type="text_join" id="WAIT_MSG_JOIN">
 <mutation items="6"></mutation>
 <value name="ADD0">
 <block type="text" id="WAIT_TXT1"><field name="TEXT">⌚ Sin confluencia |
E:</field></block>
 </value>
 <value name="ADD1">
 <block type="procedures_callreturn" id="CALL_EVEN_WAIT">
 <mutation name="LD Even (%)"></mutation>
 </block>
 </value>
 <value name="ADD2">
 <block type="text" id="WAIT_TXT2"><field name="TEXT">% O:</field></block>
 </value>
 <value name="ADD3">
 <block type="procedures_callreturn" id="CALL_ODD_WAIT">

```

```
<mutation name="LD Odd (%)"></mutation>
</block>
</value>
<value name="ADD4">
 <block type="text" id="WAIT_TXT3"><field name="TEXT">% |
Conf:</field></block>
</value>
<value name="ADD5">
 <block type="variables_get" id="GET_CONF_WAIT">
 <field name="VAR" id="CONFLUENCE_001"
variabletype="">Confluence_Score</field>
 </block>
</value>
</block>
</value>
</block>
</statement>
</block>
</next>
</block>
</next>
</block>
</statement>
<value name="SECONDS">
 <shadow type="math_number" id="9:[OL?62dTI`B:EoK6IJ">
 <field name="NUM">2</field>
 </shadow>
</value>
</block>
</statement>
```

```

</block>

<block type="after_purchase" id="finish" x="0" y="603">

 <statement name="AFTERPURCHASE_STACK">

 <block type="math_change" id="INCREMENT_TRADES">

 <field name="VAR" id="SESSION_TRADES_001" variabletype="">Session_Trades</field>

 <value name="DELTA">

 <shadow type="math_number" id="INC_TRADES_VAL"><field
name="NUM">1</field></shadow>

 </value>

 <next>

 <block type="controls_if" id="CHECK_WIN_LOSS_MAIN">

 <mutation else="1"></mutation>

 <value name="IF0">

 <block type="contract_check_result" id="CHECK_LOSS_MAIN">

 <field name="CHECK_RESULT">loss</field>

 </block>

 </value>

 <statement name="DO0">

 <block type="procedures_callnoreturn" id="CALL_HANDLE_LOSS">

 <mutation name="Handle_Loss"></mutation>

 </block>

 </statement>

 <statement name="ELSE">

 <block type="controls_if" id="CHECK_WIN_INNER">

 <value name="IF0">

 <block type="contract_check_result" id="CHECK_WIN_RESULT">

 <field name="CHECK_RESULT">win</field>

 </block>

 </value>

```

```

<statement name="DO0">

 <block type="procedures_callnoreturn" id="CALL_HANDLE_WIN">

 <mutation name="Handle_Win"></mutation>

 </block>

</statement>

</block>

</statement>

<next>

 <block type="procedures_callnoreturn" id="CALL_UPDATE_PEAK">

 <mutation name="Update_Peak_Drawdown"></mutation>

 <next>

 <block type="notify" id="NOTIFY_STATUS">

 <field name="NOTIFICATION_TYPE">info</field>

 <field name="NOTIFICATION_SOUND">silent</field>

 <value name="MESSAGE">

 <block type="text_join" id="STATUS_JOIN">

 <mutation items="8"></mutation>

 <value name="ADD0">

 <block type="text" id="STAT_TXT1"><field name="TEXT"> P/L:</field></block>

 </value>

 <value name="ADD1">

 <block type="total_profit" id="GET_TOTAL_PROF"></block>

 </value>

 <value name="ADD2">

 <block type="text" id="STAT_TXT2"><field name="TEXT"> | WR:</field></block>

 </value>

 <value name="ADD3">

 <block type="variables_get" id="GET_WR_DISP">

 <field name="VAR" id="WINRATE_001" variabletype="">Session_Winrate</field>

```

```

 </block>
 </value>
 <value name="ADD4">
 <block type="text" id="STAT_TXT3"><field name="TEXT">% |
Streak:</field></block>
 </value>
 <value name="ADD5">
 <block type="variables_get" id="GET_STREAK_DISP">
 <field name="VAR" id="STREAK_001" variabletype="">Current_Streak</field>
 </block>
 </value>
 <value name="ADD6">
 <block type="text" id="STAT_TXT4"><field name="TEXT"> | Fib:</field></block>
 </value>
 <value name="ADD7">
 <block type="variables_get" id="GET_FIB_DISP">
 <field name="VAR" id="FIB_IDX_001" variabletype="">Fib_Index</field>
 </block>
 </value>
</block>
</value>
<next>
 <block type="controls_if" id="FINAL_DECISION">
 <mutation else="1"></mutation>
 <value name="IF0">
 <block type="logic_compare" id="CHECK_BELOW_TARGET">
 <field name="OP">LT</field>
 <value name="A">
 <block type="total_profit" id="GET_PROF_DECISION"></block>

```

```

 </value>
 <value name="B">
 <block type="variables_get" id="GET_EXP_PROF">
 <field name="VAR" id=".9@YH*1NpucHe+jAsdF1" variabletype="">Expected
Profit</field>
 </block>
 </value>
 </block>
</value>
<statement name="DO0">
 <block type="controls_if" id="CHECK_MAX_LOSS_FINAL">
 <mutation else="1"></mutation>
 <value name="IF0">
 <block type="logic_operation" id="LOSS_LIMIT_CHECK">
 <field name="OP">AND</field>
 <value name="A">
 <block type="math_number_property" id="CHECK_NEG_PROF">
 <mutation divisor_input="false"></mutation>
 <field name="PROPERTY">NEGATIVE</field>
 <value name="NUMBER_TO_CHECK">
 <shadow type="math_number" id="NEG_SHADOW"><field
name="NUM">0</field></shadow>
 <block type="total_profit" id="GET_PROF_NEG"></block>
 </value>
 </block>
 </value>
 <value name="B">
 <block type="logic_compare" id="CHECK_ABS_LOSS">
 <field name="OP">GTE</field>
 <value name="A">

```

```

 <block type="math_single" id="ABS_LOSS_CALC">
 <field name="OP">ABS</field>
 <value name="NUM">
 <shadow type="math_number" id="ABS_SHADOW"><field
name="NUM">9</field></shadow>
 <block type="total_profit" id="GET_PROF_ABS"></block>
 </value>
 </block>
 </value>
 <value name="B">
 <block type="variables_get" id="GET_MAX_LOSS">
 <field name="VAR" id=":WPU,akMBs7bn$VYXx-f" variabletype="">Max
Acceptable Loss</field>
 </block>
 </value>
</block>
</value>
</block>
</value>
</block>
</value>
<statement name="DO0">
 <block type="text_print" id="PRINT_MAX_LOSS">
 <value name="TEXT">
 <shadow type="text" id="MAX_LOSS_SHADOW"><field
name="TEXT">abc</field></shadow>
 <block type="text" id="MAX_LOSS_MSG"><field name="TEXT">🔴 Máximo
pérdidas alcanzado. Bot detenido.</field></block>
 </value>
 </block>
</statement>
<statement name="ELSE">

```



```

 <block type="trade_again" id="TRADE_AGAIN_MAIN"></block>
 </statement>
</block>
</statement>
<statement name="ELSE">
 <block type="text_print" id="PRINT_TARGET_REACHED">
 <value name="TEXT">
 <shadow type="text" id="TARGET_SHADOW"><field
name="TEXT">abc</field></shadow>
 <block type="text_join" id="TARGET_MSG_JOIN">
 <mutation items="2"></mutation>
 <value name="ADD0">
 <block type="text" id="TARGET_TXT"><field name="TEXT">🎯 Meta
Alcanzada! 💰 </field></block>
 </value>
 <value name="ADD1">
 <block type="total_profit" id="GET_FINAL_PROF"></block>
 </value>
 </block>
 </value>
 </block>
</statement>
</block>
</next>
</block>
</next>
</block>
</next>
</block>

```

```

 </next>

 </block>

</statement>

</block>

<block type="procedures_defnoreturn" id="PROC_HANDLE_LOSS" x="400" y="0">

 <field name="NAME">Handle_Loss</field>

 <statement name="STACK">

 <block type="math_change" id="INC_LOSS_COUNT">

 <field name="VAR" id="b/12s4uOVaF0h+`8+K]D" variabletype="">Contador_Loss</field>

 <value name="DELTA">

 <shadow type="math_number" id="INC_LOSS_VAL"><field
name="NUM">1</field></shadow>

 </value>

 <next>

 <block type="math_change" id="INC_SESS_LOSS">

 <field name="VAR" id="SESSION_LOSSES_001" variabletype="">Session_Losses</field>

 <value name="DELTA">

 <shadow type="math_number" id="INC_SL_VAL"><field
name="NUM">1</field></shadow>

 </value>

 <next>

 <block type="variables_set" id="SET_STREAK_LOSS">

 <field name="VAR" id="STREAK_TYPE_001" variabletype="">Streak_Type</field>

 <value name="VALUE">

 <block type="text" id="STREAK_LOSS_TXT"><field name="TEXT">loss</field></block>

 </value>

 <next>

 <block type="math_change" id="INC_STREAK_LOSS">

 <field name="VAR" id="STREAK_001" variabletype="">Current_Streak</field>

 <value name="DELTA">

```

```

 <shadow type="math_number" id="INC_STR_VAL"><field
name="NUM">1</field></shadow>

 </value>

 <next>

 <block type="controls_if" id="CHECK_MAX_STREAK_UPDATE">

 <value name="IF0">

 <block type="logic_compare" id="STREAK_GT_MAX">

 <field name="OP">GT</field>

 <value name="A">

 <block type="variables_get" id="GET_CUR_STREAK">

 <field name="VAR" id="STREAK_001" variabletype="">Current_Streak</field>

 </block>

 </value>

 <value name="B">

 <block type="variables_get" id="GET_MAX_STR">

 <field name="VAR" id="MAX_STREAK_001"
variabletype="">Max_Loss_Streak</field>

 </block>

 </value>

 </block>

 </value>

 </block>

 </value>

 <statement name="DO0">

 <block type="variables_set" id="UPDATE_MAX_STREAK">

 <field name="VAR" id="MAX_STREAK_001"
variabletype="">Max_Loss_Streak</field>

 <value name="VALUE">

 <block type="variables_get" id="SET_MAX_TO_CUR">

 <field name="VAR" id="STREAK_001" variabletype="">Current_Streak</field>

 </block>

 </value>

```

```

 </block>

</statement>

<next>

<block type="procedures_callnoreturn" id="CALL_UPDATE_WINRATE">

 <mutation name="Update_Winrate"></mutation>

 <next>

 <block type="controls_if" id="CHECK_ACTIVATE_COOLDOWN">

 <value name="IF0">

 <block type="logic_compare" id="STREAK_GTE_LIMIT">

 <field name="OP">GTE</field>

 <value name="A">

 <block type="variables_get" id="GET_STREAK_CD">

 <field name="VAR" id="b/12s4uOVaF0h+`8+K]D"
variabletype="">Contador_Loss</field>

 </block>

 </value>

 <value name="B">

 <block type="variables_get" id="GET_CONSEC_LIM">

 <field name="VAR" id="CONSEC_LOSS_LIMIT_001"
variabletype="">Consec_Loss_Limit</field>

 </block>

 </value>

 </block>

 </value>

 </block>

 </value>

 <statement name="DO0">

 <block type="variables_set" id="ACTIVATE_COOLDOWN">

 <field name="VAR" id="COOLDOWN_001"
variabletype="">Cooldown_Active</field>

 <value name="VALUE">

```

```
 <block type="logic_boolean" id="CD_TRUE"><field
name="BOOL">TRUE</field></block>

 </value>

 <next>

 <block type="variables_set" id="SET_CD_COUNTER">

 <field name="VAR" id="COOLDOWN_CNT_001"
variabletype="">Cooldown_Counter</field>

 <value name="VALUE">

 <block type="math_number" id="CD_CNT_RESET"><field
name="NUM">0</field></block>

 </value>

 <next>

 <block type="variables_set" id="SET_SKIP_TRUE">

 <field name="VAR" id="SKIP_TRADE_001"
variabletype="">Skip_Trade</field>

 <value name="VALUE">

 <block type="logic_boolean" id="SKIP_SET_TRUE"><field
name="BOOL">TRUE</field></block>

 </value>

 <next>

 <block type="variables_set" id="ACTIVATE_ANTI_TILT">

 <field name="VAR" id="ANTI_TILT_001"
variabletype="">Anti_Tilt_Mode</field>

 <value name="VALUE">

 <block type="logic_boolean" id="TILT_TRUE"><field
name="BOOL">TRUE</field></block>

 </value>

 <next>

 <block type="notify" id="NOTIFY_CD_ACTIVATED">

 <field name="NOTIFICATION_TYPE">warn</field>

 <field name="NOTIFICATION_SOUND">silent</field>
```

```

<value name="MESSAGE">
 <shadow type="text" id="CD_ACT_SHADOW"><field
name="TEXT">abc</field></shadow>

 <block type="text_join" id="CD_ACT_MSG">
 <mutation items="2"></mutation>

 <value name="ADD0">

 <block type="text" id="CD_TXT"><field name="TEXT">📦
COOLDOWN ACTIVADO - Rachas consecutivas: </field></block>

 </value>

 <value name="ADD1">

 <block type="variables_get" id="GET_LOSS_CNT_CD">

 <field name="VAR" id="b/12s4uOVaF0h+`8+KJD"
variabletype="">Contador_Loss</field>

 </block>

 </value>

 </block>

</value>

</block>

</next>

</block>

</next>

</block>

</next>

</block>

</next>

</block>

</next>

</block>

</statement>

<next>

 <block type="procedures_callnoreturn" id="CALL_FIB_MARTINGALE">

 <mutation name="Fibonacci_Martingale"></mutation>

```

```

<next>

<block type="notify" id="NOTIFY_LOSS_DETAIL">
 <field name="NOTIFICATION_TYPE">error</field>
 <field name="NOTIFICATION_SOUND">silent</field>
 <value name="MESSAGE">
 <block type="text_join" id="LOSS_DETAIL_JOIN">
 <mutation items="4"></mutation>
 <value name="ADD0">
 <block type="text" id="LOSS_D1"><field name="TEXT"> ✖ Loss
#</field></block>

 </value>
 <value name="ADD1">
 <block type="variables_get" id="GET_LOSS_NUM">
 <field name="VAR" id="b/12s4uOVaF0h+`8+K]D"
variabletype="">Contador_Loss</field>
 </block>
 </value>
 <value name="ADD2">
 <block type="text" id="LOSS_D2"><field name="TEXT"> | Next Stake:
</field></block>

 </value>
 <value name="ADD3">
 <block type="variables_get" id="GET_NEXT_STAKE">
 <field name="VAR" id="X[(S;ATE$Dbs3fIXN{-m" variabletype="">Initial
Amount</field>
 </block>
 </value>
 </block>
 </value>
</block>

```

```

 </next>
 </block>
</next>
</block>
</next>
</block>
</next>
</block>
</next>
</block>
</next>
</block>
</next>
</block>
</next>
</block>
</next>
</block>
</next>
</block>
</next>
</block>
</next>
</block>
</statement>
</block>
<block type="procedures_defnoreturn" id="PROC_HANDLE_WIN" x="400" y="300">
 <field name="NAME">Handle_Win</field>
 <statement name="STACK">
 <block type="variables_set" id="RESET_LOSS_CNT">
 <field name="VAR" id="b/12s4uOVaF0h+`8+KJD" variabletype="">Contador_Loss</field>
 <value name="VALUE">
 <block type="math_number" id="LOSS_CNT_ZERO"><field name="NUM">0</field></block>
 </value>
 <next>
 <block type="math_change" id="INC_SESS_WINS">
 <field name="VAR" id="SESSION_WINS_001" variabletype="">Session_Wins</field>

```



```

<value name="DELTA">
 <shadow type="math_number" id="INC_SW_VAL"><field
name="NUM">1</field></shadow>
</value>
<next>
 <block type="variables_set" id="RESET_STREAK_WIN">
 <field name="VAR" id="STREAK_001" variabletype="">Current_Streak</field>
 <value name="VALUE">
 <block type="math_number" id="STREAK_ZERO"><field
name="NUM">0</field></block>
 </value>
 <next>
 <block type="variables_set" id="SET_STREAK_TYPE_WIN">
 <field name="VAR" id="STREAK_TYPE_001" variabletype="">Streak_Type</field>
 <value name="VALUE">
 <block type="text" id="WIN_TYPE_TXT"><field name="TEXT">win</field></block>
 </value>
 <next>
 <block type="variables_set" id="RESET_FIB_IDX">
 <field name="VAR" id="FIB_IDX_001" variabletype="">Fib_Index</field>
 <value name="VALUE">
 <block type="math_number" id="FIB_IDX_ZERO"><field
name="NUM">0</field></block>
 </value>
 <next>
 <block type="variables_set" id="RESET_STAKE_WIN">
 <field name="VAR" id="X[(S;ATE$Dbs3fIXN{-m" variabletype="">Initial
Amount</field>
 <value name="VALUE">
 <block type="variables_get" id="GET_BASE_STAKE">

```

```
<field name="VAR" id="BASE_STAKE_001" variabletype="">Base_Stake</field>
</block>
</value>
<next>
 <block type="variables_set" id="DEACTIVATE_COOLDOWN">
 <field name="VAR" id="COOLDOWN_001"
variabletype="">Cooldown_Active</field>
 <value name="VALUE">
 <block type="logic_boolean" id="CD_FALSE_WIN"><field
name="BOOL">FALSE</field></block>
 </value>
 <next>
 <block type="variables_set" id="RESET_SKIP_WIN">
 <field name="VAR" id="SKIP_TRADE_001" variabletype="">Skip_Trade</field>
 <value name="VALUE">
 <block type="logic_boolean" id="SKIP_FALSE_WIN"><field
name="BOOL">FALSE</field></block>
 </value>
 <next>
 <block type="variables_set" id="DEACTIVATE_TILT">
 <field name="VAR" id="ANTI_TILT_001"
variabletype="">Anti_Tilt_Mode</field>
 <value name="VALUE">
 <block type="logic_boolean" id="TILT_FALSE_WIN"><field
name="BOOL">FALSE</field></block>
 </value>
 <next>
 <block type="variables_set" id="DEACTIVATE_RECOVERY">
 <field name="VAR" id="RECOVERY_MODE_001"
variabletype="">Recovery_Mode</field>
 <value name="VALUE">
```

```
<block type="logic_boolean" id="REC_FALSE_WIN"><field
name="BOOL">FALSE</field></block>

</value>

<next>

<block type="procedures_callnoreturn" id="CALL_UPDATE_WR_WIN">
 <mutation name="Update_Winrate"></mutation>
 <next>
 <block type="notify" id="NOTIFY_WIN_DETAIL">
 <field name="NOTIFICATION_TYPE">success</field>
 <field name="NOTIFICATION_SOUND">silent</field>
 <value name="MESSAGE">
 <block type="text_join" id="WIN_DETAIL_JOIN">
 <mutation items="4"></mutation>
 <value name="ADD0">
 <block type="text" id="WIN_D1"><field name="TEXT">🏆 WIN |
Profit: </field></block>

</value>
<value name="ADD1">
 <block type="read_details" id="WIN_PROFIT_READ">
 <field name="DETAIL_INDEX">4</field>
 </block>
</value>
<value name="ADD2">
 <block type="text" id="WIN_D2"><field name="TEXT"> | WR:

</field></block>

</value>
<value name="ADD3">
 <block type="variables_get" id="GET_WR_WIN">
 <field name="VAR" id="WINRATE_001"
variabletype="">Session_Winrate</field>
```

```
<
</
</n
</bl
</nex
</bloo
</next>
</block>
</next>
</block>
</next>
</block>
</statement>
</block>
```

</

</r

&lt;/next&gt;

&lt;/next&gt;

&lt;/next&gt;

&lt;/statement&gt;

```

<block type="procedures_defnoreturn" id="PROC_FIB_MART" x="400" y="600">

 <field name="NAME">Fibonacci_Martingale</field>

 <comment pinned="false" h="80" w="160">Martingale basado en Fibonacci - Escala progresiva
 inteligente con cap</comment>

 <statement name="STACK">

 <block type="math_change" id="INC_FIB_IDX">

 <field name="VAR" id="FIB_IDX_001" variabletype="">Fib_Index</field>

 <value name="DELTA">

 <shadow type="math_number" id="FIB_INC_VAL"><field name="NUM">1</field></shadow>

 </value>

 </block>

 <block type="controls_if" id="CAP_FIB_INDEX">

 <value name="IF0">

 <block type="logic_compare" id="FIB_GT_12">

 <field name="OP">GT</field>

 <value name="A">

 <block type="variables_get" id="GET_FIB_IDX_CAP">

 <field name="VAR" id="FIB_IDX_001" variabletype="">Fib_Index</field>

 </block>

 </value>

 <value name="B">

 <block type="math_number" id="FIB_MAX_IDX"><field
name="NUM">8</field></block>

 </value>

 </block>

 </value>

 </block>

 <statement name="DO0">

 <block type="variables_set" id="RESET_FIB_TO_8">

 <field name="VAR" id="FIB_IDX_001" variabletype="">Fib_Index</field>

 <value name="VALUE">

```

```

 <block type="math_number" id="FIB_CAP_VAL"><field name="NUM">8</field></block>

</value>

</block>

</statement>

<next>

<block type="variables_set" id="CALC_FIB_STAKE">

 <field name="VAR" id="X[(S;ATE$Dbs3fIXN{-m" variabletype="">Initial Amount</field>

 <value name="VALUE">

 <block type="math_arithmetic" id="FIB_MULTIPLY_STAKE">

 <field name="OP">MULTIPLY</field>

 <value name="A">

 <shadow type="math_number" id="FIB_MULT_SHADOW"><field
name="NUM">1</field></shadow>

 <block type="variables_get" id="GET_BASE_FOR_FIB">

 <field name="VAR" id="BASE_STAKE_001" variabletype="">Base_Stake</field>

 </block>

 </value>

 <value name="B">

 <shadow type="math_number" id="FIB_MULT_SHADOW2"><field
name="NUM">1</field></shadow>

 <block type="lists_getIndex" id="GET_FIB_MULTIPLIER">

 <mutation statement="false" at="true"></mutation>

 <field name="MODE">GET</field>

 <field name="WHERE">FROM_START</field>

 <value name="VALUE">

 <block type="variables_get" id="GET_FIB_SEQ">

 <field name="VAR" id="FIB_SEQ_001" variabletype="">Fib_Sequence</field>

 </block>

 </value>

 <value name="AT">

```

```

 <block type="variables_get" id="GET_FIB_IDX_FOR_LIST">
 <field name="VAR" id="FIB_IDX_001" variabletype="">Fib_Index</field>
 </block>
</value>
</block>
</value>
</block>
</value>
<next>
 <block type="controls_if" id="CHECK_ANTI_TILT_REDUCTION">
 <value name="IF0">
 <block type="logic_compare" id="TILT_IS_TRUE">
 <field name="OP">EQ</field>
 <value name="A">
 <block type="variables_get" id="GET_TILT_MODE">
 <field name="VAR" id="ANTI_TILT_001" variabletype="">Anti_Tilt_Mode</field>
 </block>
 </value>
 <value name="B">
 <block type="logic_boolean" id="TILT_TRUE_CHECK"><field
name="BOOL">TRUE</field></block>
 </value>
 </block>
 </value>
 <statement name="DO0">
 <block type="variables_set" id="REDUCE_STAKE_TILT">
 <field name="VAR" id="X[{S;ATE$Dbs3fIXN{-m" variabletype="">Initial
Amount</field>
 <value name="VALUE">
 <block type="math_arithmetic" id="TILT_REDUCE_CALC">

```

```

 <field name="OP">MULTIPLY</field>

 <value name="A">

 <shadow type="math_number" id="TILT_R_SHADOW"><field
name="NUM">1</field></shadow>

 <block type="variables_get" id="GET_STAKE_TILT">

 <field name="VAR" id="X[(S;ATE$Dbs3fIXN{-m" variabletype="">Initial
Amount</field>

 </block>

 </value>

 <value name="B">

 <shadow type="math_number" id="TILT_FACTOR"><field
name="NUM">0.75</field></shadow>

 </value>

 </block>

 </value>

 </block>

</statement>

<next>

<block type="controls_if" id="CHECK_MAX_STAKE_CAP">

 <value name="IF0">

 <block type="logic_compare" id="STAKE_GT_MAX">

 <field name="OP">GT</field>

 <value name="A">

 <block type="variables_get" id="GET_STAKE_CAP_CHECK">

 <field name="VAR" id="X[(S;ATE$Dbs3fIXN{-m" variabletype="">Initial
Amount</field>

 </block>

 </value>

 <value name="B">

 <block type="math_number" id="MAX_STAKE_VALUE"><field
name="NUM">15</field></block>

```



```

 </value>
 </block>
</value>
<statement name="DO0">
 <block type="variables_set" id="CAP_STAKE_AT_MAX">
 <field name="VAR" id="X[(S;ATE$Dbs3fIXN{-m" variabletype="">Initial
Amount</field>
 <value name="VALUE">
 <block type="math_number" id="MAX_STAKE_SET"><field
name="NUM">15</field></block>
 </value>
 </block>
</statement>
</block>
</next>
</block>
</next>
</block>
</next>
</block>
</next>
</block>
</next>
</block>
</statement>
</block>
<block type="procedures_defnoreturn" id="PROC_CALC_CONFLUENCE" x="400" y="900">
 <field name="NAME">Calculate_Confluence</field>
 <comment pinned="false" h="80" w="160">Multi-Confluence System: Calcula score basado en
múltiples indicadores</comment>
 <statement name="STACK">
 <block type="variables_set" id="RESET_CONF_SCORE">

```

```

<field name="VAR" id="CONFLUENCE_001" variabletype="">Confluence_Score</field>

<value name="VALUE">

 <block type="math_number" id="CONF_ZERO"><field name="NUM">0</field></block>

</value>

<next>

 <block type="controls_if" id="CONF_CHECK_1_SHORT">

 <mutation elseif="1"></mutation>

 <value name="IF0">

 <block type="logic_compare" id="SHORT_EVEN_HIGH">

 <field name="OP">GTE</field>

 <value name="A">

 <block type="procedures_callreturn" id="CALL_EVEN_CONF1">

 <mutation name="LD Even (%)"></mutation>

 </block>

 </value>

 <value name="B">

 <block type="math_number" id="CONF1_THRESH"><field
name="NUM">56</field></block>

 </value>

 </block>

 </value>

 <statement name="DO0">

 <block type="math_change" id="ADD_CONF_SHORT_EVEN">

 <field name="VAR" id="CONFLUENCE_001" variabletype="">Confluence_Score</field>

 <value name="DELTA">

 <shadow type="math_number" id="CONF_ADD_1"><field
name="NUM">1</field></shadow>

 </value>

 </block>

 </statement>

```

```

<value name="IF1">
 <block type="logic_compare" id="SHORT_ODD_HIGH">
 <field name="OP">GTE</field>
 <value name="A">
 <block type="procedures_callreturn" id="CALL_ODD_CONF1">
 <mutation name="LD Odd (%)"></mutation>
 </block>
 </value>
 <value name="B">
 <block type="math_number" id="CONF1_THRESH_ODD"><field
name="NUM">56</field></block>
 </value>
 </block>
</value>
<statement name="DO1">
 <block type="math_change" id="ADD_CONF_SHORT_ODD">
 <field name="VAR" id="CONFLUENCE_001" variabletype="">Confluence_Score</field>
 <value name="DELTA">
 <shadow type="math_number" id="CONF_ADD_1B"><field
name="NUM">1</field></shadow>
 </value>
 </block>
</statement>
<next>
 <block type="controls_if" id="CONF_CHECK_2_STRONG">
 <mutation elseif="1"></mutation>
 <value name="IF0">
 <block type="logic_compare" id="EVEN_VERY_HIGH">
 <field name="OP">GTE</field>
 <value name="A">

```

```

 <block type="procedures_callreturn" id="CALL_EVEN_CONF2">
 <mutation name="LD Even (%)"></mutation>
 </block>
 </value>
 <value name="B">
 <block type="math_number" id="CONF2_THRESH"><field
name="NUM">64</field></block>
 </value>
</block>
</value>
<statement name="DO0">
 <block type="math_change" id="ADD_CONF_STRONG_EVEN">
 <field name="VAR" id="CONFLUENCE_001" variabletype="">Confluence_Score</field>
 <value name="DELTA">
 <shadow type="math_number" id="CONF_ADD_2"><field
name="NUM">2</field></shadow>
 </value>
 </block>
</statement>
<value name="IF1">
 <block type="logic_compare" id="ODD_VERY_HIGH">
 <field name="OP">GTE</field>
 <value name="A">
 <block type="procedures_callreturn" id="CALL_ODD_CONF2">
 <mutation name="LD Odd (%)"></mutation>
 </block>
 </value>
 <value name="B">
 <block type="math_number" id="CONF2_THRESH_ODD"><field
name="NUM">64</field></block>

```

```

 </value>
 </block>
</value>
<statement name="DO1">
 <block type="math_change" id="ADD_CONF_STRONG_ODD">
 <field name="VAR" id="CONFLUENCE_001" variabletype="">Confluence_Score</field>
 <value name="DELTA">
 <shadow type="math_number" id="CONF_ADD_2B"><field
name="NUM">2</field></shadow>
 </value>
 </block>
</statement>
<next>
 <block type="controls_if" id="CONF_CHECK_3_TREND">
 <mutation elseif="1"></mutation>
 <value name="IF0">
 <block type="logic_operation" id="TREND_EVEN_RISING">
 <field name="OP">AND</field>
 <value name="A">
 <block type="logic_compare" id="EVEN_GT_PREV">
 <field name="OP">GT</field>
 <value name="A">
 <block type="procedures_callreturn" id="CALL_EVEN_TREND">
 <mutation name="LD Even (%)"></mutation>
 </block>
 </value>
 <value name="B">
 <block type="variables_get" id="GET_PREV_EVEN">
 <field name="VAR" id="PREV_EVEN_001"
variabletype="">Prev_Even_Pct</field>

```

```

 </block>

 </value>

</block>

</value>

<value name="B">

 <block type="logic_compare" id="EVEN_ABOVE_50">

 <field name="OP">GT</field>

 <value name="A">

 <block type="procedures_callreturn" id="CALL_EVEN_50">

 <mutation name="LD Even (%)"></mutation>

 </block>

 </value>

 <value name="B">

 <block type="math_number" id="FIFTY_1"><field
name="NUM">52</field></block>

 </value>

</block>

</value>

</block>

</value>

<statement name="DOO">

 <block type="math_change" id="ADD_CONF_TREND_EVEN">

 <field name="VAR" id="CONFLUENCE_001"
variabletype="">Confluence_Score</field>

 <value name="DELTA">

 <shadow type="math_number" id="CONF_ADD_TREND1"><field
name="NUM">1</field></shadow>

 </value>

 </block>

</statement>

```

```

<value name="IF1">
 <block type="logic_operation" id="TREND_ODD_RISING">
 <field name="OP">AND</field>
 <value name="A">
 <block type="logic_compare" id="ODD_GT_PREV">
 <field name="OP">GT</field>
 <value name="A">
 <block type="procedures_callreturn" id="CALL_ODD_TREND">
 <mutation name="LD Odd (%)"></mutation>
 </block>
 </value>
 </block>
 </value>
 <value name="B">
 <block type="variables_get" id="GET_PREV_ODD">
 <field name="VAR" id="PREV_ODD_001" variabletype="">Prev_Odd_Pct</field>
 </block>
 </value>
 </block>
</value>
<value name="B">
 <block type="logic_compare" id="ODD_ABOVE_50">
 <field name="OP">GT</field>
 <value name="A">
 <block type="procedures_callreturn" id="CALL_ODD_50">
 <mutation name="LD Odd (%)"></mutation>
 </block>
 </value>
 <value name="B">
 <block type="math_number" id="FIFTY_2"><field
name="NUM">52</field></block>

```

```

 </value>
 </block>
</value>
</block>
</value>
<statement name="DO1">
 <block type="math_change" id="ADD_CONF_TREND_ODD">
 <field name="VAR" id="CONFLUENCE_001"
variabletype="">Confluence_Score</field>
 <value name="DELTA">
 <shadow type="math_number" id="CONF_ADD_TREND2"><field
name="NUM">1</field></shadow>
 </value>
 </block>
</statement>
<next>
 <block type="controls_if" id="CONF_CHECK_4_WINRATE">
 <value name="IF0">
 <block type="logic_compare" id="WR_ABOVE_55">
 <field name="OP">GTE</field>
 <value name="A">
 <block type="variables_get" id="GET_WR_CONF">
 <field name="VAR" id="WINRATE_001"
variabletype="">Session_Winrate</field>
 </block>
 </value>
 <value name="B">
 <block type="math_number" id="WR_THRESH"><field
name="NUM">55</field></block>
 </value>
 </block>
 </value>
 </block>
</next>

```



```

 </block>

 </value>

 <statement name="DO0">

 <block type="math_change" id="ADD_CONF_WINRATE">

 <field name="VAR" id="CONFLUENCE_001"
variabletype="">Confluence_Score</field>

 <value name="DELTA">

 <shadow type="math_number" id="CONF_ADD_WR"><field
name="NUM">1</field></shadow>

 </value>

 </block>

 </statement>

 <next>

 <block type="variables_set" id="SAVE_PREV_EVEN">

 <field name="VAR" id="PREV_EVEN_001" variabletype="">Prev_Even_Pct</field>

 <value name="VALUE">

 <block type="procedures_callreturn" id="CALL_EVEN_SAVE">

 <mutation name="LD Even (%)"></mutation>

 </block>

 </value>

 <next>

 <block type="variables_set" id="SAVE_PREV_ODD">

 <field name="VAR" id="PREV_ODD_001" variabletype="">Prev_Odd_Pct</field>

 <value name="VALUE">

 <block type="procedures_callreturn" id="CALL_ODD_SAVE">

 <mutation name="LD Odd (%)"></mutation>

 </block>

 </value>

 </block>

 </next>

```

```

 </block>
 </next>
</block>
</next>
</block>
</next>
</block>
</next>
</block>
</next>
</block>
</statement>
</block>
<block type="procedures_defnoreturn" id="PROC_CHECK_COOLDOWN" x="400" y="1200">
 <field name="NAME">Check_Cooldown</field>
 <comment pinned="false" h="80" w="160">Gestiona el sistema de cooldown - espera N ciclos
antes de reactivar</comment>
 <statement name="STACK">
 <block type="controls_if" id="IF_COOLDOWN_ACTIVE">
 <value name="IF0">
 <block type="logic_compare" id="CD_IS_TRUE">
 <field name="OP">EQ</field>
 <value name="A">
 <block type="variables_get" id="GET_CD_STATUS">
 <field name="VAR" id="COOLDOWN_001" variabletype="">Cooldown_Active</field>
 </block>
 </value>
 <value name="B">
 <block type="logic_boolean" id="CD_TRUE_REF"><field
name="BOOL">TRUE</field></block>

```

```

 </value>
 </block>
</value>
<statement name="DO0">
 <block type="math_change" id="INC_CD_COUNTER">
 <field name="VAR" id="COOLDOWN_CNT_001"
variabletype="">Cooldown_Counter</field>
 <value name="DELTA">
 <shadow type="math_number" id="CD_INC_VAL"><field
name="NUM">1</field></shadow>
 </value>
 <next>
 <block type="controls_if" id="CHECK_CD_EXPIRED">
 <value name="IF0">
 <block type="logic_operation" id="CD_EXPIRED_AND_SIGNAL">
 <field name="OP">AND</field>
 <value name="A">
 <block type="logic_compare" id="CD_CNT_GTE_MAX">
 <field name="OP">GTE</field>
 <value name="A">
 <block type="variables_get" id="GET_CD_CNT">
 <field name="VAR" id="COOLDOWN_CNT_001"
variabletype="">Cooldown_Counter</field>
 </block>
 </value>
 <value name="B">
 <block type="variables_get" id="GET_CD_MAX">
 <field name="VAR" id="COOLDOWN_MAX_001"
variabletype="">Cooldown_Max</field>
 </block>
 </value>
 </block>
 </value>
 </block>
 </value>
 </block>
 </next>
 </block>
</statement>

```

```

 </value>
 </block>
</value>
<value name="B">
 <block type="logic_operation" id="SIGNAL_EXISTS">
 <field name="OP">OR</field>
 <value name="A">
 <block type="logic_compare" id="EVEN_SIGNAL_CD">
 <field name="OP">GTE</field>
 <value name="A">
 <block type="procedures_callreturn" id="CALL_EVEN_CD">
 <mutation name="LD Even (%)"></mutation>
 </block>
 </value>
 </block>
 </value>
 <value name="B">
 <block type="math_number" id="CD_EVEN_THRESH"><field
name="NUM">60</field></block>
 </value>
 </block>
</value>
<value name="B">
 <block type="logic_compare" id="ODD_SIGNAL_CD">
 <field name="OP">GTE</field>
 <value name="A">
 <block type="procedures_callreturn" id="CALL_ODD_CD">
 <mutation name="LD Odd (%)"></mutation>
 </block>
 </value>
 </value>
</value>

```

```

 <block type="math_number" id="CD_ODD_THRESH"><field
name="NUM">60</field></block>

 </value>

 </block>

 </value>

</block>

</value>

</block>

</value>

<statement name="DO0">

 <block type="variables_set" id="DEACTIVATE_CD">

 <field name="VAR" id="COOLDOWN_001" variabletype="">Cooldown_Active</field>

 <value name="VALUE">

 <block type="logic_boolean" id="CD_FALSE_DEACT"><field
name="BOOL">FALSE</field></block>

 </value>

 <next>

 <block type="variables_set" id="DEACTIVATE_SKIP">

 <field name="VAR" id="SKIP_TRADE_001" variabletype="">Skip_Trade</field>

 <value name="VALUE">

 <block type="logic_boolean" id="SKIP_FALSE_DEACT"><field
name="BOOL">FALSE</field></block>

 </value>

 <next>

 <block type="variables_set" id="RESET_CD_CNT">

 <field name="VAR" id="COOLDOWN_CNT_001"
variabletype="">Cooldown_Counter</field>

 <value name="VALUE">

 <block type="math_number" id="CD_CNT_ZERO"><field
name="NUM">0</field></block>

 </value>

```

```

 <next>

 <block type="variables_set" id="RECOVERY_ON">

 <field name="VAR" id="RECOVERY_MODE_001"
variabletype="">Recovery_Mode</field>

 <value name="VALUE">

 <block type="logic_boolean" id="REC_TRUE"><field
name="BOOL">TRUE</field></block>

 </value>

 <next>

 <block type="notify" id="NOTIFY_CD_OFF">

 <field name="NOTIFICATION_TYPE">success</field>

 <field name="NOTIFICATION_SOUND">silent</field>

 <value name="MESSAGE">

 <shadow type="text" id="CD_OFF_SHADOW"><field
name="TEXT">abc</field></shadow>

 <block type="text" id="CD_OFF_MSG"><field name="TEXT">✔ Cooldown
terminado - Señal fuerte detectada - Modo Recovery ON</field></block>

 </value>

 </block>

 </next>

 </block>

 </next>

 </block>

 </next>

 </block>

 </next>

 </block>

 </statement>

 </block>

 </next>

```

```

 </block>

 </statement>

</block>

</statement>

</block>

<block type="procedures_defnoreturn" id="PROC_UPDATE_WINRATE" x="400" y="1500">

 <field name="NAME">Update_Winrate</field>

 <statement name="STACK">

 <block type="controls_if" id="CHECK_TRADES_GT_0">

 <value name="IF0">

 <block type="logic_compare" id="TRADES_GT_ZERO">

 <field name="OP">GT</field>

 <value name="A">

 <block type="variables_get" id="GET_SESS_TRADES">

 <field name="VAR" id="SESSION_TRADES_001" variabletype="">Session_Trades</field>

 </block>

 </value>

 <value name="B">

 <block type="math_number" id="ZERO_TRADES"><field name="NUM">0</field></block>

 </value>

 </block>

 </value>

 </statement name="DO0">

 <block type="variables_set" id="CALC_WINRATE">

 <field name="VAR" id="WINRATE_001" variabletype="">Session_Winrate</field>

 <value name="VALUE">

 <block type="math_round" id="ROUND_WINRATE">

 <field name="OP">ROUND</field>

 <value name="NUM">

```

<shadow type="math\_number" id="WR\_ROUND\_SHADOW"><field name="NUM">3.1</field></shadow>

<block type="math\_arithmetic" id="WR\_CALC">

<field name="OP">DIVIDE</field>

<value name="A">

<shadow type="math\_number" id="WR\_SHADOW\_A"><field name="NUM">1</field></shadow>

<block type="math\_arithmetic" id="WR\_MULTIPLY">

<field name="OP">MULTIPLY</field>

<value name="A">

<shadow type="math\_number" id="WR\_M\_SHADOW"><field name="NUM">1</field></shadow>

<block type="variables\_get" id="GET\_WINS\_WR">

<field name="VAR" id="SESSION\_WINS\_001" variabletype="">Session\_Wins</field>

</block>

</value>

<value name="B">

<shadow type="math\_number" id="WR\_100"><field name="NUM">100</field></shadow>

</value>

</block>

</value>

<value name="B">

<shadow type="math\_number" id="WR\_SHADOW\_B"><field name="NUM">1</field></shadow>

<block type="variables\_get" id="GET\_TRADES\_WR">

<field name="VAR" id="SESSION\_TRADES\_001" variabletype="">Session\_Trades</field>

</block>

</value>



```

 </block>

 </value>

</block>

</value>

</block>

</statement>

</block>

</statement>

</block>

<block type="procedures_defnoreturn" id="PROC_UPDATE_PEAK" x="400" y="1700">

 <field name="NAME">Update_Peak_Drawdown</field>

 <comment pinned="false" h="80" w="160">Trailing drawdown protection - ajusta threshold
dinamicamente</comment>

 <statement name="STACK">

 <block type="controls_if" id="CHECK_NEW_PEAK">

 <value name="IF0">

 <block type="logic_compare" id="PROFIT_GT_PEAK">

 <field name="OP">GT</field>

 <value name="A">

 <block type="total_profit" id="GET_PROF_PEAK"></block>

 </value>

 <value name="B">

 <block type="variables_get" id="GET_PEAK">

 <field name="VAR" id="PEAK_PROFIT_001" variabletype="">Peak_Profit</field>

 </block>

 </value>

 </block>

 </value>

 </block>

 </value>

</statement name="DO0">

```

```

<block type="variables_set" id="UPDATE_PEAK">

 <field name="VAR" id="PEAK_PROFIT_001" variabletype="">Peak_Profit</field>

 <value name="VALUE">

 <block type="total_profit" id="SET_PEAK_PROF"></block>

 </value>

</block>

</statement>

<next>

<block type="controls_if" id="CHECK_DRAWDOWN_ADJUST">

 <value name="IF0">

 <block type="logic_compare" id="LOSING_STREAK_HIGH">

 <field name="OP">GTE</field>

 <value name="A">

 <block type="variables_get" id="GET_STREAK_DYN">

 <field name="VAR" id="STREAK_001" variabletype="">Current_Streak</field>

 </block>

 </value>

 <value name="B">

 <block type="math_number" id="STREAK_3"><field name="NUM">3</field></block>

 </value>

 </block>

 </value>

<statement name="DO0">

 <block type="variables_set" id="INCREASE_THRESHOLD">

 <field name="VAR" id="DYN_THRESH_001" variabletype="">Dynamic_Threshold</field>

 <value name="VALUE">

 <block type="math_arithmetic" id="ADD_TO_THRESH">

 <field name="OP">ADD</field>

 <value name="A">

```

```

 <shadow type="math_number" id="THRESH_ADD_SHADOW"><field
name="NUM">1</field></shadow>

 <block type="variables_get" id="GET_BASE_THRESH_DYN">

 <field name="VAR" id="BASE_THRESH_001" variabletype="">Base_Threshold</field>

 </block>

 </value>

 <value name="B">

 <shadow type="math_number" id="THRESH_ADD_VAL"><field
name="NUM">4</field></shadow>

 </value>

 </block>

</value>

<next>

 <block type="variables_set" id="INCREASE_CONF_MIN">

 <field name="VAR" id="CONFLUENCE_MIN_001"
variabletype="">Confluence_Min</field>

 <value name="VALUE">

 <block type="math_number" id="CONF_MIN_4"><field
name="NUM">4</field></block>

 </value>

 </block>

 </next>

</block>

</statement>

<next>

 <block type="controls_if" id="CHECK_RESET_THRESHOLD">

 <value name="IF0">

 <block type="logic_operation" id="NO_STREAK_CHECK">

 <field name="OP">AND</field>

 <value name="A">

```

```

<block type="logic_compare" id="STREAK_IS_0">
 <field name="OP">EQ</field>
 <value name="A">
 <block type="variables_get" id="GET_STREAK_RESET">
 <field name="VAR" id="STREAK_001" variabletype="">Current_Streak</field>
 </block>
 </value>
 <value name="B">
 <block type="math_number" id="ZERO_STR"><field
name="NUM">0</field></block>
 </value>
</block>
</value>
<value name="B">
 <block type="logic_compare" id="STREAK_TYPE_WIN">
 <field name="OP">EQ</field>
 <value name="A">
 <block type="variables_get" id="GET_STR_TYPE_RESET">
 <field name="VAR" id="STREAK_TYPE_001" variabletype="">Streak_Type</field>
 </block>
 </value>
 <value name="B">
 <block type="text" id="WIN_TXT_RESET"><field name="TEXT">win</field></block>
 </value>
 </block>
</value>
</block>
</value>
<statement name="DO0">

```

```

 <block type="variables_set" id="RESET_DYN_THRESH">
 <field name="VAR" id="DYN_THRESH_001"
variabletype="">Dynamic_Threshold</field>
 <value name="VALUE">
 <block type="variables_get" id="RESET_TO_BASE_THRESH">
 <field name="VAR" id="BASE_THRESH_001" variabletype="">Base_Threshold</field>
 </block>
 </value>
 </next>
 <block type="variables_set" id="RESET_CONF_MIN">
 <field name="VAR" id="CONFLUENCE_MIN_001"
variabletype="">Confluence_Min</field>
 <value name="VALUE">
 <block type="math_number" id="CONF_MIN_3_RESET"><field
name="NUM">3</field></block>
 </value>
 </block>
 </next>
</block>
</statement>
</block>
</next>
</block>
</next>
</block>
</statement>
</block>
<block type="procedures_defnoreturn" id="wG]Unvv@26{cBz*JD!/E" x="800" y="0">
 <mutation>
 <arg name="[fld2] Last Digit List" varid="DW3mjXJpPvr7)vhno)~."></arg>

```

```

 <arg name="[fld2] How many ticks?" varid="ZANWip{N:PSAp/tBH^rK}"></arg>
</mutation>

<field name="NAME">(5) FRUITFELLA's LD Analyzer ver.2.0</field>

<comment pinned="false" h="80" w="160">Last Digits Analyzer ver.2.0 by Fruitfella</comment>

<statement name="STACK">

 <block type="variables_set" id="3RjgEd@mF*OBS=t9hM)^">

 <field name="VAR" id="[en@;9L+TKtw(U2~(Ku2" variabletype="">fld2:LastDigitList</field>

 <value name="VALUE">

 <block type="lists_create_with" id="#A(Wp/M(a8#{.-^p?HR+">

 <mutation items="0"></mutation>

 </block>

 </value>

 <next>

 <block type="variables_set" id="%rUIYdwD]Rl.waYf4UQn">

 <field name="VAR" id="[en@;9L+TKtw(U2~(Ku2" variabletype="">fld2:LastDigitList</field>

 <value name="VALUE">

 <block type="variables_get" id="n)DPI@svxm.@*xUKItKs">

 <field name="VAR" id="DW3mjXJpPvr7)vhno)~." variabletype="">[fld2] Last Digit
List</field>

 </block>

 </value>

 <next>

 <block type="variables_set" id="4%%x[#LD|:9+At3-D39~">

 <field name="VAR" id="TN1+}1m9k)fcT`p#]xKj" variabletype="">fld2:even</field>

 <value name="VALUE">

 <block type="math_number" id="4{u5zwp^C(aL!o#_;X(z">

 <field name="NUM">0</field>

 </block>

 </value>

```

```
<next>

<block type="variables_set" id="#J-{EcBJ1agD_%4A[ebm">

 <field name="VAR" id="8xeP.9l4nOGGu}x2pz7R" variabletype="">fld2:odd</field>

 <value name="VALUE">

 <block type="math_number" id="b19$7GQB7}iK_.ph;dEv">

 <field name="NUM">0</field>

 </block>

 </value>

<next>

<block type="controls_for" id=":2M*c;W^Pg:YAST$NwOX">

 <field name="VAR" id="N65.yto^f%i%5ll$2W_=" variabletype="">fld2:n</field>

 <value name="FROM">

 <block type="math_number" id=";efQ?oxHu9W{.9bNJF=" ">

 <field name="NUM">1</field>

 </block>

 </value>

 <value name="TO">

 <block type="variables_get" id="lqS~uH?D4T@*,Z?@Ri^M">

 <field name="VAR" id="ZANWip{N:PSAp/tBH^rK" variabletype="">[fld2] How many
ticks?</field>

 </block>

 </value>

 <value name="BY">

 <block type="math_number" id="KhTBRGOjEIEAmF*hWA9x">

 <field name="NUM">1</field>

 </block>

 </value>

 <statement name="DO">

 <block type="controls_if" id="BUi{=YC39%).J{[xBr9e">
```

```
<mutation else="1"></mutation>
<value name="IF0">
 <block type="math_number_property" id="Hg$VF9lrUsx]Awn+,{|9">
 <mutation divisor_input="false"></mutation>
 <field name="PROPERTY">EVEN</field>
 <value name="NUMBER_TO_CHECK">
 <shadow type="math_number" id="_Q_u9$~f^VN)biGPgq0.">
 <field name="NUM">0</field>
 </shadow>
 <block type="lists_getIndex" id="TAr;T}}%4x]kGtOo{WPV">
 <mutation statement="false" at="true"></mutation>
 <field name="MODE">GET</field>
 <field name="WHERE">FROM_END</field>
 <value name="VALUE">
 <block type="variables_get" id="9(n#]rma_G$^49vl=cPU">
 <field name="VAR" id="[en@;9L+TKtw(U2~{Ku2"
variabletype="">fld2:LastDigitList</field>
 </block>
 </value>
 <value name="AT">
 <block type="variables_get" id="5W-k4.i)d:+,B;qoV!*n">
 <field name="VAR" id="N65.yto^f%i%5II$2W_="
variabletype="">fld2:n</field>
 </block>
 </value>
 </block>
</value>
</block>
</value>
</block>
</value>
<statement name="DO0">
```



```

 <block type="math_change" id="kE,~,2$*#61c`=:/L?.">
 <field name="VAR" id="TN1+}1m9k)fcT`p#]xKj"
variabletype="">fld2:even</field>
 <value name="DELTA">
 <shadow type="math_number" id="WU:~-CJ#8b!z`^?50t83">
 <field name="NUM">1</field>
 </shadow>
 </value>
 </block>
 </statement>
 <statement name="ELSE">
 <block type="math_change" id="vj?63`2xurXm+FF;7mjW">
 <field name="VAR" id="8xeP.9l4nOGGu}x2pz7R"
variabletype="">fld2:odd</field>
 <value name="DELTA">
 <shadow type="math_number" id="MD[IGfJ@?#lY,xGc#*Q%">
 <field name="NUM">1</field>
 </shadow>
 </value>
 </block>
 </statement>
</block>
</statement>
<next>
 <block type="variables_set" id="F|0eO7fJp;k2A`gql]di">
 <field name="VAR" id="WVFA9_%DJ+K3!oq~UT-Y"
variabletype="">fld2:even%</field>
 <value name="VALUE">
 <block type="math_arithmetic" id="M{?YlW.]J$Ycn4e^x;S?">
 <field name="OP">DIVIDE</field>

```

```

<value name="A">
 <shadow type="math_number" id="GBgq@|e_@T`VjHB2P~.t">
 <field name="NUM">1</field>
 </shadow>
 <block type="math_arithmetic" id="2J)CuTtpO?/|xla=-jln">
 <field name="OP">MULTIPLY</field>
 <value name="A">
 <shadow type="math_number" id="jqpRnx8}bH`zjqt3z-d,">
 <field name="NUM">1</field>
 </shadow>
 <block type="variables_get" id="b`:sZL)SGU5NiLg2Z[Ps">
 <field name="VAR" id="TN1+}1m9k)fcT`p#]xKj"
variabletype="">fld2:even</field>
 </block>
 </value>
 <value name="B">
 <shadow type="math_number" id="/QUiY|b]y%(^O#FouRW1">
 <field name="NUM">100</field>
 </shadow>
 </value>
 </block>
</value>
<value name="B">
 <shadow type="math_number" id="0.[OE?,PTjpk2C^4X6h,">
 <field name="NUM">100</field>
 </shadow>
 <block type="variables_get" id="3Y7lktBy7B3a[]Qs-ov3">
 <field name="VAR" id="ZANWip{N:PSAp/tBH^rK" variabletype="">[fld2] How
many ticks?</field>
 </block>

```

</value>

</block>

</value>

<next>

<block type="variables\_set" id="(F4IDDcv%uplIhIKRtk.">

<field name="VAR" id="WVFA9\_%DJ+K3!oq~UT-Y"  
variabletype="">fld2:even%</field>

<value name="VALUE">

<block type="math\_arithmetic" id="%r@yEEYL3