## Jonathon O'Connell

## CISC361 Instructor: Matthew Mauriello HW1

```
#include <stdio.h>
#include <unistd.h>
int main()
{
    int i;
    for (i = 0; i < 4; i++)
        fork();
    return 0;
}</pre>
```

1- Including the initial parent process, how many processes are created by the program shown above. Please explain (20pt).

The total number of processes created by forks is 2<sup>n</sup>, where n is the number of fork calls, in this case it is 2<sup>4</sup>, or 16

2- Using the program below, identify the values of pid at lines A, B, C, and D. (Assume that the actual pids of the parent and child are 2600 and 2603, respectively.) (30pt).

```
#include <sys/types.h>
#include <stdio.h>
#include <unistd.h>
int main()
      pid t pid, pid1;
      /* fork a child process */
      pid = fork();
      if (pid < 0) { /* error occurred */
        fprintf(stderr, "Fork Failed");
                                                                           A: 0
        return 1;
                                                                         B: 2603
      else if (pid == 0) { /* child process */
                                                                         C: 2603
        pid1 = getpid();
                                                                         D: 2600
        printf("child: pid = %d",pid); /* A */
        printf("child: pid1 = %d",pid1); /* B */
      else { /* parent process */
        pid1 = getpid();
        printf("parent: pid = %d",pid); /* C */
printf("parent: pid1 = %d",pid1); /* D */
        wait(NULL);
      return 0;
```

3- Using the program shown below, explain what the output will be at lines X and Y. (30pt).

```
#include <sys/types.h>
#include <stdio.h>
                                               Line x will print
#include <unistd.h>
#define SIZE 5
                                      "CHILD: i" 5 times, where i is:
int nums[SIZE] = \{0,1,2,3,4\};
                                               0, -1, -4, -9, -16
int main()
                                               Line y will print
     int i;
                                         "PARENT": i", where i is:
     pid t pid;
     pid = fork();
                                                 0, 1, 2, 3, 4
     if (pid == 0) {
       for (i = 0; i < SIZE; i++)
               nums[i] *= -i;
               printf("CHILD: %d ",nums[i]); /* LINE X */
     else if (pid > 0) {
       wait(NULL);
       for (i = 0; i < SIZE; i++)
               printf("PARENT: %d ",nums[i]); /* LINE Y */
     return 0;
```

4- Extra credit (20pt). Implement any of the above programs and check your results. Please provide the necessary files and screenshots of outputs.

Results matched my answers