

# "चला तर, Coding शिक् आपल्या भाषेत!"



## **Marathi Coding Shala**

@MarathiCodingShala · 2.06K subscribers · 12 videos

नमस्कार मित्रांनो! 🔌 🙏 ...more

youtube.com/channel/UCUc5mUOo3xqzlgXFCaIFkbw and 2 more links


Customize channel


Manage videos

View channel stats




#### ☐ Types Of Operators:





Unary

Operator



**Operators** 

<,<=,>,>=,==,!=

&,|,<<,>>,-,^

=,+=,-=,\*=,%=

&&,||,!

**Arithmetic Operator** 

Relational operator

**Logical Operator** 

**Bitwise Operator** 

Type

**Unary Operator** 

**Assignment Operator** 

#### **Bitwise Operator:**

- 1.Bitwise OR(|)
- 2.Bitwise AND(&&)
- 3.Bitwise XOR(^)
- 4.Bitwise not(~)
- 5. Bitwise left shift(<<)
- 6.Bitwise right shift(>>)

**Unary Opeartor** 

## Bitwise Not(~)

а	~a
0	1
1	0

## **Bitwise OR(|):**

Dono me se eke bhi one hai to or karne per output 1hi aayga

a	b	a b
0	0	0
0	1	1
1	0	1
1	1	1

#### Bitwise OR(|):

```
0011 (binary of 3)
#include<stdio.h>
void main(){
   int a=3,b=11,c;
                                                   1011(binary of 11)
   c=a|b;
                                                        1011
   printf("%d",c);
```

## **Bitwise AND(|):**

Dono me se eke bhi ZERO hai to AND karne per output 0 hi aayga

a	b	a&&b
0	0	0
0	1	0
1	0	0
1	1	1

#### **Bitwise AND(&&):**

```
#include<stdio.h>
                                                            0011 (binary of 3)
void main(){
                                                    &&
    int a=3,b=11,c;
                                                            1011(binary of 11)
    c=a && b;
    printf("%d",c);
                                                              (matching positions in both numbers)
```

#### **Bitwise AND(&&):**

```
#include<stdio.h>
                                                            0011 (binary of 3)
void main(){
                                                    &&
    int a=3,b=11,c;
                                                            1011(binary of 11)
    c=a && b;
    printf("%d",c);
                                                              (matching positions in both numbers)
```

## Bitwise X-OR(^):

Dono me bhi same hai to x-or karne per output 0 hi aayga

a	b	a^b
0	0	0
0	1	1
1	0	1
1	1	0

#### Bitwise X-OR(^):

```
#include<stdio.h>
void main(){
   int a=3,b=11,c;
   c=a ^ b;
   printf("%d",c);
```

0011 (binary of 3)


Λ

1011(binary of 11)

1000


#### Bitwise left shift(<<):binary operator

```
#include<stdio.h>
void main(){
   int a=10,b=1,c;
   c=a << b;//left shift</pre>
   printf("%d",c);
```





#### Bitwise right shift(>>):binary operator

```
#include<stdio.h>
void main(){
   int a=10,b=1,c;
   c=a >> b;//Right shift 10>>1
   printf("%d",c);
```



## **Bitwise right shift(>>):**





#### 2's complementation

2)-ve:2`s complementation

1)+ve :as it is

0001

1's complementation=1110

2`complementation= 1111

#### Programs

- .. 1's Complement of a Number
- 2. 2's Complement of a Number
- 3. Swap Two Numbers Without Temporary Variable





marathi\_coding\_shala Follow Message

360 following

jayesh kande

48 posts

Faculty @ CoDing SeeKho Coding | College Exams | Placement Prep


YouTuber –Marathi Coding shala

**5,221** followers

-Jk Coding... more



Kbt engineering college nashik



#### Jayesh Kande

Faculty at Coding Seekho (Offline + Online)|IT Engineering |

Aspiring Web Developer | Java Enthusiast | Data Structures & Algorithms | Proficient in C, C++, Java, and MERN Stack |

AI + Web Dev

Nashik, Maharashtra, India · Contact Info

725 followers · 500+ connections



#### **JK Coding Pathshala**

@jayeshkande9215 · 1.16K subscribers · 149 videos

welcome to JK Coding Pathshala! ...more

youtube.com/channel/UC474QOAov9dTP9Y1nZwupqw and 3 more links



Join

View channel stats

