

# "चला तर, Coding शिक् आपल्या भाषेत!"



# **Marathi Coding Shala**

@JayeshKande-g6f1e · 125 subscribers · 7 videos

नमस्कार मित्रांनो! 🔌 🙏 ...more

youtube.com/channel/UCUc5mUOo3xqzlgXFCaIFkbw and 2 more links


**Customize channel** 

Manage videos

View channel stats



### Operator



operands

#### ☐ Operators:

Operators are symbols that tell the compiler to perform specific operations, such as mathematical, logical, or bitwise operations, on data values. They act on variables or values to produce a result.

**Example:** In the expression a + b, the + symbol is an operator that adds the values of a and b.

#### ☐ Operands:

Operands are the values or variables on which the operator acts. In an expression, operands are the data items that operators manipulate.


**Example:** In the expression a + b, a and b are operands, while + is the operator acting on these operands.


### □ Expression Example with Operators and Operands:

```
Consider c = a + b * 2;
```

- •Operators: =, +, \*
- •Operands: a, b, 2, and `c


# ☐ Types Of Operators:





Unary

Operator



**Operators** 

<,<=,>,>=,==,!=

&,|,<<,>>,-,^

=,+=,-=,\*=,%=

&&,||,!

**Arithmetic Operator** 

Relational operator

**Logical Operator** 

**Bitwise Operator** 

Type

**Unary Operator** 

**Assignment Operator** 

### Assignment Operator(=)

```
#include<stdio.h>


void main(){


int a=10;
    a= 20;


}
```

# a=b+c; valid

b+c=a;inval id








```
a= ; (RHS missing before ;)
=10;(Missing variable (LHS) )
a=10(;is Missing)
```

# Arithmetic Operators(+,-,\*,\overline{\pi},/)



# Precedence order:

Addition, Subtraction

Operator	Description	Precedence Level	Associativity
* / %	Multiplication, Division, Modulus	Higher	Left to Right

Lower

Left to Right

#### **% Modulas Operator**

a % b : Remainder when a is Divided by b

Note: Both Operand Must be int data type otherwise error ex:1.2%2===check karo

# Note 1: Both Operand Must be int data type otherwise error ex:1.2%2===check karo

Note 2:Sign of result of % Operator is same as 1<sup>st</sup> Operand

```
Ex:-15%7=-1;
15%-7=1;
```

a=1+3\*5 1+15=16

#### Example 1: Multiplication, Division, Modulus (\*, /, % - Left to Right Associativity)

```
int result = 20 / 5 * 2 % 3;
```

#### **Steps of Evaluation (Left to Right):**

- **1.Division**: 20 / 5 = 4
- **2.**Multiplication: 4 \* 2 = 8
- **3.Modulus**: 8 % 3 = 2

#### **Answer:**

result = 2

#### **Behaviors of Operator => Operands**

```
5/2= 2 =>both operands are Integer type
5.0/2=2.5 =>float,int=>float
5/2.0=2.5=>int,float=>float
```

5.0/2.0=>float,float=>float

### Use of operator:

```
153
Print last digit=153%10=3;
Print last two digit=153%100=53;
```

153
Print 2<sup>nd</sup> last digit=(153/10) %10=5;







33 posts 438 followers 358 following

#### Jayesh Kande

🧘 Faculty @ CoDing SeeKho


Coding | College Exams | Placement Prep

YouTuber – JK Coding Pathshala

🚀 Guiding Future... more



Kbt engineering college nashik



#### Jayesh Kande

Faculty at Coding Seekho (Offline + Online)|IT Engineering |

Aspiring Web Developer | Java Enthusiast | Data Structures & Algorithms | Proficient in C, C++, Java, and MERN Stack |

AI + Web Dev

Nashik, Maharashtra, India · Contact Info

725 followers · 500+ connections



# **JK Coding Pathshala**

@jayeshkande9215 · 667 subscribers · 149 videos

Welcome to JK Coding Pathshala! ...more

youtube.com/channel/UC474QOAov9dTP9Y1nZwupqw and 3 more links

Customize channel

Manage videos

View channel stats

