


Unary Operator

Unary operators in Java are those that **operate on a single operand**. They are used to perform common operations like incrementing, decrementing, negating, or inverting a value.

◆ Types of Unary Operators in Java:

Operator	Description	Example
+	Unary plus (positive value)	+x
-	Unary minus (negation)	-x
++	Increment (prefix/postfix)	++x, x++
--	Decrement (prefix/postfix)	--x, x--
!	Logical NOT (boolean inversion)	!true → false
~	Bitwise complement (1's complement)	~x (flips bits)



◆ Example Program:

```
public class UnaryOperatorExample {  
    public static void main(String[] args) {  
        int a = 10;  
        boolean b = true;  
  
        System.out.println("+a = " + (+a));           // 10  
        System.out.println("-a = " + (-a));           // -10  
        System.out.println("a++ = " + (a++));         // 10, then a becomes 11  
        System.out.println("++a = " + (++a));         // 12  
        System.out.println("a-- = " + (a--));         // 12, then a becomes 11  
        System.out.println("--a = " + (--a));         // 10  
        System.out.println("!b = " + (!b));           // false  
        System.out.println("~a = " + (~a));           // -11 (bitwise complement)  
    }  
}
```

Prefix (++a) → Pehle badhta hai

Postfix (a++) → Pehle use hota hai, fir badhta hai

"Maan lo ek form submission system hai jisme 10 total forms hain, user ne 1 form submit kiya, toh submitted form count badhega aur remaining forms kam honge — aur ye kaam hum karenge sirf ++ aur -- operators se."

```
public class FormCounter {  
    public static void main(String[] args) {  
        int totalForms = 10;           // Shuruaat mein 10 forms hain  
        int submittedForms = 0;        // Abhi tak koi form submit nahi hua  
        int remainingForms;  
  
        submittedForms++;               // User ne 1 form submit kiya  
        totalForms--;                  // Total available forms ek kam  
        remainingForms = totalForms;    // Bache hue forms calculate kiye  
  
        System.out.println("Total Forms Initially: 10");  
        System.out.println("Submitted Forms: " + submittedForms);  
        System.out.println("Remaining Forms: " + remainingForms);  
    }  
}
```

Step	Variable	Value	Explanation
1	totalForms	10	Start mein total 10 forms available hain
2	submittedForms	0	Abhi tak koi form submit nahi hua
3	submittedForms++	1	Unary increment: 1 form submit ho gaya
4	totalForms--	9	Unary decrement: 1 form kam ho gaya
5	remainingForms	9	Bache hue forms ko totalForms se assign kiya
6	Print total	Total Forms Initially: 10	
7	Print submittedForms	Submitted Forms: 1	
8	Print remainingForms	Remaining Forms: 9	

jayesh_kande_ ▾ ●

What's
on your
playlist?



Jayesh Kande

16
posts


275
followers

276
following

23

रास्ते बदलो, मंजिल नहीं

yt.openinapp.co/0y0qd



Jayesh Kande

Third-Year IT Engineering Student | Aspiring Web Developer
| Java Enthusiast | Data Structures & Algorithms Learner |
Proficient in C, C++, Java, and MERN Stack | AI + Web
Development Project Enthusiast

Nashik, Maharashtra, India · [Contact Info](#)

494 followers · 495 connections



[See your mutual connections](#)

[Join to view profile](#)

[Message](#)



Kbt engineering college nashik



Thank You for Watching!



Follow us on Instagram: **@jayesh_kande_**



Connect with us on LinkedIn: **[Jayesh Kande]**