Github repo urL

My Github repo URL

https://github.com/JKYROC/1111-sweb2-demo-208410349.git

W04-P1: add 3 images of my meals to menu array

W04-P2: show all data in array menu into html (section-center)

```
            console.log('filterItems before join', displayButton);
            displayButton = displayButton.join('');
            console.log('filterItems after join',displayButton);
            btnContainer.innerHTML = displayButton;
        };

        const displayMenuItems = (menu) =>{
            let displayMenu = menu.map( (item) =>{
                return`
                <article class="menu-item">
                    <img src="${item.image}" alt="${item.title}"
                    class="photo" />
                    <div class="item-info">
                        <header>
                            <h4>${item.title}</h4>
                            <h4 class="price">${item.price}</h4>
                        </header>
                        <p class="item-text">
                            ${item.desc}
                        </p>
                    </div>
                </article>
                `;
            });
            console.log('displayMenu before join', displayMenu);
            displayMenu = displayMenu.join('');
            console.log('displayMenu after join', displayMenu);
            sectionCenter.innerHTML = displayMenu;
        };

        window.addEventListener('DOMContentLoaded', () =>{
            displayMenuItems(menu);
```

```
  15        id: 2,
  16        title: "Steak and fried egg",
  17        category: "lunch",
  18        price: 17.99,
  19        image: "./images/my-2.jpg",
  20        remote_image: "https://skhsjlwrhersyemrmkib.
           supabase.co/storage/v1/object/public/javascript/
  21        demo-208410349/w04-menu-starter/my-2.jpg",
           desc: "Lorem ipsum, dolor sit amet consectetur
           adipisicing elit. Enim accusantium natus hic
           tenetur esse commodi sit perferendis similique
           dicta earum!"
  22      },
  23      {
  24        id: 3,
  25        title: "Spaghetti with meatballs",
  26        category: "dinner",
  27        price: 18.79,
  28        image: "./images/my-3.jpg",
  29        remote_image: "https://skhsjlwrhersyemrmkib.
           supabase.co/storage/v1/object/public/javascript/
           demo-208410349/w04-menu-starter/my-3.jpg",
  30        desc: "Lorem ipsum, dolor sit amet consectetur
           adipisicing elit. Enim accusantium natus hic
           tenetur esse commodi sit perferendis similique
           dicta earum!"
  31      },
  32      {
  33        id: 4,
  34        title: "buttermilk pancakes",
  35        category: "breakfast",
  36        price: 15.99,
  37        image: "./images/item-1.jpeg",
```

```
  30          </div>
  31
  32          <!-- menu items -->
  33          <div class="section-center">
  34              <!-- single item -->
  35
  36              <!-- <article class="menu-item">
  37              <img src="./images/item-1.jpeg" alt="menu item"
                  class="photo" />
  38              <div class="item-info">
  39                  <header>
  40                      <h4>buttermilk pancakes</h4>
  41                      <h4 class="price">$15.99</h4>
  42                  </header>
  43                  <p class="item-text">
  44                      I'm baby woke mlkshk wolf bitters live-edge
                          blue bottle, hammock
  45                      freegan copper mug whatever cold-pressed
  46                  </p>
  47              </div>
  48              </article> -->
  49          </div>
  50      </section>
  51
  52      <script src="app_xx.js"></script>
  53  </body>
  54  </html>
  55
```

W04-P3: show all filter buttons into html (section-center)including (all, breakfast, lunch, dinner, shakes)

W04-P4: get buttons from menu array, add 'all' at the beginning (section-center)

Our Menu - 208410349

[All] [Breakfast] [Lunch] [Dinner] [Dessert]

Console output (right panel):

```
▼Array(5) ℹ                                              app_xx.js:71
    0: "all"
    1: "breakfast"
    2: "lunch"
    3: "dinner"
    4: "dessert"
    length: 5
  ▶[[Prototype]]: Array(0)
Live reload enabled.                                     index.html:81
filterItems before join                                  app_xx.js:83
▼Array(5) ℹ
    0: "\n          <button type=\"button\" class=\"filter-btn\" data-id=all\">all</button>\n          "
    1: "\n          <button type=\"button\" class=\"filter-btn\" data-id=breakfast\">breakfast</button>\n
    2: "\n          <button type=\"button\" class=\"filter-btn\" data-id=lunch\">lunch</button>\n          "
    3: "\n          <button type=\"button\" class=\"filter-btn\" data-id=dinner\">dinner</button>\n          "
    4: "\n          <button type=\"button\" class=\"filter-btn\" data-id=dessert\">dessert</button>\n          "
    length: 5
  ▶[[Prototype]]: Array(0)
filterItems after join                                   app_xx.js:85
        <button type="button" class="filter-btn" data-id=all>all</button>

        <button type="button" class="filter-btn" data-id=breakfast>breakfast</button>

        <button type="button" class="filter-btn" data-id=lunch>lunch</button>

        <button type="button" class="filter-btn" data-id=dinner>dinner</button>

        <button type="button" class="filter-btn" data-id=dessert>dessert</button>

displayMenu before join  ▶Array(7)                       app_xx.js:119
displayMenu after join                                   app_xx.js:121
        <article class="menu-item">
          <img src="./images/my-1.jpg" alt="Baked Egg" class="photo" />
          <div class="item-info">
            <header>
              <h4>Baked Egg</h4>
              <h4 class="price">11.59</h4>
            </header>
            <p class="item-text">
```

```javascript
];

const categories = ['all' , ...new Set(menu.map((item) =>item.category))]
console.log(categories);


const sectionCenter = document.querySelector('.section-center');
const btnContainer = document.querySelector('.btn-container');

const displayMenuButtons = () =>{
    let menuButtons = categories.map((category) =>{
        return`
        <button type="button" class="filter-btn" data-id=${category}>${category}</button>
        `
    })
    console.log('filterItems before join', menuButtons);
    menuButtons = menuButtons.join('');
    console.log('filterItems after join',menuButtons);
    btnContainer.innerHTML = menuButtons;
}
```

W04-logs:

```
$ git log --pretty=format:"%h%x09%an%x09%ad%x09%s" --after="2023-3-08"
6c83ded JKYROC  Thu Mar 9 19:11:37 2023 +0800   W04-P1: add 3 images of my meals to menu array
917a202 JKYROC  Thu Mar 9 20:52:48 2023 +0800   W04-P2: show all data in array menu into html (section-center)
8a74f9a JKYROC  Thu Mar 9 20:57:33 2023 +0800   W04-P3: show all filter buttons into html (section-center)including
(all, breakfast, lunch, dinner, shakes)
2d00ce3 JKYROC  Fri Mar 10 23:04:00 2023 +0800  W04-P4: get buttons from menu array, add 'all' at the beginning
(section-center)
```
```

$ git log --pretty=format:"%h%x09%an%x09%ad%x09%s" --after="2023-3-08"

6c83ded JKYROC  Thu Mar 9 19:11:37 2023 +0800   W04-P1: add 3 images of my meals to menu array

917a202 JKYROC  Thu Mar 9 20:52:48 2023 +0800   W04-P2: show all data in array menu into html (section-center)

8a74f9a JKYROC  Thu Mar 9 20:57:33 2023 +0800   W04-P3: show all filter buttons into html (section-center)includi

2d00ce3 JKYROC  Fri Mar 10 23:04:00 2023 +0800  W04-P4: get buttons from menu array, add 'all' at the beginning (

58e9954 JKYROC  Fri Mar 10 23:07:14 2023 +0800  w04-logs