


Toolbar

Contents

Toolbar.....3

Toolbar

The Toolbar displays several icons. ToolTips are displayed upon the mouse-over.



New

Click the black triangle on the right of the plus sign to open a context menu.

Here you can choose between the entries to create a new corpus, a new text corpus object, a new text or an annotation. As long as you did not select a corpus in the Navigator window the entries in the menu are disabled.

Save

Save the changes you made in the currently active database object. As long as you did not work in the database object it will be inactive (grey) and after saving it will return to the inactive state. If you attempt to close the program the window will ask you to save your changes unless you already have done a save before.

NOTE There is no autosave in BTS 3.0, but the program will save your file after opening/displaying/switching to a different database object. Make sure you save your work in regular intervals to avoid loss of input!

Save all

Save all changes in all the database objects you have worked on.

Undo (Ctrl+Z)

Undo the last action. You can undo more than one action. You have to be in the same view where you made your changes (same transliteration, translation etc.). Corpora/objects/texts created accidentally cannot be deleted this way.


Redo

Reverse last "undone" action.

Preferences





This option is available two times on the toolbar and leads to Preferences / Project Settings.

Next to the cup ☕ the user currently logged in is shown. Next to pencil ✎ and key 🔑 the user role is visible.



 displays the name of the current project.

Open Perspective...

A pop-up window will appear with the list of perspectives / views.

 Text Corpus,  Lemma,  Thesaurus and  Abstract Text are all views which you can open by clicking on their respective icon on the toolbar.

NOTE: The Abstract Text feature is not complete yet. It will compile the witnesses of a single text (e.g. Sinuhe) and deliver a generic structure, ex. display the concordance of paragraphs. The metadata concerning the "abstract text" can be entered here, e.g. the bibliography.

To the right of the  you can see your main working corpus. At startup "No Corpus" is displayed. To set the corpus click on the  Preferences icon, which will forward you to the [Corpus Settings](#).