



CC106 - APPLICATION DEVELOPMENT AND EMERGING
TECHNOLOGIES
LABORATORY ACT # 4

NAME: ARIATE, JONALYN C.


STUDENT NO: 22-0121

YEAR/SECTION: SBIT-3B

DATE: 03-15-25

SCORE	PERCENTAGE

- Create a simple web application using any programming language.





Laboratory Activity # 4: Simple

Ariate Portfolio

Facebook


CC106_MIDTERM_LABACT-4 - (

C:/Users/QCU/Desktop/MyPortfolio/index.html#

All Bookmarks

AriateJonalyn

HomeAboutSkillsServicesContact



Hey I'm Ariate

I'm a ARTIST|

I am an IT student passionate about web development, aiming to become a full-stack web developer. I enjoy working with both front-end and back-end technologies to build dynamic and efficient web applications. Constantly learning and improving, I strive to create innovative solutions that enhance user experience and functionality.

Hire me

https://github.com/JL-codecreator

Type here to search

29°C Mostly clear

8:44 PM

3/15/2025

Laboratory Activity # 4: Simple

Ariate Portfolio

Facebook


CC106_MIDTERM_LABACT-4 - (

C:/Users/QCU/Desktop/MyPortfolio/index.html#

All Bookmarks

AriateJonalyn

HomeAboutSkillsServicesContact



Hey I'm Ariate

I'm a DEVELOPER|

I am an IT student passionate about web development, aiming to become a full-stack web developer. I enjoy working with both front-end and back-end technologies to build dynamic and efficient web applications. Constantly learning and improving, I strive to create innovative solutions that enhance user experience and functionality.

Hire me

Type here to search

29°C Mostly clear

8:46 PM

3/15/2025



QUEZON CITY UNIVERSITY

COLLEGE OF COMPUTER SCIENCE AND INFORMATION TECHNOLOGY



File Edit Selection View Go Run Terminal Help MyPortfolio

EXPLORER

MYPORTFOLIO

index.html

Profile.jpg

script.js

style.css

index.html

<!DOCTYPE html>

<html lang="en">

<head>

<meta charset="UTF-8">

<meta name="viewport" content="width=device-width, initial-scale=1.0">

<link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/font-awesome/6.5.1/css/all.min.css">

<link rel="stylesheet" href="https://unpkg.com/aos@next/dist/aos.css" />

<link rel="stylesheet" href="style.css">

<title>Ariate Portfolio</title>

</head>

<body>

<nav>

<div class="nav-container">

<div class="logo" data-aos="zoom-in" data-aos-duration="1500">

Ariate Jonalyn

</div>/.logo

<div class="links">

<div class="link" data-aos="fade-up" data-aos-duration="1500" data-aos-delay="100">Home</div>

<div class="link" data-aos="fade-up" data-aos-duration="1500" data-aos-delay="200">About</div>

<div class="link" data-aos="fade-up" data-aos-duration="1500" data-aos-delay="300">Skills</div>

<div class="link" data-aos="fade-up" data-aos-duration="1500" data-aos-delay="400">Services</div>

<div class="link" data-aos="fade-up" data-aos-duration="1500" data-aos-delay="500">Contact</div>

</div>/.links

<i class="fa-solid fa-bars hamburg" onclick="hamburg()"></i>

</div>/.nav-container

<div class="dropdown">

<div class="links">

Home

About

Skills

Service

Contact

<i class="fa-solid fa-xmark cancel" onclick="cancel()"></i>

</div>/.links

</div>/.dropdown

</nav>

<section>

html · body · section · div · p Ln 63, Col 40 Spaces: 4 UTF-8 CRLF {} HTML Go Live Go Live

Type here to search

Humid 8:50 PM 3/15/2025

File Edit Selection View Go Run Terminal Help MyPortfolio

EXPLORER

MYPORTFOLIO

index.html

Profile.jpg

script.js

style.css

index.html

<html lang="en">

<body>

<section>

<div class="main-container">

<div class="content">

<div class="typewriter" data-aos="fade-right" data-aos-duration="1500" data-aos-delay="900">I'm a </div>

<div data-aos="flip-down" data-aos-duration="1500" data-aos-delay="1100">I am an IT student passionate about web development, aiming t

<div class="social-links">

<i class="fa-brand

<i class="fa-bran

<i class="fa-brands fa-linkedin"></i>

<i class="fa-brands fa-twitter"></i>

</div>/.social-links

<div class="btn" data-aos="zoom-in" data-aos-duration="1500" data-aos-delay="1800">

<button>Hire me</button>

</div>/.btn

</div>/.content

</div>/.main-container

</section>

<!-- About Section -->

<section id="about">

<div class="about-container" data-aos="fade-up" data-aos-duration="1500">

<h2>About Me</h2>

<p>I am a dedicated IT student passionate about web development, specializing in front-end and back-end technologies. I love crafting se

<div class="about-details" data-aos="fade-up" data-aos-duration="1500" data-aos-delay="500">

<p>Name: Ariate Jonalyn</p>

<p>Email: example@example.com</p>

<p>Location: Philippines</p>

</div>/.about-details

</div>/.about-container

</section>/#about

<!-- Skills Section -->

<section id="skills">

<div class="skills_container" data-aos="fade-up" data-aos-duration="1500">

<h2>My Skills</h2>

html · body Ln 11, Col 7 Spaces: 4 UTF-8 CRLF {} HTML Go Live Go Live

Type here to search

Humid 8:50 PM 3/15/2025



QUEZON CITY UNIVERSITY

COLLEGE OF COMPUTER SCIENCE AND INFORMATION TECHNOLOGY



VS Code Editor Screenshot 1

JS script.js

1 function hamburg(){
2 const navbar = document.querySelector(".dropdown")
3 navbar.style.transform = "translateY(0px)"
4 }
5 function cancel(){
6 const navbar = document.querySelector(".dropdown")
7 navbar.style.transform = "translateY(-500px)"
8 }
9 // Typewriter Effect
10 const texts = [
11 "DEVELOPER",
12 "DESIGNER",
13 "ARTIST"
14]
15 let speed =100;
16 const textElements = document.querySelector(".typewriter-text");
17 let textIndex = 0;
18 let characterIndex = 0;
19 function typewriter(){
20 if (characterIndex < texts[textIndex].length){
21 textElements.innerHTML += texts[textIndex].charAt(characterIndex);
22 characterIndex++;
23 setTimeout(typewriter, speed);
24 }
25 else{
26 setTimeout(eraseText, 1000)
27 }
28 }
29 function eraseText(){
30 if(textElements.innerHTML.length > 0){
31 textElements.innerHTML = textElements.innerHTML.slice(0,-1);
32 setTimeout(eraseText, 50)
33 }
34 else{
35 textIndex = (textIndex + 1) % texts.length;
36 characterIndex = 0;
37 setTimeout(typewriter, 500)
38 }
39 }

VS Code Editor Screenshot 2

style.css

1 @import url('https://fonts.googleapis.com/css2?family=Poppins:wght@100;200;300;400;500;600&display=swap');
2 {
3 padding: 0;
4 margin: 0;
5 font-family: 'Poppins', sans-serif;
6 box-sizing: border-box;
7 }
8 body{
9 width: 100%;
10 height: 100vh;
11 overflow: hidden;
12 background-color: black;
13 }
14 nav{
15 width: 100%;
16 height: 10vh;
17 position: sticky;
18 }
19 .nav-container{
20 width: 100%;
21 height: 100%;
22 display: flex;
23 justify-content: space-around;
24 align-items: center;
25 }
26 .logo{
27 color: white;
28 font-size: 2rem;
29 font-weight: bold;
30 }
31 .logo span{
32 color: #0f17fc;
33 text-shadow: 0 0 10px #0f17fc;
34 }
35 .hamburg,
36 .cancel{
37 cursor: pointer;
38 }