

This is a template for academic research presentation in Typeset

This is the subtitle

Jun Liu, Jun Liu, Jun Liu, Jun Liu,
Jun Liu and Jun Liu

Jun Liu @JunLiu.edu

My Institution
University of Blablabla

2024-11-04

Table of Contents

Blocks

Figures

Tables

Formula

Code

Complex Layouts



Content

Blocks

Figures

Tables

Formula

Code

Complex Layouts



Blocks

A **text block** is an elegant structure for presenting structured data. You can choose to display it using bullets or numbered lists.

Block With Bullets

- You can choose to display it using bullets.
- You can choose to display it using bullets.
- You can choose to display it using bullets.

Block With Numbered Lists

1. You can choose to display it using number list.
2. You can choose to display it using number list.
3. You can choose to display it using number list.

Content

Blocks

Figures

Tables

Formula

Code

Complex Layouts




emonstrate

Key

- Encrypted
- - - Not Encrypted
- ... Over Internet

Web Services

Web Services



Web
Services

Content

Blocks

Figures

Tables

Formula

Code


Complex Layouts



Tables

There are many options for **table** layout. Please refer to the source code for details.

Site	Messages
receivesmsonline.net	81313
receive-sms-online.info	69389
receive-sms-now.com	63797
hs3x.com	55499
receivesmsonline.com	44640
receivefreesms.com	37485
receive-sms-online.com	27094
e-receivesms.com	7107



Content

Blocks

Figures

Tables

Formula

Code

Complex Layouts



Formula

This slide shows how we could display **math formulas**.

Eq 1:

$$f(x) = ax^2 + bx + c$$

Eq 2:

$$\text{area} = \pi \cdot \text{radius}^2$$

Eq 3:

$$\mathcal{A} := \{x \in \mathbb{R} \mid x \text{ is natural}\}$$

Eq 4:

$$\begin{aligned} \sum_{k=0}^n k &= 1 + \dots + n \\ &= \frac{n(n+1)}{2} \end{aligned}$$



Content

Blocks

Figures

Tables

Formula

Code

Complex Layouts



Code

This is how we display the **code** in our presentation.


Adding `rbx` to `rcx` gives the desired result.

What is `fn main()` in Rust would be `int main()` in C.

```
fn main() {  
    println!("Hello World!");  
}
```

This has ``backticks`` in it (but the spaces are trimmed).

And here the leading space is also trimmed.



Content

Blocks

Figures

Tables

Formula

Code

Complex Layouts



Complex Layouts 1

Complex Layouts

You can easily use `composer` or `grid func` from `slide` to implement **complex layouts**.




Figure 2: This is the test figure




Figure 3: This is the test figure




Figure 4: This is the test figure

Complex Layouts 2

As you can see, the composer function can be used to create **complex layouts**.

And adjust the different layout parameters to achieve the desired result.

Table 1: This is the table with caption

Hello	Hello	Hello
A	B	C

Table 2: This is the table with caption

	Exam 1	Exam 2	Exam 3
John	85	96	86
Mary	53	64	75
Robert	32	86	85

Thanks for Listening.

This is the **ending slide** to show some words

