



Integration Guide – Eligibility Webservice

June 2025

Version 1.1



© 2025 TransUnion LLC
All Rights Reserved

No part of this publication may be reproduced or distributed in any form or by any means, electronic or otherwise, now known or hereafter developed, including, but not limited to, the Internet, without the explicit prior written consent from TransUnion LLC.

Requests for permission to reproduce or distribute any part of, or all of, this publication should be mailed to:

Law Department
TransUnion
555 West Adams
Chicago, Illinois 60661

The “T” logo, TransUnion, and other trademarks, service marks, and logos (the “Trademarks”) used in this publication are registered or unregistered Trademarks of TransUnion LLC or their respective owners. Trademarks may not be used for any purpose whatsoever without the express written permission of the Trademark owner.

transunion.com

Revision History

Version	Date (MM/DD/YYYY)	Author	Comments
0.1	07/03/2023	Narendran Uthayasuriyan	- Draft Version of the Document created
1.0	19/05/2025	Omphemetse Mabe	- Draft
1.1	30/05/2025	Narendran Uthayasuriyan	- WS request, WS Offers response update to latest, Description added for each failure

Table of Contents

Revision History	3
1 Eligibility Summary.....	5
1.1 Eligibility Web Service Methods	5
1.2 Eligibility Web Service Flow	5
2 ExecuteXMLString	5
2.1 Summary	5
2.2 Request	6
2.2.1 Example	6
2.2.2 Field Descriptions based on segments	6
2.3 Response	9
2.3.1 Success response with offers	9
2.3.2 Failure response - Input validations	9
2.3.3 Failure response - Pre bureau	10
2.3.4 Failure response – IVS	12
2.3.5 Failure response – Bureau	13
2.3.6 Failure response – Policy Filter rules	15
2.3.7 Failure response - Score cut off	18
3 Response Messages	20
3.1 Validation Error Messages	20
3.2 Segment Error Messages	22

1 Eligibility Summary

Eligibility Webservice provides offers to the customers based on Bureau scoring algorithm.


1.1 Eligibility Web Service Methods

Eligibility has the following web service methods:

- ExecuteXMLString
 - Test connectivity to external service URL
 - End point for UAT testing

<https://decisionedge-uat.transunion.co.za/DE/ExternalServices/SolutionExecution/ExternalSolutionExecution.svc>

1.2 Eligibility Web Service Flow



2 ExecuteXMLString

2.1 Summary

Test connectivity to DE external solution service.

2.2 Request

2.2.1 Example

Note: The DE user password and solution set version are subject to change and will be provided upon request.



Sample_WS_Request.t
xt

2.2.2 Field Descriptions based on segments.

Authentication						
Field	Required	Min Length	Max Length	Min Occurrence	Max Occurrence	Description
UserId	Yes	1	25	1	1	This will be provided by TU DE to you during your integration. It varies for each Partner/Member.
Password	Yes	1	15	1	1	This will be provided by TU DE to you during your integration. It varies for each Partner/Member.

RequestInfo						
Field	Required	Min Length	Max Length	Min Occurrence	Max Occurrence	Description
SolutionSetId	Yes	1	25	1	1	This is a value generated by TU DE for each Partner/Member. This will be provided to you during your integration.

SolutionSetVersion	Yes	1	3	1	1	This is a value generated by TU DE for each Partner/Member. This will be provided to you during your integration.
--------------------	-----	---	---	---	---	---

UserData: To be left blank as sample request.

Applicant: Values must be enclosed with CDATA						
Field	Required	Min Length	Max Length	Min Occurrence	Max Occurrence	Description
ReferenceCode	No	1	10	1	1	- Alphanumeric - No special characters except hyphen
Industry	Optional	1	25	1	1	- Allowed values: Generic, VAF, Telecommunication, CreditCard, Retail, MFLT, MFMT, MFST, MF1MT, IncomeEstimator, CVLink, PersonalLoansBanking, PersonalLoansNonBanking - If Industry opted by Client is more than one, the values must be pipe " " separated. For ex: CreditCard Retail MFLT - If Industry opted by Client is more than one and not supplied, all industries will be run
Ruleset	Optional	1	3	1	1	- Allowed values: PolicyFiltersOnly, PolicyFiltersAndContactDetails, ContactDetailsOnly, PolicyFiltersAndScores, AllRuleSets - Only one value is allowed, if not supplied the solution configuration will be used.

FirstName	No	1	15	1	1	1. Alphanumeric characters 2. No special characters except hyphen and apostrophe
Surname	No	2	25	1	1	1. Alphanumeric characters 2. No special characters except hyphen and apostrophe
IdType	Yes			1	1	Allowed values: SAID or Passport
IdNumber	Yes	1	13	1	1	1. Only Numeric allowed. 2. Value must be 13 digits. 3. First 6 digits of SA ID should be a valid DOB if ID Type = Passport 4. Minimum = 5 characters 5. Maximum = 15 characters
DateofBirth	No	1	8	1	1	Format: CCYYMMDD Mandatory if ID Type = Passport
Gender	No	1	1	1	1	Allowed values: M or F Mandatory if ID Type = Passport
Income	No	1	9	1	1	Numeric Only
CellNumber	No	1	10	1	1	1. Value should start with a 0. 2. Value must be 10 digits

2.3 Response

2.3.1 Success response with offers

Industry:

Generic|IncomeEstimator|Retail|CreditCard|VAF|CVLink|Telecommunication|PersonalLoansBanking|PersonalLoansNonBanking|MFLT|MFMT|MFST|MF1MT

Ruleset: AllRuleSets

The sample response provided has the full web service responses where the offers are returned for all Industries except Credit Card (Cutoff failed), and CVLink (Thick Client).



Sample_WS_Response.txt

2.3.2 Failure response - Input validations

The sample response provided below is for a **missing ID number**. Please refer to Section 3.1 for all possible input validation error messages you may encounter.

```
<s:Envelope xmlns:s="http://schemas.xmlsoap.org/soap/envelope/">
<s:Body>
<ExecuteXMLStringResponse xmlns="http://tempuri.org/">
<ExecuteXMLStringResult><![CDATA[<?xml
version="1.0"?><DCResponse><Status>Success</Status><Authentication><Status>Success</Status><Token>c2c69b5e-
f8bb-458e-bf36-
5a28e5123f4e</Token></Authentication><ResponseInfo><ApplicationId>2921319</ApplicationId><SolutionSetInstan
celd>93a48eea-44bd-43f3-8dd7-
60d88abfa43a</SolutionSetInstanceld><CurrentQueue></CurrentQueue></ResponseInfo><ContextData><Field
```

```

key="ApplicationOutput">&lt;ApplicationOutput&gt;
&lt;PolicyFilters&gt;
&lt;/PolicyFilters&gt;
&lt;Scorecards&gt;
&lt;/Scorecards&gt;
&lt;ApplicationID&gt;2921319&lt;/ApplicationID&gt;
&lt;FirstName&gt;LEPULANE&lt;/FirstName&gt;
&lt;Surname&gt;SHAI&lt;/Surname&gt;
&lt;IDNumber&gt;&lt;/IDNumber&gt;
&lt;Industry/&gt;
&lt;IndustryOutcome/&gt;
&lt;ErrorCode&gt;0&lt;/ErrorCode&gt;
&lt;ErrorMessage&gt;Identity Number is Mandatory&lt;/ErrorMessage&gt;
&lt;Status&gt;Failure&lt;/Status&gt;
&lt;ReasonCode&gt;VE01&lt;/ReasonCode&gt;
&lt;ReasonDescription&gt;Invalid Identity Number&lt;/ReasonDescription&gt;
&lt;OutcomeMessage&gt;Thank you for showing interest. Please try again with a valid
input.&lt;/OutcomeMessage&gt;
&lt;BureauErrorMessage&gt;&lt;/BureauErrorMessage&gt;
&lt;Outcome&gt;Refer&lt;/Outcome&gt;
&lt;/ApplicationOutput&gt;
</Field></ContextData></DCResponse>]]></ExecuteXMLStringResult>
</ExecuteXMLStringResponse>
</s:Body>
</s:Envelope>

```

2.3.3 Failure response - Pre bureau

The sample response provided below is for **age less than 18**. It also remains the same for other Pre-Bureau failures.

```

<s:Envelope xmlns:s="http://schemas.xmlsoap.org/soap/envelope/">
<s:Body>

```

```
<ExecuteXMLStringResponse xmlns="http://tempuri.org/">
<ExecuteXMLStringResult><![CDATA[<?xml
version="1.0"?><DCResponse><Status>Success</Status><Authentication><Status>Success</Status><Token>ce270ca5-
eff6-4132-98f2-
c80af5d3a929</Token></Authentication><ResponseInfo><ApplicationId>2921322</ApplicationId><SolutionSetInstan
ceId>b3b2841c-5169-4bbc-a228-
e3f8d320f21a</SolutionSetInstanceId><CurrentQueue></CurrentQueue></ResponseInfo><ContextData><Field
key="ApplicationOutput">&lt;ApplicationOutput&gt;
&lt;PolicyFilters&gt;
&lt;/PolicyFilters&gt;
&lt;Scorecards&gt;
&lt;/Scorecards&gt;
&lt;ApplicationID&gt;2921322&lt;/ApplicationID&gt;
&lt;FirstName&gt;LEPULANE&lt;/FirstName&gt;
&lt;Surname&gt;SHAI&lt;/Surname&gt;
&lt;IDNumber&gt;8810180765087&lt;/IDNumber&gt;
&lt;Industry&gt;Generic&lt;/Industry&gt;
&lt;IndustryOutcome&gt;Generic&lt;/IndustryOutcome&gt;
&lt;ErrorCode&gt;0&lt;/ErrorCode&gt;
&lt;ErrorMessage&gt;&lt;/ErrorMessage&gt;
&lt;Status&gt;Success&lt;/Status&gt;
&lt;ReasonCode&gt;PR01&lt;/ReasonCode&gt;
&lt;ReasonDescription&gt;Consumer does not meet minimum requirements&lt;/ReasonDescription&gt;
&lt;OutcomeMessage&gt;Thank you for showing interest. Please try again with a valid
input.&lt;/OutcomeMessage&gt;
&lt;BureauErrorMessage&gt;&lt;/BureauErrorMessage&gt;
&lt;Outcome&gt;Decline&lt;/Outcome&gt;
&lt;/ApplicationOutput&gt;
</Field></ContextData></DCResponse>]]></ExecuteXMLStringResult>
</ExecuteXMLStringResponse>
```

```
</s:Body>
</s:Envelope>
```

2.3.4 Failure response – IVS

The sample response provided below is for **Deceased** consumer. Please refer to Section 3.2 (IVS segment) for all possible error messages you may encounter.

```
<s:Envelope xmlns:s="http://schemas.xmlsoap.org/soap/envelope/">
<s:Body>
<ExecuteXMLStringResponse xmlns="http://tempuri.org/">
<ExecuteXMLStringResult><![CDATA[<?xml
version="1.0"?><DCResponse><Status>Success</Status><Authentication><Status>Success</Status><Token>d374c3c8
-7054-4f1b-8777-
ab27d0670492</Token></Authentication><ResponseInfo><ApplicationId>40917131</ApplicationId><SolutionSetInsta
ncelId>946d51a1-3db1-47ce-b69c-
7d64646ba138</SolutionSetInstancelId><CurrentQueue></CurrentQueue></ResponseInfo><ContextData><Field
key="ApplicationOutput">&lt;ApplicationOutput&gt;
&lt;PolicyFilters&gt;
&lt;/PolicyFilters&gt;
&lt;Scorecards&gt;
&lt;/Scorecards&gt;
&lt;IVSRules&gt;
&lt;IVSRule1&gt;
&lt;Description&gt;ID Card Blocked&lt;/Description&gt;
&lt;Outcome&gt;False&lt;/Outcome&gt;
&lt;/IVSRule1&gt;
&lt;IVSRule2&gt;
&lt;Description&gt;Deceased&lt;/Description&gt;
&lt;Outcome&gt;True&lt;/Outcome&gt;
&lt;/IVSRule2&gt;
&lt;ReasonCode&gt;V04&lt;/ReasonCode&gt;
```

```

</IVSRules>
<ApplicationID>40917131</ApplicationID>
<FirstName>SIMON</FirstName>
<Surname>GUSE</Surname>
<IDNumber>9112105472082</IDNumber>
<Industry>VAF</Industry>
<IndustryOutcome>VAF</IndustryOutcome>
<ErrorCode>0</ErrorCode>
<ErrorMessage></ErrorMessage>
<Status>Success</Status>
<ReasonCode>V04</ReasonCode>
<ReasonDescription>Deceased</ReasonDescription>
<OutcomeMessage>Thank you for showing interest. Please try again with a valid
input.</OutcomeMessage>
<BureauErrorMessage></BureauErrorMessage>
<Outcome>Decline</Outcome>
</ApplicationOutput>
</Field></ContextData></DCResponse>]]></ExecuteXMLStringResult>
</ExecuteXMLStringResponse>
</s:Body>
</s:Envelope>

```

2.3.5 Failure response – Bureau

The sample response provided below is for an **ID, name/surname combination no match**. Please refer to Section 3.2 (Bureau segment) for all possible error messages you may encounter.

```

<s:Envelope xmlns:s="http://schemas.xmlsoap.org/soap/envelope/">
<s:Body>
<ExecuteXMLStringResponse xmlns="http://tempuri.org/">
<ExecuteXMLStringResult><![CDATA[<?xml
version="1.0"?><DCResponse><Status>Success</Status><Authentication><Status>Success</Status><Token>ce177d02

```

-c2e1-449c-bf09-
e98757bf79a2</Token></Authentication><ResponseInfo><ApplicationId>2921332</ApplicationId><SolutionSetInstan
celd>3ccc5742-c84d-4e7f-ae13-
fc1f0ca88dba</SolutionSetInstanceld><CurrentQueue></CurrentQueue></ResponseInfo><ContextData><Field
key="ApplicationOutput"><ApplicationOutput>
<PolicyFilters>
</PolicyFilters>
<Scorecards>
</Scorecards>
<ApplicationID>2921332</ApplicationID>
<FirstName>LEPULANE</FirstName>
<Surname>SHAI</Surname>
<IDNumber>7907220780182</IDNumber>
<Industry>Generic</Industry>
<IndustryOutcome>Generic</IndustryOutcome>
<ErrorCode>208</ErrorCode>
<ErrorMessage>Bureau Error</ErrorMessage>
<Status>Failure</Status>
<ReasonCode>BE01</ReasonCode>
<ReasonDescription>Bureau Error</ReasonDescription>
<OutcomeMessage>Thank you for showing interest. Please try again with a valid
input.</OutcomeMessage>
<BureauErrorMessage>The id, name/surname combination does not match our home affairs verified
data </BureauErrorMessage>
<Outcome>Refer</Outcome>
<SubscriberCode>01990</SubscriberCode>
</ApplicationOutput>
</Field></ContextData></DCResponse>]]></ExecuteXMLStringResult>
</ExecuteXMLStringResponse>
</s:Body>
</s:Envelope>

2.3.6 Failure response – Policy Filter rules

The sample response provided below is for **Debt Review Policy Filter being true for Industry CVLink**. The error description remains the same for all other policy filter failures.

```
<s:Envelope xmlns:s="http://schemas.xmlsoap.org/soap/envelope/">
  <s:Body>
    <ExecuteXMLStringResponse xmlns="http://tempuri.org/">
      <ExecuteXMLStringResult><![CDATA[<?xml
version="1.0"?><DCResponse><Status>Success</Status><Authentication><Status>Success</Status><Token>e2ad4a47-07c2-4765-845e-00b84108d020</Token></Authentication><ResponseInfo><ApplicationId>41560259</ApplicationId><SolutionSetInstanceId>33665a7e-4ded-4b16-be47-ad749b6f4857</SolutionSetInstanceId><CurrentQueue></CurrentQueue></ResponseInfo><ContextData><Field key="ApplicationOutput">&lt;ApplicationOutput&gt;
&lt;IVSRules&gt;
&lt;IVSRule1&gt;
&lt;Description&gt;ID and Surname verified&lt;/Description&gt;
&lt;Outcome&gt;True&lt;/Outcome&gt;
&lt;/IVSRule1&gt;
&lt;IVSRule2&gt;
&lt;Description&gt;Surname does not match to ID&lt;/Description&gt;
&lt;Outcome&gt;False&lt;/Outcome&gt;
&lt;/IVSRule2&gt;
&lt;IVSRule3&gt;
&lt;Description&gt;ID never issued&lt;/Description&gt;
&lt;Outcome&gt;False&lt;/Outcome&gt;
&lt;/IVSRule3&gt;
&lt;IVSRule4&gt;
&lt;Description&gt;ID not yet verified&lt;/Description&gt;
&lt;Outcome&gt;False&lt;/Outcome&gt;
```

</IVSRule4>
<IVSRule5>
<Description>ID verified as a deceased person</Description>
<Outcome>False</Outcome>
</IVSRule5>
<IVSRule6>
<Description>ID verified as an emigrated person</Description>
<Outcome>False</Outcome>
</IVSRule6>
<ReasonCode>V0</ReasonCode>
</IVSRules>
<PolicyFilters>
<CVLink>
<PolicyFilter>
<Description>Age</Description>
<Outcome>False</Outcome>
</PolicyFilter>
<PolicyFilter>
<Description>Deceased</Description>
<Outcome>False</Outcome>
</PolicyFilter>
<PolicyFilter>
<Description>Notices</Description>
<Outcome>False</Outcome>
</PolicyFilter>
<PolicyFilter>
<Description>DEFAULT ADMIN ORDER</Description>
<Outcome>False</Outcome>
</PolicyFilter>
<PolicyFilter>
<Description>DEBT REVIEW</Description>

<Outcome>True</Outcome>
</PolicyFilter>
<PolicyFilter>
<Description>DISPUTE</Description>
<Outcome>False</Outcome>
</PolicyFilter>
<PolicyFilter>
<Description>SEQUESTRATION</Description>
<Outcome>False</Outcome>
</PolicyFilter>
<Outcome>Fail</Outcome>
</CVLink>
</PolicyFilters>
<Scorecards>
</Scorecards>
<ApplicationID>41560259</ApplicationID>
<FirstName>ABDUL</FirstName>
<Surname>LANGA</Surname>
<IDNumber>7004146243188</IDNumber>
<Industry>CVLink</Industry>
<IndustryOutcome>CVLink</IndustryOutcome>
<ErrorCode>0</ErrorCode>
<ErrorMessage></ErrorMessage>
<Status>Success</Status>
<ReasonCode>PF01</ReasonCode>
<ReasonDescription>One or more Policy filters failed</ReasonDescription>
<OutcomeMessage>Thank you for showing interest. Please try again with a valid input.</OutcomeMessage>
<BureauErrorMessage></BureauErrorMessage>
<Outcome>Fail</Outcome>
<SubscriberCode>01990</SubscriberCode>

```

</ApplicationOutput>
</Field></ContextData></DCResponse>]]></ExecuteXMLStringResult>
  </ExecuteXMLStringResponse>
</s:Body>
</s:Envelope>

```

2.3.7 Failure response - Score cut off

The sample response provided below is for **Score risk decline for Industry Generic**. The error description remains the same for all other scores cut off failures.

```

<s:Envelope xmlns:s="http://schemas.xmlsoap.org/soap/envelope/">
  <s:Body>
    <ExecuteXMLStringResponse xmlns="http://tempuri.org/">
      <ExecuteXMLStringResult><![CDATA[<?xml
version="1.0"?><DCResponse><Status>Success</Status><Authentication><Status>Success</Status><Token>91982f60
-8db8-486d-a9d8-
b2a7c9db94cf</Token></Authentication><ResponseInfo><ApplicationId>2921355</ApplicationId><SolutionSetInstanc
eld>4662fe84-6fcb-4b7a-9126-
9c7131a0eea4</SolutionSetInstancelId><CurrentQueue></CurrentQueue></ResponseInfo><ContextData><Field
key="ApplicationOutput">&lt;ApplicationOutput&gt;
&lt;PolicyFilters&gt;
&lt;Generic&gt;
&lt;PolicyFilter&gt;
&lt;Description&gt;Age&lt;/Description&gt;
&lt;Outcome&gt;False&lt;/Outcome&gt;
&lt;/PolicyFilter&gt;
&lt;PolicyFilter&gt;
&lt;Description&gt;Deceased&lt;/Description&gt;
&lt;Outcome&gt;False&lt;/Outcome&gt;
&lt;/PolicyFilter&gt;

```

<PolicyFilter>
<Description>Debt Counselling</Description>
<Outcome>False</Outcome>
</PolicyFilter>
<PolicyFilter>
<Description>Number of trades 3 month or worse in arrears in 12 months </Description>
<Outcome>False</Outcome>
</PolicyFilter>
<PolicyFilter>
<Description>Worst status in the past 3 months & Total amount in arrears of open trades (as at last update)</Description>
<Outcome>False</Outcome>
</PolicyFilter>
<PolicyFilter>
<Description>Defaults</Description>
<Outcome>False</Outcome>
</PolicyFilter>
<PolicyFilter>
<Description>Judgments</Description>
<Outcome>False</Outcome>
</PolicyFilter>
<PolicyFilter>
<Description>Notices</Description>
<Outcome>False</Outcome>
</PolicyFilter>
<Outcome>Pass</Outcome>
</Generic>
</PolicyFilters>
<Scorecards>
<Scorecard>
<Name>Generic</Name>

```

<Score>626</Score>
<Outcome>Fail</Outcome>
</Scorecard>
</Scorecards>
<ApplicationID>2921355</ApplicationID>
<FirstName>LEPULANE</FirstName>
<Surname>SHAI</Surname>
<IDNumber>8810180765087</IDNumber>
<Industry>Generic</Industry>
<IndustryOutcome>Generic</IndustryOutcome>
<ErrorCode>0</ErrorCode>
<ErrorMessage></ErrorMessage>
<Status>Success</Status>
<ReasonCode>SC01</ReasonCode>
<ReasonDescription>Score risk decline</ReasonDescription>
<OutcomeMessage>Thank you for showing interest. Please try again with a valid
input.</OutcomeMessage>
<BureauErrorMessage></BureauErrorMessage>
<Outcome>Fail</Outcome>
<SubscriberCode>01990</SubscriberCode>
</ApplicationOutput>
</Field></ContextData></DCResponse>]]></ExecuteXMLStringResult>
</ExecuteXMLStringResponse>
</s:Body>
</s:Envelope>

```

3 Response Messages

3.1 Validation Error Messages

Following is the list of error messages that are returned in the Failure Error Response.

Important Note: If a failure response is received, modify your request as per the validation rule stated in the document.

Field	Error Message
ReferenceCode	1. ReferenceCode: No special characters allowed. 2. ReferenceCode: Maximum 10 characters required
Industry	1. Invalid Industry Type 2. Industry not Configured.
Ruleset	1. Invalid Ruleset 2. Ruleset not configured.
FirstName	1. Firstname: Insufficient information supplied. 2. Firstname: Maximum 15 characters required. 3. Firstname: No special characters allowed. 4. Firstname is Mandatory.
Surname	1. Surname: Insufficient information supplied. 2. Surname: Maximum 25 characters required. 3. Surname: No special characters allowed: Maximum 25 Characters required. 4. Surname is Mandatory.
IdType	1. ID Type is Mandatory 2. Invalid ID Type
IdNumber	1. Identity Number is mandatory. 2. Invalid SA Identity Number.

Field	Error Message
DateofBirth	1. Date of Birth is Mandatory 2. Date of Birth is Invalid
Gender	1. Gender is Mandatory 2. Invalid Gender
Income	1. Income is invalid. 2. Numeric only
CellNumber	1. Minimum 10 characters required. 2. The first digit must be a 0

3.2 Segment Error Messages

Segment	Error Message
Pre Bureau	1. Consumer does not meet minimum requirements
IVS	1. Surname does not match ID 2. ID never issued 3. ID not yet verified 4. ID verified as deceased person 5. ID verified as an emigrated person

Segment	Error Message
Bureau	1. Bureau Error 2. MultiMatch 3. Bureau No Match 4. Bureau Segment Error 5. Bureau Data Content.
Policy Filter	1. One or more Policy filters failed.
Score Cut Off CV Link	1. Score risk decline 1. Thick client – This is only returned for the CV Link where a thick consumer is run