P054_S001_JAPEDE — stable — VI 30/90

Left — within  Left — switch  Right — within  Right — switch

Linear scale

IRT (seconds)

10
8
6
4
2
0

Logarithmic scale

IRT (seconds)

$10^{3}$
$10^{2}$
$10^{1}$
$10^{0}$
$10^{-1}$
$10^{-2}$

0  1000  2000  3000  4000  5000

Session time (seconds)

# P054_S002_JAPEDE — stable — VI 30/90

Left — within  Left — switch  Right — within  Right — switch

## Linear scale

IRT (seconds)

10
8
6
4
2
0

## Logarithmic scale

IRT (seconds)

$10^{3}$
$10^{2}$
$10^{1}$
$10^{0}$
$10^{-1}$
$10^{-2}$

0  500  1000  1500  2000  2500  3000  3500

Session time (seconds)

# P054_S003_JAPEDE — stable — VI 30/90

Left — within  Left — switch  Right — within  Right — switch

Linear scale




Logarithmic scale



# P054_S004_JAPEDE — stable — VI 30/90

Left — within  Left — switch  Right — within  Right — switch

## Linear scale

IRT (seconds)

10
8
6
4
2
0

## Logarithmic scale

IRT (seconds)

$10^{3}$
$10^{2}$
$10^{1}$
$10^{0}$
$10^{-1}$
$10^{-2}$

0  500  1000  1500  2000  2500  3000  3500

Session time (seconds)

# P054_S005_JAPEDE — stable — VI 30/90

Left — within  Left — switch  Right — within  Right — switch

## Linear scale




## Logarithmic scale



# P054_S006_JAPEDE — stable — VI 30/90

Left — within  Left — switch  Right — within  Right — switch

## Linear scale

IRT (seconds)

## Logarithmic scale

IRT (seconds)

Session time (seconds)

# P054_S007_JAPEDE — stable — VI 30/90

Left — within  Left — switch  Right — within  Right — switch

Linear scale

IRT (seconds)

Logarithmic scale

IRT (seconds)

Session time (seconds)

# P054_S008_JAPEDE — stable — VI 30/90

Left — within  Left — switch  Right — within  Right — switch

## Linear scale

IRT (seconds)

10
8
6
4
2
0

## Logarithmic scale

IRT (seconds)

$10^{3}$
$10^{2}$
$10^{1}$
$10^{0}$
$10^{-1}$
$10^{-2}$

0  500  1000  1500  2000  2500  3000  3500

Session time (seconds)

# P054_S009_JAPEDE — stable — VI 30/90

Left — within  Left — switch  Right — within  Right — switch

Linear scale

IRT (seconds)

Logarithmic scale

IRT (seconds)

Session time (seconds)

# P054_S010_JAPEDE — stable — VI 30/90

Left — within  Left — switch  Right — within  Right — switch

## Linear scale




## Logarithmic scale



# P054_S011_JAPEDE — stable — VI 30/90

Left — within  Left — switch  Right — within  Right — switch

## Linear scale




## Logarithmic scale



# P054_S012_JAPEDE — stable — VI 30/90

Left — within  Left — switch  Right — within  Right — switch

## Linear scale




## Logarithmic scale



# P054_S013_JAPEDE — stable — VI 30/90

Left — within  Left — switch  Right — within  Right — switch

## Linear scale

IRT (seconds)

10
8
6
4
2
0

## Logarithmic scale

IRT (seconds)

$10^{3}$
$10^{2}$
$10^{1}$
$10^{0}$
$10^{-1}$
$10^{-2}$

0  500  1000  1500  2000  2500  3000  3500

Session time (seconds)

# P054_S014_JAPEDE — stable — VI 30/90

Left — within  Left — switch  Right — within  Right — switch

Linear scale




Logarithmic scale



# P054_S015_JAPEDE — stable — VI 30/90

Left — within  Left — switch  Right — within  Right — switch

## Linear scale




## Logarithmic scale



# P054_S016_JAPEDE — dynamic — VI 30/90 → 90/30

Left — within  Left — switch  Right — within  Right — switch  Contingency change

Linear scale

IRT (seconds)

Logarithmic scale

IRT (seconds)

Session time (seconds)

# P054_S017_JAPEDE — stable — VI 90/30

Left — within  Left — switch  Right — within  Right — switch

Linear scale

IRT (seconds)

Logarithmic scale

IRT (seconds)

Session time (seconds)

# P054_S018_JAPEDE — stable — VI 90/30

Left — within  Left — switch  Right — within  Right — switch

## Linear scale




## Logarithmic scale



# P054_S019_JAPEDE — stable — VI 90/30

Left — within  Left — switch  Right — within  Right — switch

## Linear scale




## Logarithmic scale



# P054_S020_JAPEDE — stable — VI 90/30

Left — within  Left — switch  Right — within  Right — switch

Linear scale

IRT (seconds)

Logarithmic scale

IRT (seconds)

Session time (seconds)

# P054_S021_JAPEDE — stable — VI 90/30

Left — within  Left — switch  Right — within  Right — switch

## Linear scale

IRT (seconds)

10
8
6
4
2
0

## Logarithmic scale

IRT (seconds)

$10^{3}$
$10^{2}$
$10^{1}$
$10^{0}$
$10^{-1}$
$10^{-2}$

0  500  1000  1500  2000  2500  3000  3500

Session time (seconds)

# P054_S022_JAPEDE — stable — VI 90/30

Left — within  Left — switch  Right — within  Right — switch

## Linear scale

IRT (seconds)

10
8
6
4
2
0

## Logarithmic scale

IRT (seconds)

$10^{3}$
$10^{2}$
$10^{1}$
$10^{0}$
$10^{-1}$
$10^{-2}$

0  500  1000  1500  2000  2500  3000  3500

Session time (seconds)

# P054_S023_JAPEDE — stable — VI 90/30

Left — within  Left — switch  Right — within  Right — switch

## Linear scale




## Logarithmic scale



# P054_S024_JAPEDE — stable — VI 90/30

Left — within  Left — switch  Right — within  Right — switch

## Linear scale




## Logarithmic scale



# P054_S025_JAPEDE — stable — VI 90/30

Left — within  Left — switch  Right — within  Right — switch

## Linear scale




## Logarithmic scale



# P054_S026_JAPEDE — dynamic — VI 90/30 → 30/90

Left — within  Left — switch  Right — within  Right — switch  Contingency change

Linear scale

IRT (seconds)

Logarithmic scale

IRT (seconds)

Session time (seconds)

# P054_S027_JAPEDE — stable — VI 30/90

Left — within
Left — switch
Right — within
Right — switch

Linear scale

IRT (seconds)

10
8
6
4
2
0

Logarithmic scale

IRT (seconds)

$10^{3}$
$10^{2}$
$10^{1}$
$10^{0}$
$10^{-1}$
$10^{-2}$

0
500
1000
1500
2000
2500
3000
3500

Session time (seconds)

# P054_S028_JAPEDE — stable — VI 30/90

Left — within  Left — switch  Right — within  Right — switch

## Linear scale




## Logarithmic scale



# P054_S029_JAPEDE — stable — VI 30/90

Left — within  Left — switch  Right — within  Right — switch

## Linear scale




## Logarithmic scale



# P054_S030_JAPEDE — stable — VI 30/90

Left — within  Left — switch  Right — within  Right — switch

## Linear scale

IRT (seconds)

10
8
6
4
2
0

## Logarithmic scale

IRT (seconds)

$10^{3}$
$10^{2}$
$10^{1}$
$10^{0}$
$10^{-1}$
$10^{-2}$

0  500  1000  1500  2000  2500  3000  3500

Session time (seconds)

# P054_S031_JAPEDE — stable — VI 30/90

Left — within  Left — switch  Right — within  Right — switch

## Linear scale




## Logarithmic scale



# P054_S032_JAPEDE — stable — VI 30/90

Left — within  Left — switch  Right — within  Right — switch

## Linear scale

IRT (seconds)

10
8
6
4
2
0

## Logarithmic scale

IRT (seconds)

$10^{3}$
$10^{2}$
$10^{1}$
$10^{0}$
$10^{-1}$
$10^{-2}$

0  500  1000  1500  2000  2500  3000  3500

Session time (seconds)

# P054_S033_JAPEDE — stable — VI 30/90

Left — within  Left — switch  Right — within  Right — switch

## Linear scale




## Logarithmic scale



# P054_S034_JAPEDE — stable — VI 30/90

Left — within  Left — switch  Right — within  Right — switch

## Linear scale




## Logarithmic scale



# P054_S035_JAPEDE — stable — VI 30/90

Left — within  Left — switch  Right — within  Right — switch

## Linear scale




## Logarithmic scale



# P054_S036_JAPEDE — dynamic — VI 30/90 → 90/30

Left — within  Left — switch  Right — within  Right — switch  Contingency change

## Linear scale

IRT (seconds)

## Logarithmic scale

IRT (seconds)

Session time (seconds)

# P054_S037_JAPEDE — stable — VI 90/30

Left — within  Left — switch  Right — within  Right — switch

## Linear scale




## Logarithmic scale



# P054_S038_JAPEDE — stable — VI 90/30

Left — within  Left — switch  Right — within  Right — switch

## Linear scale




## Logarithmic scale



P054_S039_JAPEDE — stable — VI 90/30

Left — within  Left — switch  Right — within  Right — switch

Linear scale

IRT (seconds)

Logarithmic scale

IRT (seconds)

Session time (seconds)

# P054_S040_JAPEDE — stable — VI 90/30

Left — within  Left — switch  Right — within  Right — switch

## Linear scale




## Logarithmic scale



# P054_S041_JAPEDE — stable — VI 90/30

Left — within  Left — switch  Right — within  Right — switch

## Linear scale

IRT (seconds)

10
8
6
4
2
0

## Logarithmic scale

IRT (seconds)

$10^{3}$
$10^{2}$
$10^{1}$
$10^{0}$
$10^{-1}$
$10^{-2}$

0  500  1000  1500  2000  2500  3000  3500

Session time (seconds)

# P054_S042_JAPEDE — stable — VI 90/30

Left — within  Left — switch  Right — within  Right — switch

## Linear scale




## Logarithmic scale



# P054_S043_JAPEDE — stable — VI 90/30

Left — within  Left — switch  Right — within  Right — switch

## Linear scale

IRT (seconds)

10
8
6
4
2
0

## Logarithmic scale

IRT (seconds)

$10^{3}$
$10^{2}$
$10^{1}$
$10^{0}$
$10^{-1}$
$10^{-2}$

0  500  1000  1500  2000  2500  3000  3500

Session time (seconds)

# P054_S044_JAPEDE — stable — VI 90/30

Left — within  Left — switch  Right — within  Right — switch

## Linear scale




## Logarithmic scale



# P054_S045_JAPEDE — stable — VI 90/30

Left — within  Left — switch  Right — within  Right — switch

## Linear scale

IRT (seconds)

10
8
6
4
2
0

## Logarithmic scale

IRT (seconds)

$10^{3}$
$10^{2}$
$10^{1}$
$10^{0}$
$10^{-1}$
$10^{-2}$

0  500  1000  1500  2000  2500  3000  3500

Session time (seconds)

# P054_S046_JAPEDE — stable — VI 90/30

Left — within  Left — switch  Right — within  Right — switch

## Linear scale




## Logarithmic scale



# P054_S047_JAPEDE — stable — VI 90/30

Left — within  Left — switch  Right — within  Right — switch

Linear scale

IRT (seconds)

Logarithmic scale

IRT (seconds)

Session time (seconds)

# P054_S048_JAPEDE — stable — VI 90/30

Left — within  Left — switch  Right — within  Right — switch

Linear scale

IRT (seconds)

Logarithmic scale

IRT (seconds)

Session time (seconds)

# P054_S049_JAPEDE — stable — VI 90/30

Left — within  Left — switch  Right — within  Right — switch

## Linear scale

IRT (seconds)

10
8
6
4
2
0

## Logarithmic scale

IRT (seconds)

$10^{3}$
$10^{2}$
$10^{1}$
$10^{0}$
$10^{-1}$
$10^{-2}$

0  500  1000  1500  2000  2500  3000  3500

Session time (seconds)

# P054_S050_JAPEDE — stable — VI 90/30

Left — within  Left — switch  Right — within  Right — switch

## Linear scale




## Logarithmic scale



# P054_S051_JAPEDE — stable — VI 90/30

Left — within  Left — switch  Right — within  Right — switch

## Linear scale




## Logarithmic scale



# P054_S052_JAPEDE — stable — VI 90/30

Left — within  Left — switch  Right — within  Right — switch

## Linear scale




## Logarithmic scale



P054_S053_JAPEDE — dynamic — VI 90/30 → 30/90

Left — within  Left — switch  Right — within  Right — switch  Contingency change

Linear scale

IRT (seconds)

Logarithmic scale

IRT (seconds)

Session time (seconds)

# P054_S054_JAPEDE — stable — VI 30/90

Left — within  Left — switch  Right — within  Right — switch

## Linear scale




## Logarithmic scale



# P054_S055_JAPEDE — stable — VI 30/90

Left — within  Left — switch  Right — within  Right — switch

## Linear scale

IRT (seconds)

10
8
6
4
2
0

## Logarithmic scale

IRT (seconds)

$10^{3}$
$10^{2}$
$10^{1}$
$10^{0}$
$10^{-1}$
$10^{-2}$

0  500  1000  1500  2000  2500  3000  3500

Session time (seconds)

# P054_S056_JAPEDE — stable — VI 30/90

Left — within  Left — switch  Right — within  Right — switch

## Linear scale




## Logarithmic scale



# P054_S057_JAPEDE — stable — VI 30/90

Left — within  Left — switch  Right — within  Right — switch

## Linear scale




## Logarithmic scale



# P054_S058_JAPEDE — stable — VI 30/90

Left — within  Left — switch  Right — within  Right — switch

## Linear scale




## Logarithmic scale



# P054_S059_JAPEDE — stable — VI 30/90

Left — within  Left — switch  Right — within  Right — switch

## Linear scale




## Logarithmic scale



# P054_S060_JAPEDE — stable — VI 30/90

Left — within  Left — switch  Right — within  Right — switch

Linear scale

IRT (seconds)

Logarithmic scale

IRT (seconds)

Session time (seconds)

# P054_S061_JAPEDE — stable — VI 30/90

Left — within  Left — switch  Right — within  Right — switch

## Linear scale




## Logarithmic scale



# P054_S062_JAPEDE — stable — VI 30/90

Left — within  Left — switch  Right — within  Right — switch

## Linear scale




## Logarithmic scale



# P054_S063_JAPEDE — stable — VI 30/90

Left — within  Left — switch  Right — within  Right — switch

Linear scale

IRT (seconds)

Logarithmic scale

IRT (seconds)

Session time (seconds)

# P054_S064_JAPEDE — stable — VI 30/90

Left — within  Left — switch  Right — within  Right — switch

Linear scale

IRT (seconds)

Logarithmic scale

IRT (seconds)

Session time (seconds)

# P054_S065_JAPEDE — stable — VI 30/90

Left — within  Left — switch  Right — within  Right — switch

## Linear scale




## Logarithmic scale



# P054_S066_JAPEDE — stable — VI 30/90

Left — within  Left — switch  Right — within  Right — switch

## Linear scale

IRT (seconds)

10
8
6
4
2
0

## Logarithmic scale

IRT (seconds)

$10^{3}$
$10^{2}$
$10^{1}$
$10^{0}$
$10^{-1}$
$10^{-2}$

0  500  1000  1500  2000  2500  3000  3500

Session time (seconds)

# P054_S067_JAPEDE — stable — VI 30/90

Left — within  Left — switch  Right — within  Right — switch

## Linear scale




## Logarithmic scale



# P054_S068_JAPEDE — stable — VI 30/90

Left — within  Left — switch  Right — within  Right — switch

## Linear scale




## Logarithmic scale



# P054_S069_JAPEDE — stable — VI 30/90

Left — within  Left — switch  Right — within  Right — switch

## Linear scale

IRT (seconds)

10
8
6
4
2
0

## Logarithmic scale

IRT (seconds)

$10^{3}$
$10^{2}$
$10^{1}$
$10^{0}$
$10^{-1}$
$10^{-2}$

0  500  1000  1500  2000  2500  3000  3500

Session time (seconds)

# P054_S070_JAPEDE — stable — VI 30/90

Left — within  Left — switch  Right — within  Right — switch

Linear scale

IRT (seconds)

Logarithmic scale

IRT (seconds)

Session time (seconds)

# P054_S071_JAPEDE — stable — VI 30/90

Left — within  Left — switch  Right — within  Right — switch

Linear scale

IRT (seconds)

Logarithmic scale

IRT (seconds)

Session time (seconds)

# P054_S072_JAPEDE — stable — VI 30/90

Left — within  Left — switch  Right — within  Right — switch

Linear scale




Logarithmic scale



# P054_S073_JAPEDE — stable — VI 30/90

Left — within  Left — switch  Right — within  Right — switch

## Linear scale




## Logarithmic scale



# P054_S074_JAPEDE — stable — VI 30/90

Left — within  Left — switch  Right — within  Right — switch

## Linear scale




## Logarithmic scale



# P054_S075_JAPEDE — dynamic — VI 30/90 → 90/30

Left — within  Left — switch  Right — within  Right — switch  Contingency change

## Linear scale

IRT (seconds)

## Logarithmic scale

IRT (seconds)

Session time (seconds)

# P054_S076_JAPEDE — stable — VI 90/30

Left — within  Left — switch  Right — within  Right — switch

Linear scale

IRT (seconds)

Logarithmic scale

IRT (seconds)

Session time (seconds)

# P054_S077_JAPEDE — stable — VI 90/30

Left — within  Left — switch  Right — within  Right — switch

## Linear scale

IRT (seconds)

10
8
6
4
2
0

## Logarithmic scale

IRT (seconds)

$10^{3}$
$10^{2}$
$10^{1}$
$10^{0}$
$10^{-1}$
$10^{-2}$

0  500  1000  1500  2000  2500  3000  3500

Session time (seconds)

# P054_S078_JAPEDE — stable — VI 90/30

Left — within  Left — switch  Right — within  Right — switch

Linear scale

IRT (seconds)

Logarithmic scale

IRT (seconds)

Session time (seconds)

# P054_S079_JAPEDE — stable — VI 90/30

Left — within  Left — switch  Right — within  Right — switch

## Linear scale




## Logarithmic scale



P054_S080_JAPEDE — stable — VI 90/30

Left — within  Left — switch  Right — within  Right — switch

Linear scale

IRT (seconds)

Logarithmic scale

IRT (seconds)

Session time (seconds)

# P054_S081_JAPEDE — stable — VI 90/30

Left — within  Left — switch  Right — within  Right — switch

Linear scale

IRT (seconds)

Logarithmic scale

IRT (seconds)

Session time (seconds)

# P054_S082_JAPEDE — stable — VI 90/30

Left — within  Left — switch  Right — within  Right — switch

## Linear scale

IRT (seconds)

## Logarithmic scale

IRT (seconds)

Session time (seconds)

# P054_S083_JAPEDE — stable — VI 90/30

Left — within  Left — switch  Right — within  Right — switch

Linear scale




Logarithmic scale



# P054_S084_JAPEDE — stable — VI 90/30

Left — within  Left — switch  Right — within  Right — switch

## Linear scale




## Logarithmic scale



# P054_S085_JAPEDE — stable — VI 90/30

Left — within  Left — switch  Right — within  Right — switch

## Linear scale

IRT (seconds)

10
8
6
4
2
0

## Logarithmic scale

IRT (seconds)

$10^{3}$
$10^{2}$
$10^{1}$
$10^{0}$
$10^{-1}$
$10^{-2}$

0  500  1000  1500  2000  2500  3000  3500

Session time (seconds)

# P054_S086_JAPEDE — stable — VI 90/30

Left — within  Left — switch  Right — within  Right — switch

## Linear scale




## Logarithmic scale



# P054_S087_JAPEDE — stable — VI 90/30

Left — within  Left — switch  Right — within  Right — switch

## Linear scale

IRT (seconds)

10
8
6
4
2
0

## Logarithmic scale

IRT (seconds)

$10^{3}$
$10^{2}$
$10^{1}$
$10^{0}$
$10^{-1}$
$10^{-2}$

0  500  1000  1500  2000  2500  3000  3500

Session time (seconds)

# P054_S088_JAPEDE — stable — VI 90/30

Left — within  Left — switch  Right — within  Right — switch

## Linear scale




## Logarithmic scale



# P054_S089_JAPEDE — stable — VI 90/30

Left — within  Left — switch  Right — within  Right — switch

## Linear scale




## Logarithmic scale



# P054_S090_JAPEDE — stable — VI 90/30

Left — within  Left — switch  Right — within  Right — switch

## Linear scale




## Logarithmic scale



# P054_S091_JAPEDE — stable — VI 90/30

Left — within  Left — switch  Right — within  Right — switch

## Linear scale




## Logarithmic scale



# P054_S092_JAPEDE — stable — VI 90/30

Left — within  Left — switch  Right — within  Right — switch

## Linear scale




## Logarithmic scale



# P054_S093_JAPEDE — stable — VI 90/30

Left — within  Left — switch  Right — within  Right — switch

## Linear scale

IRT (seconds)

10
8
6
4
2
0

## Logarithmic scale

IRT (seconds)

$10^{3}$
$10^{2}$
$10^{1}$
$10^{0}$
$10^{-1}$
$10^{-2}$

0  500  1000  1500  2000  2500  3000  3500

Session time (seconds)

# P054_S094_JAPEDE — stable — VI 90/30

Left — within  Left — switch  Right — within  Right — switch

## Linear scale




## Logarithmic scale



# P054_S095_JAPEDE — stable — VI 90/30

Left — within  Left — switch  Right — within  Right — switch

## Linear scale

IRT (seconds)

10
8
6
4
2
0

## Logarithmic scale

IRT (seconds)

$10^{3}$
$10^{2}$
$10^{1}$
$10^{0}$
$10^{-1}$
$10^{-2}$

0  500  1000  1500  2000  2500  3000  3500

Session time (seconds)

# P054_S096_JAPEDE — stable — VI 90/30

Left — within  Left — switch  Right — within  Right — switch

## Linear scale




## Logarithmic scale



# P054_S097_JAPEDE — stable — VI 90/30

Left — within  Left — switch  Right — within  Right — switch

## Linear scale

IRT (seconds)

## Logarithmic scale

IRT (seconds)

Session time (seconds)

# P054_S098_JAPEDE — stable — VI 90/30

Left — within  Left — switch  Right — within  Right — switch

## Linear scale




## Logarithmic scale



# P054_S099_JAPEDE — stable — VI 90/30

Left — within  Left — switch  Right — within  Right — switch

Linear scale




Logarithmic scale



# P054_S100_JAPEDE — stable — VI 90/30

Left — within  Left — switch  Right — within  Right — switch

## Linear scale

IRT (seconds)

10
8
6
4
2
0

## Logarithmic scale

IRT (seconds)

$10^{3}$
$10^{2}$
$10^{1}$
$10^{0}$
$10^{-1}$
$10^{-2}$

0  500  1000  1500  2000  2500  3000  3500

Session time (seconds)

P054_S101_JAPEDE — dynamic — VI 90/30 → 45/45

Left — within  Left — switch  Right — within  Right — switch  Contingency change

Linear scale

IRT (seconds)

Logarithmic scale

IRT (seconds)

Session time (seconds)

# P054_S102_JAPEDE — stable — VI 45/45

Left — within  Left — switch  Right — within  Right — switch

## Linear scale

IRT (seconds)

10
8
6
4
2
0

## Logarithmic scale

IRT (seconds)

$10^{3}$
$10^{2}$
$10^{1}$
$10^{0}$
$10^{-1}$
$10^{-2}$

0  500  1000  1500  2000  2500  3000  3500

Session time (seconds)

# P054_S103_JAPEDE — stable — VI 45/45

Left — within  Left — switch  Right — within  Right — switch

## Linear scale




## Logarithmic scale



# P054_S104_JAPEDE — stable — VI 45/45

Left — within  Left — switch  Right — within  Right — switch

## Linear scale




## Logarithmic scale



# P054_S105_JAPEDE — stable — VI 45/45

Left — within  Left — switch  Right — within  Right — switch

## Linear scale

IRT (seconds)

## Logarithmic scale

IRT (seconds)

Session time (seconds)

# P054_S106_JAPEDE — stable — VI 45/45

Left — within  Left — switch  Right — within  Right — switch

## Linear scale




## Logarithmic scale



# P054_S107_JAPEDE — stable — VI 45/45

Left — within  Left — switch  Right — within  Right — switch

Linear scale

IRT (seconds)

Logarithmic scale

IRT (seconds)

Session time (seconds)

P054_S108_JAPEDE — stable — VI 45/45

Left — within  Left — switch  Right — within  Right — switch

Linear scale

IRT (seconds)

Logarithmic scale

IRT (seconds)

Session time (seconds)

# P054_S109_JAPEDE — stable — VI 45/45

Left — within  Left — switch  Right — within  Right — switch

## Linear scale




## Logarithmic scale



# P054_S110_JAPEDE — stable — VI 45/45

Left — within  Left — switch  Right — within  Right — switch

## Linear scale




## Logarithmic scale



# P054_S111_JAPEDE — stable — VI 45/45

Left — within  Left — switch  Right — within  Right — switch

## Linear scale

IRT (seconds)

## Logarithmic scale

IRT (seconds)

Session time (seconds)

# P054_S112_JAPEDE — stable — VI 45/45

Left — within  Left — switch  Right — within  Right — switch

## Linear scale




## Logarithmic scale



# P054_S113_JAPEDE — stable — VI 45/45

Left — within  Left — switch  Right — within  Right — switch

## Linear scale

IRT (seconds)

## Logarithmic scale

IRT (seconds)

Session time (seconds)

# P054_S114_JAPEDE — stable — VI 45/45

Left — within  Left — switch  Right — within  Right — switch

## Linear scale

IRT (seconds)

10
8
6
4
2
0

## Logarithmic scale

IRT (seconds)

$10^{3}$
$10^{2}$
$10^{1}$
$10^{0}$
$10^{-1}$
$10^{-2}$

0  500  1000  1500  2000  2500  3000  3500

Session time (seconds)

# P054_S115_JAPEDE — stable — VI 45/45

Left — within  Left — switch  Right — within  Right — switch

## Linear scale




## Logarithmic scale



# P054_S116_JAPEDE — stable — VI 45/45

Left — within  Left — switch  Right — within  Right — switch

Linear scale

IRT (seconds)

Logarithmic scale

IRT (seconds)

Session time (seconds)

# P054_S117_JAPEDE — dynamic — VI 45/45 → 30/90

Left — within · Left — switch · Right — within · Right — switch · Contingency change

## Linear scale




## Logarithmic scale



# P054_S118_JAPEDE — dynamic — VI 30/90 → 225/25

Left — within  Left — switch  Right — within  Right — switch  Contingency change

## Linear scale

IRT (seconds)

10
8
6
4
2
0

## Logarithmic scale

IRT (seconds)

$10^{3}$
$10^{2}$
$10^{1}$
$10^{0}$
$10^{-1}$
$10^{-2}$

0  500  1000  1500  2000  2500  3000  3500

Session time (seconds)

# P054_S119_JAPEDE — stable — VI 225/25

Left — within  Left — switch  Right — within  Right — switch

## Linear scale

IRT (seconds)

10
8
6
4
2
0

## Logarithmic scale

IRT (seconds)

$10^{3}$
$10^{2}$
$10^{1}$
$10^{0}$
$10^{-1}$
$10^{-2}$

0  500  1000  1500  2000  2500  3000  3500

Session time (seconds)

# P054_S120_JAPEDE — stable — VI 225/25

Left — within  Left — switch  Right — within  Right — switch

## Linear scale

IRT (seconds)

10
8
6
4
2
0

## Logarithmic scale

IRT (seconds)

$10^{3}$
$10^{2}$
$10^{1}$
$10^{0}$
$10^{-1}$
$10^{-2}$

0  500  1000  1500  2000  2500  3000  3500

Session time (seconds)

# P054_S121_JAPEDE — stable — VI 225/25

Left — within  Left — switch  Right — within  Right — switch

## Linear scale

IRT (seconds)

10
8
6
4
2
0

## Logarithmic scale

IRT (seconds)

$10^{3}$
$10^{2}$
$10^{1}$
$10^{0}$
$10^{-1}$
$10^{-2}$

0  500  1000  1500  2000  2500  3000  3500

Session time (seconds)

# P054_S122_JAPEDE — stable — VI 225/25

Left — within  Left — switch  Right — within  Right — switch

Linear scale

IRT (seconds)

Logarithmic scale

IRT (seconds)

Session time (seconds)

# P054_S123_JAPEDE — stable — VI 225/25

Left — within  Left — switch  Right — within  Right — switch

## Linear scale

IRT (seconds)

10
8
6
4
2
0

## Logarithmic scale

IRT (seconds)

$10^{3}$
$10^{2}$
$10^{1}$
$10^{0}$
$10^{-1}$
$10^{-2}$

0  500  1000  1500  2000  2500  3000  3500

Session time (seconds)

# P054_S124_JAPEDE — dynamic — VI 225/25 → 24/360

Left — within  Left — switch  Right — within  Right — switch  Contingency change

Linear scale

IRT (seconds)

Logarithmic scale

IRT (seconds)

Session time (seconds)

P054_S125_JAPEDE — dynamic — VI 24/360 → 360/24

Left — within  Left — switch  Right — within  Right — switch  Contingency change

Linear scale

IRT (seconds)

Logarithmic scale

IRT (seconds)

Session time (seconds)

# P054_S126_JAPEDE — dynamic — VI 360/24 → 25/225

Left — within  Left — switch  Right — within  Right — switch  Contingency change

## Linear scale




## Logarithmic scale



# P054_S127_JAPEDE — dynamic — VI 25/225 → 135/27

Left — within · Left — switch · Right — within · Right — switch · Contingency change

## Linear scale




## Logarithmic scale



# P054_S128_JAPEDE — stable — VI 135/27

Left — within  Left — switch  Right — within  Right — switch

## Linear scale

IRT (seconds)

10
8
6
4
2
0

## Logarithmic scale

IRT (seconds)

$10^{3}$
$10^{2}$
$10^{1}$
$10^{0}$
$10^{-1}$
$10^{-2}$

0  500  1000  1500  2000  2500  3000  3500

Session time (seconds)

# P054_S129_JAPEDE — stable — VI 135/27

Left — within  Left — switch  Right — within  Right — switch

Linear scale

IRT (seconds)

Logarithmic scale

IRT (seconds)

Session time (seconds)

P054_S130_JAPEDE — dynamic — VI 135/27 → 30/90

Left — within  Left — switch  Right — within  Right — switch  Contingency change

Linear scale

IRT (seconds)

Logarithmic scale

IRT (seconds)

Session time (seconds)

# P054_S131_JAPEDE — dynamic — VI 30/90 → 90/30

Left — within  Left — switch  Right — within  Right — switch  Contingency change

## Linear scale

IRT (seconds)

## Logarithmic scale

IRT (seconds)

Session time (seconds)

# P054_S132_JAPEDE — dynamic — VI 90/30 → 30/90

Left — within  Left — switch  Right — within  Right — switch  Contingency change

## Linear scale

IRT (seconds)

## Logarithmic scale

IRT (seconds)

Session time (seconds)

# P054_S133_JAPEDE — stable — VI 30/90

Left — within  Left — switch  Right — within  Right — switch

## Linear scale

IRT (seconds)

10
8
6
4
2
0

## Logarithmic scale

IRT (seconds)

$10^{3}$
$10^{2}$
$10^{1}$
$10^{0}$
$10^{-1}$
$10^{-2}$

0  500  1000  1500  2000  2500  3000  3500

Session time (seconds)

# P054_S134_JAPEDE — dynamic — VI 30/90 → 225/25

Left — within  Left — switch  Right — within  Right — switch  Contingency change

## Linear scale




## Logarithmic scale



P054_S135_JAPEDE — dynamic — VI 225/25 → 27/135

Left — within  Left — switch  Right — within  Right — switch  Contingency change

Linear scale

IRT (seconds)

Logarithmic scale

IRT (seconds)

Session time (seconds)

# P054_S136_JAPEDE — stable — VI 27/135

Left — within  Left — switch  Right — within  Right — switch

## Linear scale

IRT (seconds)

10
8
6
4
2
0

## Logarithmic scale

IRT (seconds)

$10^{3}$
$10^{2}$
$10^{1}$
$10^{0}$
$10^{-1}$
$10^{-2}$

0  500  1000  1500  2000  2500  3000  3500

Session time (seconds)

# P054_S137_JAPEDE — stable — VI 27/135

Left — within  Left — switch  Right — within  Right — switch

Linear scale

IRT (seconds)

Logarithmic scale

IRT (seconds)

Session time (seconds)

# P054_S138_JAPEDE — stable — VI 27/135

Left — within  Left — switch  Right — within  Right — switch

## Linear scale

IRT (seconds)

## Logarithmic scale

IRT (seconds)

Session time (seconds)

# P054_S139_JAPEDE — stable — VI 27/135

Left — within  Left — switch  Right — within  Right — switch

Linear scale

IRT (seconds)

Logarithmic scale

IRT (seconds)

Session time (seconds)

# P054_S140_JAPEDE — stable — VI 27/135

Left — within  Left — switch  Right — within  Right — switch

## Linear scale

IRT (seconds)

10
8
6
4
2
0

## Logarithmic scale

IRT (seconds)

$10^{3}$
$10^{2}$
$10^{1}$
$10^{0}$
$10^{-1}$
$10^{-2}$

0  500  1000  1500  2000  2500  3000  3500

Session time (seconds)

# P054_S141_JAPEDE — dynamic — VI 27/135 → 360/24

Left — within  Left — switch  Right — within  Right — switch  Contingency change

Linear scale

IRT (seconds)

Logarithmic scale

IRT (seconds)

Session time (seconds)

# P054_S142_JAPEDE — stable — VI 360/24

Left — within  Left — switch  Right — within  Right — switch

Linear scale

IRT (seconds)

10
8
6
4
2
0

Logarithmic scale

IRT (seconds)

$10^{3}$
$10^{2}$
$10^{1}$
$10^{0}$
$10^{-1}$
$10^{-2}$

0  500  1000  1500  2000  2500  3000  3500

Session time (seconds)

# P054_S143_JAPEDE — stable — VI 360/24

Left — within  Left — switch  Right — within  Right — switch

## Linear scale

IRT (seconds)

## Logarithmic scale

IRT (seconds)

Session time (seconds)

# P054_S144_JAPEDE — stable — VI 360/24

Left — within  Left — switch  Right — within  Right — switch

## Linear scale

IRT (seconds)

10
8
6
4
2
0

## Logarithmic scale

IRT (seconds)

$10^{3}$
$10^{2}$
$10^{1}$
$10^{0}$
$10^{-1}$
$10^{-2}$

0  500  1000  1500  2000  2500  3000  3500

Session time (seconds)

# P054_S145_JAPEDE — dynamic — VI 360/24 → 24/360

Left — within  Left — switch  Right — within  Right — switch  Contingency change

Linear scale

IRT (seconds)

Logarithmic scale

IRT (seconds)

Session time (seconds)

# P054_S146_JAPEDE — dynamic — VI 24/360 → 135/27

Left — within  Left — switch  Right — within  Right — switch  Contingency change

## Linear scale

IRT (seconds)

## Logarithmic scale

IRT (seconds)

Session time (seconds)

# P054_S147_JAPEDE — dynamic — VI 135/27 → 35/63

Left — within  Left — switch  Right — within  Right — switch  Contingency change

Linear scale




Logarithmic scale



# P054_S148_JAPEDE — dynamic — VI 35/63 → 225/25

Left — within  Left — switch  Right — within  Right — switch  Contingency change

## Linear scale

IRT (seconds)

## Logarithmic scale

IRT (seconds)

Session time (seconds)

# P054_S149_JAPEDE — stable — VI 225/25

Left — within  Left — switch  Right — within  Right — switch

## Linear scale




## Logarithmic scale



# P054_S150_JAPEDE — stable — VI 225/25

Left — within  Left — switch  Right — within  Right — switch

## Linear scale

IRT (seconds)

10
8
6
4
2
0

## Logarithmic scale

IRT (seconds)

$10^{3}$
$10^{2}$
$10^{1}$
$10^{0}$
$10^{-1}$
$10^{-2}$

0  500  1000  1500  2000  2500  3000  3500

Session time (seconds)

# P054_S151_JAPEDE — dynamic — VI 225/25 → 25/225

Left — within  Left — switch  Right — within  Right — switch  Contingency change

Linear scale

IRT (seconds)

Logarithmic scale

IRT (seconds)

Session time (seconds)

# P054_S152_JAPEDE — dynamic — VI 25/225 → 63/35

Left — within  Left — switch  Right — within  Right — switch  Contingency change

Linear scale

IRT (seconds)

Logarithmic scale

IRT (seconds)

Session time (seconds)

# P054_S153_JAPEDE — stable — VI 63/35

Left — within  Left — switch  Right — within  Right — switch

## Linear scale

IRT (seconds)

10
8
6
4
2
0

## Logarithmic scale

IRT (seconds)

$10^{3}$
$10^{2}$
$10^{1}$
$10^{0}$
$10^{-1}$
$10^{-2}$

0  500  1000  1500  2000  2500  3000  3500

Session time (seconds)

# P054_S154_JAPEDE — stable — VI 63/35

Left — within  Left — switch  Right — within  Right — switch

Linear scale

IRT (seconds)

Logarithmic scale

IRT (seconds)

Session time (seconds)

# P054_S155_JAPEDE — stable — VI 63/35

Left — within  Left — switch  Right — within  Right — switch

Linear scale

IRT (seconds)

Logarithmic scale

IRT (seconds)

Session time (seconds)

P054_S156_JAPEDE — stable — VI 63/35

Left — within  Left — switch  Right — within  Right — switch

Linear scale

IRT (seconds)

Logarithmic scale

IRT (seconds)

Session time (seconds)

# P054_S157_JAPEDE — stable — VI 63/35

Left — within  Left — switch  Right — within  Right — switch

Linear scale

IRT (seconds)

Logarithmic scale

IRT (seconds)

Session time (seconds)

P054_S158_JAPEDE — stable — VI 63/35

Left — within  Left — switch  Right — within  Right — switch

Linear scale

IRT (seconds)

10
8
6
4
2
0

Logarithmic scale

IRT (seconds)

$10^{3}$
$10^{2}$
$10^{1}$
$10^{0}$
$10^{-1}$
$10^{-2}$

0  500  1000  1500  2000  2500  3000  3500

Session time (seconds)

# P054_S159_JAPEDE — dynamic — VI 63/35 → 24/360

Left — within  Left — switch  Right — within  Right — switch  Contingency change

Linear scale

IRT (seconds)

Logarithmic scale

IRT (seconds)

Session time (seconds)

# P054_S160_JAPEDE — stable — VI 24/360

Left — within  Left — switch  Right — within  Right — switch

## Linear scale




## Logarithmic scale



# P054_S161_JAPEDE — stable — VI 24/360

Left — within  Left — switch  Right — within  Right — switch

Linear scale

IRT (seconds)

Logarithmic scale

IRT (seconds)

Session time (seconds)

# P054_S162_JAPEDE — dynamic — VI 24/360 → 90/30

Left — within  Left — switch  Right — within  Right — switch  Contingency change

## Linear scale

IRT (seconds)

## Logarithmic scale

IRT (seconds)

Session time (seconds)

# P054_S163_JAPEDE — stable — VI 90/30

Left — within  Left — switch  Right — within  Right — switch

Linear scale

IRT (seconds)

Logarithmic scale

IRT (seconds)

Session time (seconds)

P054_S164_JAPEDE — dynamic — VI 90/30 → 24/360

Left — within  Left — switch  Right — within  Right — switch  Contingency change

Linear scale

IRT (seconds)

Logarithmic scale

IRT (seconds)

Session time (seconds)

# P054_S165_JAPEDE — stable — VI 24/360

Left — within
Left — switch
Right — within
Right — switch

## Linear scale

IRT (seconds)

10
8
6
4
2
0

## Logarithmic scale

IRT (seconds)

$10^{3}$
$10^{2}$
$10^{1}$
$10^{0}$
$10^{-1}$
$10^{-2}$

0
500
1000
1500
2000
2500
3000
3500

Session time (seconds)

# P054_S166_JAPEDE — stable — VI 24/360

Left — within  Left — switch  Right — within  Right — switch

Linear scale

IRT (seconds)

10
8
6
4
2
0

Logarithmic scale

IRT (seconds)

$10^{3}$
$10^{2}$
$10^{1}$
$10^{0}$
$10^{-1}$
$10^{-2}$

0  500  1000  1500  2000  2500  3000  3500

Session time (seconds)

# P054_S167_JAPEDE — dynamic — VI 24/360 → 63/35

Left — within  Left — switch  Right — within  Right — switch  Contingency change

## Linear scale




## Logarithmic scale



# P054_S168_JAPEDE — dynamic — VI 63/35 → 30/90

Left — within  Left — switch  Right — within  Right — switch  Contingency change

## Linear scale




## Logarithmic scale



# P054_S169_JAPEDE — dynamic — VI 30/90 → 360/24

Left — within · Left — switch · Right — within · Right — switch · Contingency change

## Linear scale

IRT (seconds)

10
8
6
4
2
0

## Logarithmic scale

IRT (seconds)

$10^{3}$
$10^{2}$
$10^{1}$
$10^{0}$
$10^{-1}$
$10^{-2}$

0 500 1000 1500 2000 2500 3000 3500

Session time (seconds)

# P054_S170_JAPEDE — stable — VI 360/24

Left — within  Left — switch  Right — within  Right — switch

## Linear scale

IRT (seconds)

## Logarithmic scale

IRT (seconds)

Session time (seconds)

P054_S171_JAPEDE — dynamic — VI 360/24 → 30/90

Left — within  Left — switch  Right — within  Right — switch  Contingency change

Linear scale

IRT (seconds)

Logarithmic scale

IRT (seconds)

Session time (seconds)

# P054_S172_JAPEDE — stable — VI 30/90

Left — within  Left — switch  Right — within  Right — switch

## Linear scale




## Logarithmic scale



# P054_S173_JAPEDE — stable — VI 30/90

Left — within  Left — switch  Right — within  Right — switch

## Linear scale

IRT (seconds)

10
8
6
4
2
0

## Logarithmic scale

IRT (seconds)

$10^{3}$
$10^{2}$
$10^{1}$
$10^{0}$
$10^{-1}$
$10^{-2}$

0  500  1000  1500  2000  2500  3000  3500

Session time (seconds)

# P054_S174_JAPEDE — dynamic — VI 30/90 → 90/30

Left — within  Left — switch  Right — within  Right — switch  Contingency change

Linear scale

IRT (seconds)

Logarithmic scale

IRT (seconds)

Session time (seconds)

# P054_S175_JAPEDE — stable — VI 90/30

Left — within  Left — switch  Right — within  Right — switch

## Linear scale




## Logarithmic scale



# P054_S176_JAPEDE — stable — VI 90/30

Left — within  Left — switch  Right — within  Right — switch

## Linear scale




## Logarithmic scale



# P054_S177_JAPEDE — dynamic — VI 90/30 → 27/135

Left — within  Left — switch  Right — within  Right — switch  Contingency change

Linear scale

IRT (seconds)

Logarithmic scale

IRT (seconds)

Session time (seconds)

# P054_S178_JAPEDE — dynamic — VI 27/135 → 135/27

Left — within  Left — switch  Right — within  Right — switch  Contingency change

## Linear scale

IRT (seconds)

## Logarithmic scale

IRT (seconds)

Session time (seconds)

# P054_S179_JAPEDE — stable — VI 135/27

Left — within  Left — switch  Right — within  Right — switch

Linear scale

IRT (seconds)

Logarithmic scale

IRT (seconds)

Session time (seconds)

# P054_S180_JAPEDE — dynamic — VI 135/27 → inf/inf

Left — within · Left — switch · Right — within · Right — switch · Contingency change

## Linear scale




## Logarithmic scale