Battle Report 40k · VR corner target

Corner 1: ATTACKER'S edge, on your RIGHT (battlefield 0, 0)

Print at 100 % (no "fit to page"). Check: the ruler at the bottom must measure exactly 6 inches (15.24 cm).
Cut along the two thick black lines, or fold them under, so the sheet lies flush in the table corner:
the thick bottom line along the Attacker's edge, the thick left line along the short table edge.
The red cross marks the exact corner point. In the headset: tool "Calibrate", point the controller ray
at the red cross (the yellow dot sits on it) and press the trigger. Three sheets, three corners.
After calibration the 1" grid shows whether the overlay matches: the virtual grid lines should
lie on the printed ones. Fine-tune with Table · Fine adjustment (1 cm / 1 mm steps).



Battle Report 40k · VR corner target

Corner 2: ATTACKER'S edge, on your LEFT (44", 0)

Print at 100 % (no "fit to page"). Check: the ruler at the bottom must measure exactly 6 inches (15.24 cm).
Cut along the two thick black lines, or fold them under, so the sheet lies flush in the table corner:
the thick bottom line along the Attacker's edge, the thick left line along the short table edge.
The red cross marks the exact corner point. In the headset: tool "Calibrate", point the controller ray
at the red cross (the yellow dot sits on it) and press the trigger. Three sheets, three corners.
After calibration the 1" grid shows whether the overlay matches: the virtual grid lines should
lie on the printed ones. Fine-tune with Table · Fine adjustment (1 cm / 1 mm steps).



Battle Report 40k · VR corner target

Corner 3: any corner of the DEFENDER'S edge

Print at 100 % (no "fit to page"). Check: the ruler at the bottom must measure exactly 6 inches (15.24 cm).
Cut along the two thick black lines, or fold them under, so the sheet lies flush in the table corner:
the thick bottom line along the Attacker's edge, the thick left line along the short table edge.
The red cross marks the exact corner point. In the headset: tool "Calibrate", point the controller ray
at the red cross (the yellow dot sits on it) and press the trigger. Three sheets, three corners.
After calibration the 1" grid shows whether the overlay matches: the virtual grid lines should
lie on the printed ones. Fine-tune with Table · Fine adjustment (1 cm / 1 mm steps).