

WILLAMETTE VALLEY WET-PRAIRIE RESTORATION MODEL

John Marshall, Lindsay Henderson & Ian Garrett Portland State University



WHAT IS A WILLAMETTE VALLEY WET-PRAIRIE

Introduction

What is a Wet-Prairie

Importance Current Status

Research Question

Methods

Data Acquisition
Data Selection
Geoprocessing
Assigning Priority
Final Overlay

Analysis

Hot Spot Analysis Getis-Ord Cluster & Outlier Moran's I

Conclusions

- Native species (Forbes and Graminoids)
- Rare plant species
- Less than 5% woody plant species
- Often dominated by Tufted Hairgrass and found in Oak Savannah
- Seasonally wet
- Inclusions of vernal pools
- Migh plant diversity
- Flood plain and lower elevation valley terraces
- Mydric soils

IMPORTANCE OF WET-PRAIRIES

Introduction

What is a Wet-Prairie Importance
Current Status

Research Question

Methods

Data Acquisition
Data Selection
Geoprocessing
Assigning Priority
Final Overlay

Analysis

Hot Spot Analysis Getis-Ord Cluster & Outlier Moran's I

Conclusions

- Historically covered a large portion of the Willamette Valley
- Mabitat for rare and imperiled species
 - i.e. Nelson's Checkermallow, Bradshaw's Lomatium, Willamette Daisy.
- Provide important ecological services
- Impoverished, fragmented, and blinking out of existence
- Templates for ecosystem recovery

CURRENT STATUS OF WET-PRAIRIE

Introduction

What is a Wet-Prairie Importance

Current Status

Research Question

Methods

Data Acquisition
Data Selection
Geoprocessing
Assigning Priority
Final Overlay

Analysis

Hot Spot Analysis Getis-Ord Cluster & Outlier Moran's I

Conclusions

- Less than 1% of the 1850 Willamette Valley wet-prairie remains intact today
- Wet-prairie habitat is a priority for restoration by State, Federal, and Nongovernmental organizations
- Restoration efforts are currently actively in progress on both private and public lands

RESEARCH QUESTIONS

Introduction

What is a Wet-Prairie Importance Current Status

Research Question

Methods

Data Acquisition
Data Selection
Geoprocessing
Assigning Priority
Final Overlay

Analysis

Hot Spot Analysis Getis-Ord Cluster & Outlier Moran's I

Conclusions

- What areas in the Willamette Valley eco-region provide various levels of suitable opportunities for wet-prairie restoration?
- Are there discernible landscape patterns in the GIS model that show suitable wet-prairie restoration areas?
- Is there a visual correlation between the placement of existing wet-prairie mitigation projects and areas identified as suitable for restoration by the GIS wetprairie restoration model?
- How many acres in each class does the restoration model identify as suitable for wet prairie restoration?

METHODS

Introduction

What is a Wet-Prairie Importance Current Status

Research Question


Methods

Data Acquisition
Data Selection
Geoprocessing
Assigning Priority
Final Overlay

Analysis

Hot Spot Analysis Getis-Ord Cluster & Outlier Moran's I

Conclusions



DATA ACQUISITION

Introduction

What is a Wet-Prairie Importance Current Status

Research Question

Methods

Data Acquisition

Data Selection Geoprocessing Assigning Priority Final Overlay

Analysis

Hot Spot Analysis Getis-Ord Cluster & Outlier Moran's I

Conclusions

- County Soils
- Rare Plants
- Land Ownership
- Mistoric Vegetation
- © Current Wetlands
- Stream/Rivers
- Flood Plain
- State Line
- Wetlands

- Land Use
- Ocites
- Major Highways
- Mitigation Banks
- WV Eco-regions boundary
- Mydrologic Units
- © County Borders
- Anadromous Fish
- Wildlife

DATA SELECTION

Introduction

What is a Wet-Prairie Importance Current Status

Research Question

Methods

Data Acquisition

Data Selection

Geoprocessing
Assigning Priority
Final Overlay

Analysis

Hot Spot Analysis Getis-Ord Cluster & Outlier Moran's I

Conclusions

Questions

Primary Data Layers

- © County Soils
- Rare Plants
- Land Ownership
- Mistoric Vegetation
- © Current Wetlands
- Land Use

Secondary Data Layers

- Ocites
- Major Highways
- Mitigation Banks
- WV Eco-regions boundary

Introduction

What is a Wet-Prairie Importance Current Status

Research Question

Methods

Data Acquisition
Data Selection

Geoprocessing (6)

Assigning Priority Final Overlay

Analysis

Hot Spot Analysis Getis-Ord Cluster & Outlier Moran's I

Conclusions

Questions

Standard Protocol Applied to All Data Layers


- "Select by Attribute" to identify records needed for the analysis
- Export to separate feature class
- Union to clip of Willamette Valley Ecoregion
- Add field to attribute table and use field calculator to assign value "0" or "1"
- Polygon-to-Raster Conversion
- Reclassify



Methods

Data Acquisition
Data Selection
Geoprocessing (1)
Assigning Priority
Final Overlay








Data Source: http://www.or.nrcs.usda.gov/technical/soil/hydric.html NAD 1983 UTM Zone 10N

CURRENT WETLANDS

Methods

Data Acquisition
Data Selection
Geoprocessing (2)
Assigning Priority
Final Overlay

Willamette Valley, OR Current Wetlands







Data Source: The Nature Conservancy Funded by EPA NAD 1983 UTM Zone 10N


HISTORIC VEGETATION

Methods

Data Acquisition
Data Selection
Geoprocessing (3)
Assigning Priority
Final Overlay







Data Source: General Land Office Cadastral Survey Bureu of Land Management NAD 1983 UTM Zone 10N










Methods

Data Acquisition
Data Selection
Geoprocessing (4)
Assigning Priority
Final Overlay



Willamette Valley, OR Wetland Prairie Rare Plants









LAND USE

Methods

Data Acquisition
Data Selection
Geoprocessing (5)
Assigning Priority
Final Overlay








Data Source: Northwest Haibitat Institute NAD 1927 Albers

LAND OWNERSHIP

Methods

Data Acquisition
Data Selection
Geoprocessing (6)
Assigning Priority
Final Overlay







FINAL GEOPROCESSING STEPS

Introduction

What is a Wet-Prairie Importance Current Status

Research Question

Methods

Data Acquisition
Data Selection
Geoprocessing
Assigning Priority
Final Overlay

Analysis

Hot Spot Analysis Getis-Ord Cluster & Outlier Moran's I

Conclusions
Questions

- "Weighted Sum", Add all six layers
- Assign weights of each layers
- Select "SUM" as weighting measurement
- Use "Times" function to remove cities and highways from model analysis
- Reclassify Raster
- Using Field calculator in the attribute table we generated acres field for number of acres per class
- © Convert Raster to Vector in order to perform analyses

ASSIGNING PRIORITY

Introduction

What is a Wet-Prairie Importance Current Status

Research Question

Methods

Data Acquisition Data Selection Geoprocessing

Assigning PriorityFinal Overlay

Analysis

Hot Spot Analysis Getis-Ord Cluster & Outlier Moran's I

Conclusions

Layer Name	Weighted Value
Ownership	1
Land Use	2
Hydric Soils	3
Rare Plant Species	4
Historic Vegetation	4
Current Wetlands	5

FINAL OVERLAY

Introduction

What is a Wet-Prairie Importance Current Status

Research Question


Methods

Data Acquisition
Data Selection
Geoprocessing
Assigning Priority
Final Overlay

Analysis

Hot Spot Analysis Getis-Ord Cluster & Outlier Moran's I

Conclusions
Questions



ANALYSIS HOT SPOT GETIS-ORD

Introduction

What is a Wet-Prairie Importance Current Status

Research Question


Methods

Data Acquisition
Data Selection
Geoprocessing
Assigning Priority
Final Overlay

Analysis

Hot Spot Analysis Getis-Ord Cluster & Outlier Moran's I

Conclusions



ANALYSIS HOT SPOT GETIS-ORD

Introduction

What is a Wet-Prairie Importance Current Status

Research Question

Methods

Data Acquisition
Data Selection
Geoprocessing
Assigning Priority
Final Overlay

Analysis

Hot Spot Analysis Getis-Ord

Cluster & Outlier Moran's I

Conclusions

Questions

High-Low Clustering Report (Getis-Ord General G)

General G Summary


Observed General G: 0.000006

Expected General G: 0.000004

Variance: 0.000000

z-score: 108.658518

p-value: 0.000000



ANALYSIS CLUSTER AND OUTLIER MORANS I

Introduction

What is a Wet-Prairie Importance Current Status

Research Question

Methods


Data Acquisition
Data Selection
Geoprocessing
Assigning Priority
Final Overlay

Analysis

Hot Spot Analysis Getis-Ord Cluster & Outlier

Cluster & Outlier Moran's I

Conclusions



ANALYSIS CLUSTER AND OUTLIER MORANS I

Introduction

What is a Wet-Prairie Importance Current Status

Research Question

Methods

Data Acquisition
Data Selection
Geoprocessing
Assigning Priority
Final Overlay

Analysis

Hot Spot Analysis Getis-Ord

Cluster & Outlier Moran's I

Conclusions

Questions

Spatial Autocorrelation Report (Morans I)


Moran's Index: 0.156152

Expected Index: -0.000009

Variance: 0.000000

z-score: 483.637900

p-value: 0.000000



Introduction

What is a Wet-Prairie Importance Current Status

Research Question

Methods

Data Acquisition
Data Selection
Geoprocessing
Assigning Priority
Final Overlay

Analysis

Hot Spot Analysis Getis-Ord Cluster & Outlier Moran's I

Conclusions

Questions

What areas in the Willamette Valley eco-region provide various levels of suitable opportunities for wet-prairie restoration?

Mid to Southern Valley

- Are there discernible landscape patterns in the GIS model that show suitable wet-prairie restoration areas?
- ❖ Is there a visual correlation between the placement of existing wet-prairie mitigation projects and areas identified as suitable for restoration by the GIS wet-prairie restoration model?
- How many acres in each class does the restoration model identify as suitable for wet prairie restoration?

Introduction

What is a Wet-Prairie Importance Current Status

Research Question


Methods

Data Acquisition
Data Selection
Geoprocessing
Assigning Priority
Final Overlay

Analysis

Hot Spot Analysis Getis-Ord Cluster & Outlier Moran's I

Conclusions



Introduction

What is a Wet-Prairie Importance Current Status

Research Question

Methods

Data Acquisition
Data Selection
Geoprocessing
Assigning Priority
Final Overlay

Analysis

Hot Spot Analysis Getis-Ord Cluster & Outlier Moran's I

Conclusions

Questions

- What areas in the Willamette Valley eco-region provide various levels of suitable opportunities for wet-prairie restoration?
- Are there discernible landscape patterns in the GIS model that show suitable wet-prairie restoration areas?

Yes. Clustering and hot spot analysis showed these patterns.

- ❖ Is there a visual correlation between the placement of existing wet-prairie mitigation projects and areas identified as suitable for restoration by the GIS wet-prairie restoration model?
- How many acres in each class does the restoration model identify as suitable for wet prairie restoration?

Introduction

What is a Wet-Prairie Importance Current Status

Research Question


Methods

Data Acquisition
Data Selection
Geoprocessing
Assigning Priority
Final Overlay

Analysis

Hot Spot Analysis Getis-Ord Cluster & Outlier Moran's I

Conclusions



Introduction

What is a Wet-Prairie Importance Current Status

Research Question


Methods

Data Acquisition
Data Selection
Geoprocessing
Assigning Priority
Final Overlay

Analysis

Hot Spot Analysis Getis-Ord Cluster & Outlier Moran's I

Conclusions



Introduction

What is a Wet-Prairie Importance Current Status

Research Question

Methods

Data Acquisition
Data Selection
Geoprocessing
Assigning Priority
Final Overlay

Analysis

Hot Spot Analysis Getis-Ord Cluster & Outlier Moran's I

Conclusions

Questions

- What areas in the Willamette Valley eco-region provide various levels of suitable opportunities for wet-prairie restoration?
- Are there discernible landscape patterns in the GIS model that show suitable wet-prairie restoration areas?
- Is there a visual correlation between the placement of existing wet-prairie mitigation projects and areas identified as suitable for restoration by the GIS wet-prairie restoration model?

Yes. Mitigation banks appeared to be visually correlated.

How many acres in each class does the restoration model identify as suitable for wet prairie restoration?

Introduction

What is a Wet-Prairie Importance Current Status

Research Question


Methods

Data Acquisition
Data Selection
Geoprocessing
Assigning Priority
Final Overlay

Analysis

Hot Spot Analysis Getis-Ord Cluster & Outlier Moran's I

Conclusions



Introduction

What is a Wet-Prairie Importance Current Status

Research Question

Methods

Data Acquisition
Data Selection
Geoprocessing
Assigning Priority
Final Overlay

Analysis

Hot Spot Analysis Getis-Ord Cluster & Outlier Moran's I

Conclusions

Questions

- What areas in the Willamette Valley eco-region provide various levels of suitable opportunities for wet-prairie restoration?
- Are there discernible landscape patterns in the GIS model that show suitable wet-prairie restoration areas?
- ❖ Is there a visual correlation between the placement of existing wet-prairie mitigation projects and areas identified as suitable for restoration by the GIS wet-prairie restoration model?
- How many acres in each class does the restoration model identify as suitable for wet prairie restoration?

734,560 acres in the top three classes.

FUTURE DIRECTIONS

Introduction

What is a Wet-Prairie Importance Current Status

Research Question

Methods

Data Acquisition
Data Selection
Geoprocessing
Assigning Priority
Final Overlay

Analysis

Hot Spot Analysis Getis-Ord Cluster & Outlier Moran's I

Conclusions

- Conduct a formal aerial photo investigation to eliminate unsuitable areas
- Develop a methodology to validate model though field observations
- Perform a random sampling of visits to potential sites indicated by the analysis
- Add flood plain layer to analysis
- Select a fourth field hydrologic unit to do a more detailed analysis of how well the model performs



QUESTIONS?

Introduction

What is a Wet-Prairie Importance Current Status

Research Question

Methods

Data Acquisition
Data Selection
Geoprocessing
Assigning Priority
Final Overlay

Analysis

Hot Spot Analysis Getis-Ord Cluster & Outlier Moran's I

Conclusions



REFERENCES

- City Boundaries Geographic Information Services Unit, Oregon
 Department of Transportation (ODOT);
- Mighways Earth Systems Research Institute;
- Land Cover Northwest Habitat Institute;
- Mitigation Banks Oregon Office U.S. Fish and Wildlife Service;
- Soils Natural Resource Conservation Service http://soildatamart.nrcs.usda.gov/;
- Willamette Valley Ecoregion World Wildlife Fund;
- Historic Vegetation Oregon Natural Heritage Program;
- Willamette Valley Wetlands Oregon Natural Heritage Program; and
- Rare Plants Oregon Office U.S. Fish and Wildlife Service.