

Inverse Mechanical Counting and Mathematics

Part VI

The Harmonic Series and the e Series:
Two Views of the Inverse Count on the Axiom of 1

Joshua Nuijens

Seth Ryan Cromelin

May 20, 2026

Abstract

There is exactly one physical unit — the axiom of 1. The $\sqrt{2}$ master mechanic is the simplest step beyond unity; it is declared, not chosen. The master table is the single source lattice, identical to the one established in Parts I and II.

This paper reads two standard series on the natural count 0, 1, 2, 3, 4, 5: the harmonic series and the e series. They are the same count read through the same inverse on the same five-count lattice. The only difference is whether the count stays plain or is folded into its own self before the inverse is taken. Plain count gives the lattice-native harmonic close 137/60. The count folded into its own self gives the lattice-native **machine** e close 163/60. Both are shown count by count, in detail, and then placed side by side over the single shared denominator $60 = 5!$.

Standard transcendental $e = 2.718281828\dots$ is not needed inside the framework. It is only the external infinite-continuation reading that begins the very next cycle past first closure (the self-similar repetition of the five-count structure at the next scale). The two series are not two different objects; they are two views of one inverse count on the axiom of 1. **Partition does not create. Partition reveals.**

The Axiom of 1

The Axiom. There is exactly one physical unit. This unit is the complete reality. All its equivalent views are

$$1 = -1 = \sqrt{1} = \sqrt{2^0}.$$

The square root belongs to the unit itself; it is not introduced from outside. Every reading traces back to this single unit. Nothing dimensionless or external is ever introduced.

Count 1 is the physical unit of itself.

The count and its mechanics are the work. The mathematics is read, not calculated.

1 The $\sqrt{2}$ Master Mechanic

The $\sqrt{2}$ mechanic is the master mechanic of the axiom — the simplest possible partition beyond unity and the minimum step the axiom admits. When the single unit is halved repeatedly, a single parity rule governs every reading:

- **Even depth** d : rational reading.
- **Odd depth** d : irrational reading carrying a natural factor of $\sqrt{2}$.

Every reading carries its full operational history in three coordinates: the mechanic ($\sqrt{2}$), the operational depth d , and the count position c .

2 The Master Table — The Single Source

The master table is the single source of the entire framework and is identical to the table established in Part I. Nothing in this paper is added from outside it. The five active counts have domains 1, 2, 4, 8, 16, 32. At each count the $\sqrt{2}$ master mechanic is applied to those domains at the active depths; the reading value is always domains $\times \sqrt{2^d}$.

c	d	Mechanic	Domains (2^c)	Parity $\rightarrow$ Reading	Reading value
0	0	$\sqrt{2^0}$	1	even $\rightarrow$ rational	1
1	1	$\sqrt{2^1}$	2	odd $\rightarrow$ irrational	$2\sqrt{2} \approx 2.828$
2	2	$\sqrt{2^2}$	4	even $\rightarrow$ rational	8
2	3	$\sqrt{2^3}$	4	odd $\rightarrow$ irrational	$8\sqrt{2} \approx 11.314$
3	4	$\sqrt{2^4}$	8	even $\rightarrow$ rational	32
3	5	$\sqrt{2^5}$	8	odd $\rightarrow$ irrational	$32\sqrt{2} \approx 45.255$
4	6	$\sqrt{2^6}$	16	even $\rightarrow$ rational	128
4	7	$\sqrt{2^7}$	16	odd $\rightarrow$ irrational	$128\sqrt{2} \approx 181.019$
5	8	$\sqrt{2^8}$	32	even $\rightarrow$ rational	512
5	9	$\sqrt{2^9}$	32	odd $\rightarrow$ irrational	$512\sqrt{2} \approx 724.077$

Table 1: The Master Table. Five active counts with domains 1, 2, 4, 8, 16, 32. The $\sqrt{2}$ mechanic applied to those domains at the active depths gives every reading value. At closure ($c = 5$, $d = 9$): domains $32 \times \sqrt{2^9} = 16\sqrt{2} \approx 22.627$ gives the irrational reading $32 \times 22.627 \approx 724.077 = 512\sqrt{2}$. The rational reading at $d = 8$ is $32 \times 16 = 512$.

3 The Natural Count 0 to 5

The count is 0, 1, 2, 3, 4, 5. Count 0 is the axiom — at rest, no mechanic. Counts 1 to 5 are the active counts where the mechanic runs. Both series in this paper are read on this same count. The only thing that changes between them is what is done to the count before the inverse is taken.

- **Plain count.** The count is left as it is, then inverted: $1/\text{count}$. This is the harmonic series.
- **Count into itself.** The count is folded into its own self first (the count multiplied down to the axiom), then inverted: $1/(\text{count into itself})$. This is the e series.

At count 0 the two part because of the mechanic. Under the plain count, count 0 gives $1/0$, which is undefined — the axiom stays at rest, no mechanic, and the term is not carried. Under the count into itself, count 0 gives $1/1$, which is defined — the axiom is held by the mechanic and the term is carried.

4 The Harmonic Series — The Plain Count

The plain count is left as it is and inverted. The depth is $1/\text{count}$ value. Count 0 is the axiom at rest: $1/0$ is undefined, so it carries no term.

Count c	Count value (plain count)	Depth ($1 \div$ count value)	Running sum
0	1 (axiom)	— (1/0 undefined, at rest, no mechanic)	—
1	1	$1/1 = 1$	1
2	2	$1/2 = 0.5$	$3/2 = 1.5$
3	3	$1/3 = 0.3333\dots$	$11/6 = 1.8333\dots$
4	4	$1/4 = 0.25$	$25/12 = 2.0833\dots$
5	5	$1/5 = 0.2$	137/60 = 2.2833...

Table 2: The harmonic series read on the count. The count value is the plain count; the depth is its inverse. Count 0 is the axiom at rest and carries no term. The count closes at $137/60 = 2.2833\dots$

The depths summed through closure ($c = 5$):

$$1 + \frac{1}{2} + \frac{1}{3} + \frac{1}{4} + \frac{1}{5} = \frac{137}{60} \approx 2.2833.$$

In standard mathematics this is the harmonic series. Past the count it grows without bound; the count closes it at the rational lattice-native value $137/60$.

5 The e Series — The Count Into Itself

The count is folded into its own self first — the count multiplied down to the axiom — and then inverted. The depth is $1/\text{count value}$. Count 0 is held by the mechanic: $1/1$ is defined, so it carries a term.

Count c	Count value (count $\times$ self down to 1)	Depth ($1 \div$ count value)	Running sum
0	1 (axiom)	$1/1 = 1$	1
1	1	$1/1 = 1$	2
2	2	$1/2 = 0.5$	$5/2 = 2.5$
3	6	$1/6 = 0.1666\dots$	$8/3 = 2.6666\dots$
4	24	$1/24 = 0.04166\dots$	$65/24 = 2.7083\dots$
5	120	$1/120 = 0.00833\dots$	163/60 = 2.71666...

Table 3: The e series read on the count. The count value is the count folded into its own self; the depth is its inverse. Count 0 is held by the mechanic and carries the term $1/1$. The count closes at the lattice-native **machine** $e = 163/60 = 2.71666\dots$

The depths summed through closure ($c = 5$):

$$1 + 1 + \frac{1}{2} + \frac{1}{6} + \frac{1}{24} + \frac{1}{120} = \frac{163}{60} \approx 2.71666.$$

Standard mathematics obtains the transcendental value $e = 2.718281828\dots$ by continuing the inverse count infinitely past $c = 5$ instead of closing the operation at the natural five-count closure of the axiom. This infinite tail (beginning with the term $1/720$ at $c = 6$) is precisely the external reading that begins the very next self-similar cycle. Inside the framework of the axiom of 1 we never leave the lattice, so the rational machine $e = 163/60$ is the exact closure produced at $c = 5$.

6 The Fold Propagation — How the Count Folds Into Itself

The “count into itself” is not arbitrary. It is a mechanical propagation exactly parallel to the numerator chain in Part II. At each step the previous count value is multiplied by the new count, producing the factorial denominators.

c	Count value (plain)	Folded value ($c!$)	Step	Propagation rule
0	1	1	—	axiom held by mechanic
1	1	1	$\times 1$	$1 \times 1 = 1$
2	2	2	$\times 2$	$1 \times 2 = 2$
3	3	6	$\times 3$	$2 \times 3 = 6$
4	4	24	$\times 4$	$6 \times 4 = 24$
5	5	120	$\times 5$	$24 \times 5 = 120$

Table 4: The fold propagation chain. The count multiplies itself down to the axiom at every step, producing the factorial denominators. This is the inverse analogue of the numerator propagation chain in Part II.

7 Machine e versus Standard e

Property	Machine e (this framework)	Standard e (external)
Value	$163/60 = 2.71666\dots$	$2.718281828\dots$
Source	$c = 5$ closure of inverse count	Infinite continuation past $c = 5$
Type	Rational, exact, lattice-native	Transcendental, never closes
Operation count	Finite — closes at $c = 5$	Infinite — never closes
Reads what	The axiom at the natural five-count	An external coordinate over the axiom
Cost	Exact closure inside the lattice	Infinite operations to specify

Table 5: Machine e versus standard e . Parallel to the machine π table in Part II.

8 Self-Similarity and the Very Next Cycle

The five-count/nine-depth lattice is self-similar. The closure at $c = 5$ with denominator $60 = 5!$ is the first-cycle landing, exactly as 512 and 720 were the first-cycle boundaries in Parts I and II. At $c = 6$ (the first step of cycle two) the next inverse term is $1/720$. The partial sum for the e -view becomes

$$\frac{163}{60} + \frac{1}{720} = \frac{1957}{720} \approx 2.718055\dots,$$

already inside the next scale. Continuing infinitely from here is exactly how standard mathematics produces the transcendental e . Inside the axiom we close at cycle one; the transcendental value is only the external view from the very next cycle.

9 The Two in Relation

Both series are the same count 1 to 5 read through the same inverse. They differ only in whether the count is left plain or folded into its own self first.

Count c	Harmonic depth $1/c$	e depth $1/(c \text{ into itself})$	Same?
1	1	1	same (1 into itself = 1)
2	$1/2$	$1/2$	same (2 into itself = 2)
3	$1/3$	$1/6$	the fold begins (3 vs 6)
4	$1/4$	$1/24$	the fold widens (4 vs 24)
5	$1/5$	$1/120$	the fold widens (5 vs 120)

Table 6: The two views across the active counts. Counts 1 and 2 are identical, because the count folded into itself equals the plain count there. From count 3 the fold opens the two apart.

Both close over the same denominator, 60:

View	Close at count 5	Decimal
Harmonic (plain count)	$137/60$	$2.2833\dots$
e series (count into itself)	$163/60$	$2.7166\dots$
Difference	$163/60 - 137/60 = 26/60 = 13/30$	$0.4333\dots$

Table 7: The two views over the single shared denominator 60. The whole difference between them is $26/60 = 13/30$: the count-0 axiom carried by the e mechanic but at rest in the harmonic, together with the fold opening at counts 3, 4, 5.

The relationship in one reading: one count, 1 to 5, one inverse. Left plain it is the harmonic view, closing at $137/60$. Folded into its own self it is the e view, closing at machine $e = 163/60$. This mirrors the forward master count of Part II: machine $\pi = 201/64$ is the exact closure at $c = 3$ inside cycle one; standard π is the external continuation past that count. Here the inverse count closes cycle one at two rational points (harmonic $137/60$ and machine $e = 163/60$) over the shared denominator $60 = 5!$. The transcendental e is simply the view from the very next cycle.

10 Operational Rules

- The largest unit in the entire system is always the original axiom 1; all larger numerical readings are deeper inward views of that same single unit.
- Every valid reading carries its three operational coordinates: mechanic ($\sqrt{2}$), depth d , count c .
- Both series are read on the same natural count 0 to 5; the depth is the inverse of the count value.
- The harmonic view leaves the count plain; the e view folds the count into its own self. This is the only difference between them.

Conclusion. From the single axiom of 1 and the declared $\sqrt{2}$ master mechanic, the natural count 0 to 5 carries two standard series at once. Read with the plain count, the inverse closes at the lattice-native harmonic value $137/60$. Read with the count folded into its own self, the same inverse closes at the lattice-native **machine** $e = 163/60$. Standard transcendental $e = 2.718281828\dots$ is not needed inside the framework. It is only the external reading that begins the very next cycle (the infinite continuation past $c = 5$ into the self-similar next scale) — exactly as standard π begins past machine $\pi = 201/64$ in Part II. The small gap between machine $e = 163/60$ and transcendental e is the mechanical cost of leaving the lattice. They are not two separate objects; they are two views of one inverse count on the axiom of 1, parted only by whether the mechanic folds the count into itself, and meeting over the single shared denominator 60. Every step uses only the axiom, the master table, and the count. Nothing is approximated, fitted, or imported from outside. Count 1 is the physical unit of itself, and everything above is the count and the mechanics of it. *Partition does not create. Partition reveals.*

MIT License

Copyright (c) 2026 JLNuijens

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE. Pa