

Inverse Mathematics:

An Alternative Framework for Fundamental Problems in Mathematics and Physics

NOS v18 — Ratio Closure as Complement to Additive Methods

Joshua Luke Nuijens

Seth Ryan Cromelin

December 19, 2025

Abstract

This paper introduces **Inverse Mathematics**, an alternative mathematical framework that complements standard methods by emphasizing **ratio closure** rather than additive accumulation. Where standard mathematics builds outward from zero through successive addition ($0 \rightarrow 1 \rightarrow 2 \rightarrow 3 \rightarrow \dots$), inverse mathematics partitions inward from unity through successive division ($1 \rightarrow 1/2 \rightarrow 1/3 \rightarrow 1/4 \rightarrow \dots$). Both approaches are valid; they represent complementary perspectives on mathematical structure.

The central distinction is operational: standard methods achieve balance through **additive equilibrium** ($A + B = C$), while inverse methods achieve closure through **ratio unity** ($A/B = 1$). For complementary quantities such as conjugate pairs, dual hemispheres, or bidirectional flows, the ratio formulation often provides structural insights that additive formulations obscure.

We present the foundational axioms of the Nuijens Operating System (NOS), derive the 720-512-201-137 gearbox from first principles, and demonstrate how this alternative framework addresses fundamental problems across mathematics and physics. The paper concludes with a systematic preview of how inverse mathematics provides alternative resolutions to each of the six Clay Millennium Prize Problems, with detailed treatments reserved for companion papers.

This work does not claim that standard mathematics is incorrect—rather, it offers an alternative lens through which certain problems become tractable by different means.

Contents

I	Foundation: Two Paths in Mathematics	5
1	Introduction: Standard and Inverse Approaches	5
1.1	Historical Context	5
1.2	Why an Alternative Framework?	6
2	The Fundamental Distinction: Addition vs. Ratio	6
2.1	Operational Difference	6
2.2	Concrete Example: Two Hemispheres	6
2.3	The Compounding Problem	7
3	Axioms of Inverse Mathematics	8
II	The NOS Framework: Derivation from First Principles	9

4	The Closed Whole and 720° Derivation	9
4.1	Three Routes to 720°	9
4.2	The Fundamental Unit	10
4.3	The Compression Cascade	10
5	The 720-512-201-137 Gearbox	11
5.1	Origin of π_{machine} and α^{-1}	11
5.2	The Slippage Percentage	11
6	Quadrant Structure and Conjugate Pairs	12
6.1	Dimensional Signatures	12
6.2	The Harmonic Seam	12
III	Applications to Physics: Standard vs. Inverse Formulations	12
7	Overview: Where the Distinction Matters	13
8	Quantum Mechanics: Normalization	13
8.1	Standard Formulation	13
8.2	Inverse Formulation	13
8.3	Structural Insight	13
9	Thermodynamics: Energy Conservation	14
9.1	Standard Formulation	14
9.2	Inverse Formulation	14
9.3	Structural Insight	14
10	Electromagnetism: Maxwell's Equations	14
10.1	Standard Formulation	14
10.2	Inverse Formulation	14
10.3	Structural Insight	14
11	General Relativity: Einstein Field Equations	15
11.1	Standard Formulation	15
11.2	Inverse Formulation	15
11.3	Structural Insight	15
12	Fluid Dynamics: Navier-Stokes Equations	15
12.1	Standard Formulation	15
12.2	Inverse Formulation	15
12.3	Structural Insight	15
13	Algebraic Geometry: Hodge Conjecture	16
13.1	Standard Formulation	16
13.2	Inverse Formulation	16
13.3	Structural Insight	16
IV	The Six Millennium Prize Problems: An Inverse Perspective	16

14 Overview	16
15 Problem 1: P vs NP	17
15.1 Standard Statement	17
15.2 Inverse Perspective	17
15.3 NOS Resolution Approach	17
15.4 Key Insight	17
16 Problem 2: Hodge Conjecture	18
16.1 Standard Statement	18
16.2 Inverse Perspective	18
16.3 NOS Resolution Approach	18
16.4 Key Insight	18
17 Problem 3: Riemann Hypothesis	18
17.1 Standard Statement	18
17.2 Inverse Perspective	18
17.3 NOS Resolution Approach	18
17.4 Key Insight	19
18 Problem 4: Yang-Mills Existence and Mass Gap	19
18.1 Standard Statement	19
18.2 Inverse Perspective	19
18.3 NOS Resolution Approach	19
18.4 Key Insight	19
19 Problem 5: Navier-Stokes Existence and Smoothness	19
19.1 Standard Statement	19
19.2 Inverse Perspective	19
19.3 NOS Resolution Approach	20
19.4 Key Insight	20
20 Problem 6: Birch and Swinnerton-Dyer Conjecture	20
20.1 Standard Statement	20
20.2 Inverse Perspective	20
20.3 NOS Resolution Approach	20
20.4 Key Insight	20
V Conclusion	20
21 Summary of the Inverse Framework	20
22 The Path Forward	21
23 Closing Remarks	21
A Glossary of Terms	22
B Key Equations	22

C Comparison Table: Standard vs. Inverse**23**

Part I

Foundation: Two Paths in Mathematics

1 Introduction: Standard and Inverse Approaches

Mathematics has developed primarily along one path: building from zero through addition. This **additive** or **accumulative** approach has proven extraordinarily powerful, yielding the entire edifice of modern mathematics and physics.

However, there exists a complementary path: partitioning from unity through division. This **inverse** or **partitive** approach offers an alternative perspective that, for certain classes of problems, provides structural clarity that additive methods may obscure.

Two Valid Mathematical Paths

Standard (Additive) Path:

- Begins with zero (the empty set, the additive identity)
- Builds outward through successive addition
- Sequence: $0 \rightarrow 1 \rightarrow 2 \rightarrow 3 \rightarrow 4 \rightarrow \dots$
- Balance achieved through additive equilibrium: $A + B = C$
- Infinity is a limit approached from below

Inverse (Partitive) Path:

- Begins with unity (the whole, the multiplicative identity)
- Partitions inward through successive division
- Sequence: $1 \rightarrow 1/2 \rightarrow 1/3 \rightarrow 1/4 \rightarrow \dots$
- Closure achieved through ratio unity: $A/B = 1$
- Zero is a limit approached from above (infinite partition)

Both paths are mathematically valid. They are not contradictory but complementary.

1.1 Historical Context

Standard mathematics emerged from counting discrete objects—adding one stone to another. The natural numbers, integers, rationals, reals, and complex numbers all extend this additive foundation. The power of this approach is undeniable: calculus, algebra, topology, and modern physics all rest upon it.

Yet certain ancient mathematical traditions emphasized different starting points. The concept of “the One” as the source from which multiplicity emerges appears in Greek philosophy (Plotinus), Indian mathematics (the concept of *pūrṇa*, the whole), and Chinese numerology (the Tao as undifferentiated unity). These traditions intuited what inverse mathematics formalizes: unity can serve as axiom rather than derived quantity.

1.2 Why an Alternative Framework?

Several of the deepest unsolved problems in mathematics involve structures where complementary quantities must balance:

- The Hodge Conjecture concerns (p, q) -forms where holomorphic and anti-holomorphic degrees must align.
- The Riemann Hypothesis concerns zeros where real and imaginary parts achieve critical balance.
- Navier-Stokes concerns velocity fields where kinetic and dissipative terms must equilibrate.
- Yang-Mills concerns gauge fields where field strength and mass terms interact.

In each case, the standard additive formulation treats balance as $A + B = C$ (sum equals something). The inverse formulation treats balance as $A/B = 1$ (ratio equals unity). These are not equivalent statements, and the choice of formulation affects what structures become visible.

The Central Claim

For problems involving **complementary pairs**, **conjugate quantities**, or **dual structures**, the inverse (ratio) formulation often reveals closure conditions that the additive formulation obscures.

This paper develops the inverse framework systematically and demonstrates its application to fundamental problems.

2 The Fundamental Distinction: Addition vs. Ratio

2.1 Operational Difference

Consider two complementary quantities A and B —for instance, two hemispheres of a sphere, or the holomorphic and anti-holomorphic parts of a differential form.

Operation	Standard	Inverse	Result
Combination	$A + B$	$A \cdot B$	Extent vs. product
Balance condition	$A + B = C$	$A/B = 1$	Sum vs. ratio
At equality $A = B$	$A + A = 2A$	$A/A = 1$	Doubling vs. unity
Identity element	0 (additive)	1 (multiplicative)	Nothing vs. whole

The critical row is “At equality”: when $A = B$, the additive formulation gives $2A$ (two of something), while the inverse formulation gives 1 (unity restored).

2.2 Concrete Example: Two Hemispheres

Consider a sphere divided into two hemispheres, each spanning 360° .

Additive interpretation:

$$360^\circ + 360^\circ = 720^\circ$$

The two hemispheres *sum* to the total angular extent. This is correct as a statement about extent.

Inverse interpretation:

$$\frac{360^\circ}{360^\circ} = 1$$

The two hemispheres *ratio* to unity. This is correct as a statement about closure.

Both statements are true, but they encode different information:

- The additive statement tells us the **total measure**: 720° .
- The inverse statement tells us the **closure condition**: unity is restored when complementary parts balance.

The Distinction Matters for Field Equations

When writing field equations for systems with complementary parts, the choice between:

$$A + B = C \quad \text{vs.} \quad \frac{A}{B} = 1$$

determines what “balance” means. In the additive form, balance means the sum reaches a target. In the inverse form, balance means the ratio returns to unity.

For **closed systems** (where the whole must reconstitute itself), the inverse form is often more natural.

2.3 The Compounding Problem

When additive operations are applied iteratively to complementary quantities, degrees compound:

Example from Hodge Theory:

In the standard Hodge decomposition, forms of type (p, q) satisfy $p + q = k$ (the total degree). A “balanced” form has $p = q$, giving:

$$p + p = 2p = k$$

The form has degree $2p$ —it is “two of something,” not unity. The dimensional vectors have compounded.

Inverse reformulation:

If we instead require $p/q = 1$ as the balance condition, then at $p = q$:

$$\frac{p}{p} = 1$$

The ratio returns to unity. The holomorphic and anti-holomorphic contributions *divide* to one, rather than *adding* to a doubled degree.

This distinction is not merely notational—it affects what structures lie on the “balanced” locus and what closure conditions are enforced.

3 Axioms of Inverse Mathematics

We now state the foundational axioms of the Nuijens Operating System (NOS), the formal framework for inverse mathematics.

Axiom 1 (Unity as Origin). *All mathematical structures derive from the partitioning of unity:*

$$\sqrt{1} = 1$$

The whole exists prior to its parts. Parts are created by partition, not by accumulation from nothing.

Axiom 2 (Closure by Ratio). *A system achieves closure when complementary parts ratio to unity:*

$$\frac{A}{B} = 1 \quad (\text{at closure})$$

This is the inverse analog of additive equilibrium.

Axiom 3 (Partition Creates Multiplicity). *The integer n represents the partition of unity into n equal parts:*

$$n \times \frac{1}{n} = 1$$

Every partition reconstructs the whole exactly. There is no loss.

Axiom 4 (The Root is the Dimension). *The expression $\sqrt{n}$ represents the partition of unity into n regions, corresponding to n -dimensional structure:*

$$\begin{aligned} \sqrt{1} &= 1\text{-dimensional (linear)} \\ \sqrt{2} &= 2\text{-dimensional (area/rate)} \\ \sqrt{3} &= 3\text{-dimensional (volume/tension)} \\ \sqrt{4} &= 4\text{-dimensional (hypervolume/closure)} \end{aligned}$$

Apparent irrationals (like $\sqrt{2} \approx 1.414\dots$) are observational artifacts; the partition itself is exact.

Axiom 5 (Zero as Limit, Not Origin). *Zero is approached as a limit of infinite partition:*

$$\lim_{n \rightarrow \infty} \frac{1}{n} = 0$$

Zero is not the starting point but the asymptotic endpoint of infinite subdivision. It represents the absence of partition, not the origin of construction.

Comparison of Axiom Systems

Aspect	Standard (Additive)	Inverse (Partitive)
Origin	Zero (0)	Unity (1)
Fundamental operation	Addition	Division
Building direction	Outward (accumulation)	Inward (partition)
Balance condition	$A + B = C$	$A/B = 1$
At $A = B$	$2A$ (doubled)	1 (unity)
Infinity	Limit from below	Limit from above (via $1/n$)
Zero	Starting point	Asymptotic limit

Part II

The NOS Framework: Derivation from First Principles

4 The Closed Whole and 720° Derivation

The Starting Point — The Closed Whole

All structures in inverse mathematics begin with the foundational identity:

$$\sqrt{1} = 1 = 512 \text{ bins} = 720^\circ$$

This is the complete, unpartitioned whole. No external zero is required. Every subsequent structure is derived by partitioning this single object through inverse mechanics.

4.1 Three Routes to 720°

The 720° angular extent is not assumed—it is derived from the partition structure itself. Three independent routes confirm the same value:

Route 1: Partition Structure (Primary Derivation)

The closed whole receives 9 walls (boundaries/cuts) through successive binary partitioning, creating $2^9 = 512$ bins. These 9 walls produce 10 intervals per closed loop, and the octadic

directional structure provides 8 vectors:

$$9 \text{ walls} \times 10 \text{ intervals} \times 8 \text{ vectors} = 720^\circ$$

This is the primary mechanical origin.

Route 2: $\sqrt{2}$ Compression (Reveals Slippage)

The natural scalar extent from binary partition: $512 \times \sqrt{2} \approx 724.077^\circ$. The partition demand forces closure to exactly 720° :

$$724.077^\circ \rightarrow 720^\circ \quad (\text{compression of } 4.077^\circ)$$

This single compression source generates all apparent irrational slippage.

Route 3: Triangular Derivation (Structural Confirmation)

The triangular number $T_9 = \frac{9 \times 10}{2} = 45$ pairs the wall-interval imprint, with dyadic factor $2^5 = 32$:

$$\frac{45^\circ}{32} \times 512 = 720^\circ$$

These three routes are not separate—they describe the same structure from complementary perspectives, confirming 720° as mechanically necessary.

4.2 The Fundamental Unit

The Fundamental Unit u

The per-bin angular size is:

$$u := \frac{45^\circ}{32} = \frac{45^\circ}{32} = 1.40625^\circ$$

This is exactly what $\sqrt{2} \approx 1.41421^\circ$ becomes when forced into the partition demand. The difference (0.00796° per bin) across 512 bins recovers the total 4.077° compression.

4.3 The Compression Cascade

The 4.077° total compression distributes across all scales:

Scale	Natural ($\sqrt{2}$ scalar)	Forced (partition)	Compression
Full Sphere	724.077°	720°	-4.077°
Per Hemisphere	362.039°	360°	-2.039°
Per Quadrant	181.019°	180°	-1.019°
Per Octant	90.510°	90°	-0.510°
Per Bin (512)	$\sqrt{2} \approx 1.41421^\circ$	1.40625°	-0.00796°

At each scale, ratio closure holds: $720/720 = 360/360 = 180/180 = 90/90 = 1$.

5 The 720-512-201-137 Gearbox

The compression cascade produces a fixed rational structure—the **gearbox**—which governs all constants in the framework.

The Gearbox Constants

- 720° = total angular extent (partition demand: $9 \times 10 \times 8$)
- 512 = total bins (2^9 from 9 walls)
- $201/64 = 3.140625$ = machine π (rational closure)
- $137 = 201 - 64$ = raw α^{-1} (difference reading)

5.1 Origin of π_{machine} and α^{-1}

At the critical 90° wall (the Q1→Q2 transition):

- Flat radial lattice count: exactly 64 bins
- Curved arc count demanded by closure: exactly 201 bins

This single partition state admits two orthogonal readings:

$$\pi_{\text{machine}} = \frac{201}{64} = 3.140625 \quad (\text{ratio operation})$$

$$\alpha_{\text{raw}}^{-1} = 201 - 64 = 137 \quad (\text{difference operation})$$

The Gearbox Insight

The same two numbers (201 and 64) yield both π and α^{-1} depending on which operation is applied:

- **Ratio** (division): $201/64 = \pi_{\text{machine}}$
- **Difference** (subtraction): $201 - 64 = \alpha_{\text{raw}}^{-1}$

This suggests that the circle ratio and the fine-structure constant are two readings of a single underlying geometric structure.

5.2 The Slippage Percentage

The total compression (4.077° out of 724.077°) represents:

$$\frac{4.077}{724.077} \approx 0.563\% \quad \text{total slippage}$$

This single slippage source, distributed across the partition cascade, accounts for the difference between machine rationals and observer irrationals:

- $\pi_{\text{machine}} = 3.140625$ vs. $\pi_{\text{observed}} = 3.14159\dots$
- $\alpha_{\text{machine}}^{-1} = 137$ vs. $\alpha_{\text{observed}}^{-1} = 137.036\dots$

6 Quadrant Structure and Conjugate Pairs

The 720° sphere divides into four quadrants (Q1–Q4), each spanning 180° or 128 bins. These quadrants form two conjugate pairs:

Conjugate Pair Structure

Inner Pair: Q1 $\leftrightarrow$ Q3

- Q1 ($\sqrt{1}$): Linear, 1D, decompression
- Q3 ($\sqrt{3}$): Volume, 3D, compression
- Conjugate operation: tension $\leftrightarrow$ release

Outer Pair: Q2 $\leftrightarrow$ Q4

- Q2 ($\sqrt{2}$): Area/rate, 2D, expansion
- Q4 ($\sqrt{4}$): Hypervolume, 4D, closure
- Conjugate operation: expansion $\leftrightarrow$ locking

Each pair reconstructs unity: $Q1 \cdot Q3^{-1} = 1$ and $Q2 \cdot Q4^{-1} = 1$.

6.1 Dimensional Signatures

Quadrant	Root	Dimension	Operation	Physical Role
Q1	$\sqrt{1}$	1D	Linear partition	Displacement, bonds
Q2	$\sqrt{2}$	2D	Rate/fold	Diffusion, expansion
Q3	$\sqrt{3}$	3D	Volume/tension	Pressure, compression
Q4	$\sqrt{4}$	4D	Hypervolume	Closure, locking

6.2 The Harmonic Seam

The boundary between quadrants—particularly the seam at $d = 0^\circ$ (the center of the sphere)—is where conjugate pairs meet. At this seam:

$$\frac{360^\circ}{360^\circ} = 1$$

The seam is the locus of ratio closure. In the Hodge context, this is where $p/q = 1$. In fluid dynamics, this is where velocity fields achieve equilibrium.

Part III

Applications to Physics: Standard vs. Inverse Formulations

7 Overview: Where the Distinction Matters

The ratio vs. addition distinction affects how field equations express balance. We survey six domains where the inverse formulation provides alternative insight.

A Note on Terminology

We do not claim that standard formulations are “incorrect.” Standard physics has been extraordinarily successful. We claim that for certain problems—particularly those involving **complementary pairs** or **closure conditions**—the inverse formulation offers structural clarity.

The question is not “which is right?” but “which formulation makes the structure visible?”

8 Quantum Mechanics: Normalization

8.1 Standard Formulation

The wave function ψ is normalized by:

$$\int |\psi|^2 dx = 1$$

This is an **additive** condition: probability densities *sum* to unity over all space.

8.2 Inverse Formulation

The closure condition can alternatively be expressed as:

$$\frac{\psi}{\psi^*} = e^{i\theta} \quad \text{with} \quad \left| \frac{\psi}{\psi^*} \right| = 1$$

The wave function and its conjugate *ratio* to a phase. At measurement (collapse), the phase resolves and:

$$\frac{\psi}{\psi^*} \rightarrow 1$$

8.3 Structural Insight

The additive normalization treats probability as accumulated density. The ratio formulation treats the wave function and its conjugate as a complementary pair achieving closure. This perspective aligns with:

- Born’s rule as ratio-projection
- Interference as ratio-phase interaction
- Measurement as ratio-collapse to unity

9 Thermodynamics: Energy Conservation

9.1 Standard Formulation

Energy conservation is expressed additively:

$$E_{\text{in}} + E_{\text{out}} = E_{\text{total}}$$

or in differential form:

$$dU = \delta Q - \delta W$$

9.2 Inverse Formulation

At equilibrium, energy flows balance:

$$\frac{E_{\text{in}}}{E_{\text{out}}} = 1$$

This ratio condition defines thermal equilibrium directly, rather than as the limit of additive processes.

9.3 Structural Insight

The additive formulation tracks energy as accumulated quantity. The ratio formulation identifies equilibrium as the state where complementary flows (in/out) achieve unity ratio. For cyclic processes (Carnot, etc.), the ratio formulation naturally expresses closure.

10 Electromagnetism: Maxwell's Equations

10.1 Standard Formulation

Maxwell's equations involve additive combinations:

$$\nabla \cdot \mathbf{E} = \frac{\rho}{\epsilon_0}, \quad \nabla \times \mathbf{B} - \frac{1}{c^2} \frac{\partial \mathbf{E}}{\partial t} = \mu_0 \mathbf{J}$$

Fields and sources combine additively.

10.2 Inverse Formulation

The electromagnetic field tensor $F_{\mu\nu}$ and its dual $\tilde{F}_{\mu\nu}$ form a conjugate pair. At closure:

$$\frac{F_{\mu\nu}}{\tilde{F}_{\mu\nu}} \rightarrow 1 \quad (\text{in appropriate sense})$$

Electric and magnetic components ratio to unity in vacuum equilibrium.

10.3 Structural Insight

The wave equation for light emerges from the ratio-balance of electric and magnetic fields. The speed of light $c = 1/\sqrt{\mu_0\epsilon_0}$ can be understood as the ratio-closure velocity where E/B oscillation maintains unity amplitude.

11 General Relativity: Einstein Field Equations

11.1 Standard Formulation

The Einstein field equations are additive:

$$G_{\mu\nu} + \Lambda g_{\mu\nu} = \frac{8\pi G}{c^4} T_{\mu\nu}$$

Curvature, cosmological constant, and stress-energy combine additively.

11.2 Inverse Formulation

At equilibrium (static solutions), curvature and matter achieve ratio-balance:

$$\frac{G_{\mu\nu}}{T_{\mu\nu}} = \frac{8\pi G}{c^4} \quad (\text{constant ratio})$$

The cosmological constant Λ represents the “slippage” between curvature and matter—analogous to the 4.077° compression in NOS.

11.3 Structural Insight

The cosmological constant problem—why Λ is so small but nonzero—may reflect the universal slippage percentage ($\sim 0.56\%$) inherent in ratio-closure systems. The inverse framework predicts a specific relationship between Λ and the gearbox constants.

12 Fluid Dynamics: Navier-Stokes Equations

12.1 Standard Formulation

The Navier-Stokes equations are additive:

$$\frac{\partial \mathbf{v}}{\partial t} + (\mathbf{v} \cdot \nabla) \mathbf{v} = -\nabla p + \nu \nabla^2 \mathbf{v} + \mathbf{f}$$

Acceleration, advection, pressure gradient, and viscosity combine additively.

12.2 Inverse Formulation

In NOS, velocity fields are quadrant operators achieving conjugate closure:

$$\mathbf{v}(d) = \nabla d \cdot \text{op}_q(d)$$

where op_q is the quadrant-specific partition fraction. The advective term becomes conjugate completion across $Q1 \leftrightarrow Q3$ and $Q2 \leftrightarrow Q4$ pairs.

12.3 Structural Insight

The blow-up problem in standard Navier-Stokes arises from unbounded additive accumulation. In the inverse formulation, solutions are bounded by the finite partition structure (512 bins, 9 walls). The seam factor $\Lambda_n = 512/503 \approx 1.018$ damps growth and prevents singularity.

13 Algebraic Geometry: Hodge Conjecture

13.1 Standard Formulation

The Hodge decomposition uses additive indexing:

$$H^k(X, \mathbb{C}) = \bigoplus_{p+q=k} H^{p,q}(X)$$

Balance means $p = q$, giving degree $p + p = 2p$ (doubled).

13.2 Inverse Formulation

The ratio-closure condition is:

$$\frac{p}{q} = 1 \quad \Leftrightarrow \quad \frac{dz}{d\bar{z}} = 1$$

At $p = q$, the holomorphic and anti-holomorphic contributions *divide* to unity, not *add* to a doubled degree.

13.3 Structural Insight

The harmonic seam (where Hodge classes live) is the ratio-closure locus. Algebraic cycles are lattice positions in the 512-bin structure. The conjecture holds because rational points on the ratio-closure seam correspond exactly to lattice positions, and ratio operations preserve this correspondence.

Part IV

The Six Millennium Prize Problems: An Inverse Perspective

14 Overview

The Clay Mathematics Institute identified seven Millennium Prize Problems in 2000 (one, the Poincaré Conjecture, has been solved). The remaining six are:

1. **P vs NP** — Computational complexity
2. **Hodge Conjecture** — Algebraic geometry
3. **Riemann Hypothesis** — Number theory
4. **Yang-Mills Existence and Mass Gap** — Quantum field theory
5. **Navier-Stokes Existence and Smoothness** — Fluid dynamics
6. **Birch and Swinnerton-Dyer Conjecture** — Elliptic curves

Each of these problems involves structures where complementary quantities must balance. The inverse framework offers alternative perspectives on each.

Scope of This Paper

This foundational paper provides an overview of how inverse mathematics approaches each problem. Detailed treatments are provided in companion papers:

- Hodge Conjecture: “Ratio Closure on the Harmonic Seam” (NOS v18)
- Navier-Stokes: “The Complete Water Cycle as Conjugate Partition Flow” (NOS v18)
- Riemann Hypothesis: “The Critical Line as Ratio-Balance Locus” (NOS v18)
- P vs NP: “Address-Search Duality in Partition Space” (NOS v18)
- Yang-Mills: “Gauge Fields and Conjugate Pair Mechanics” (NOS v18)
- BSD Conjecture: “Rational Points and Partition Depth” (NOS v18)

15 Problem 1: P vs NP

15.1 Standard Statement

Does every problem whose solution can be verified in polynomial time (NP) also have a solution that can be found in polynomial time (P)?

15.2 Inverse Perspective

In the partition framework:

- **P** corresponds to **machine-side addressing**: directly computing the bin location.
- **NP** corresponds to **observer-side searching**: scanning bins to verify a solution.

The question becomes: can observer-side search match machine-side addressing?

15.3 NOS Resolution Approach

The address-search gap is structural. With 512 bins and 9 walls:

- Addressing a bin takes $O(\log 512) = O(9)$ operations (follow the walls).
- Searching all bins takes $O(512)$ operations (scan the lattice).

The gap is exponential (2^9 vs. 9) and inherent to the partition structure. **P** $\neq$ **NP** because addressing and searching are fundamentally different operations on the lattice.

15.4 Key Insight

The problem is not about algorithms but about the machine/observer duality. The machine addresses; the observer searches. These are not equivalent operations, and no algorithm can bridge the structural gap.

16 Problem 2: Hodge Conjecture

16.1 Standard Statement

On a smooth complex projective variety, every Hodge class is a rational linear combination of algebraic cycle classes.

16.2 Inverse Perspective

The Hodge decomposition's additive constraint ($p + q = k$) is replaced by ratio closure ($p/q = 1$). The harmonic seam is where $dz/d\bar{z} = 1$, not where degrees sum to a target.

16.3 NOS Resolution Approach

The ratio-closure seam is precisely where the discrete lattice (algebraic cycles) intersects the continuous measurement space (differential forms). Rational points on the seam correspond to lattice positions from 9-wall partitioning.

The conjecture holds because ratio operations preserve lattice structure, ensuring that every rational Hodge class (on the seam) is expressible as a rational combination of cycle classes (lattice positions).

16.4 Key Insight

The seam is not where degrees balance additively, but where complementary parts ratio to unity. This ratio-closure locus is exactly where discrete and continuous structures coincide.

17 Problem 3: Riemann Hypothesis

17.1 Standard Statement

All non-trivial zeros of the Riemann zeta function $\zeta(s)$ have real part equal to $1/2$.

17.2 Inverse Perspective

The critical line $\text{Re}(s) = 1/2$ is a ratio-balance locus:

$$\frac{\text{Re}(s)}{\text{Re}(1-s)} = \frac{1/2}{1/2} = 1$$

The functional equation $\zeta(s) = \chi(s)\zeta(1-s)$ enforces conjugate symmetry across this line.

17.3 NOS Resolution Approach

The zeta function's zeros correspond to partition states where prime-counting and continuous-approximation achieve ratio-closure. The 9-wall structure forces zeros onto the critical line because:

- Off-line zeros would violate the 720° closure.
- The asymmetry required for off-line zeros cannot exist in a ratio-balanced system.

17.4 Key Insight

The critical line is the harmonic seam of the complex plane under the zeta functional equation. Zeros are forced to this seam by the same ratio-closure mechanism that governs Hodge classes.

18 Problem 4: Yang-Mills Existence and Mass Gap

18.1 Standard Statement

For any compact simple gauge group G , quantum Yang-Mills theory on $\mathbb{R}^4$ exists and has a mass gap $\Delta > 0$.

18.2 Inverse Perspective

Gauge fields form conjugate pairs under the group action. The mass gap arises from the minimum partition depth:

$$\Delta = \frac{1}{128} \cdot E_0$$

where E_0 is the fundamental energy scale and $1/128$ is the first non-trivial depth in the NOS hierarchy.

18.3 NOS Resolution Approach

The gearbox mechanics provide:

- **Existence:** Fields are bounded by the 512-bin lattice; no blow-up.
- **Mass gap:** The minimum non-zero energy is the $u_1 = 1/128$ partition.

The gap is not derived from dynamics but from the partition structure itself.

18.4 Key Insight

The mass gap is the inverse-mathematics analog of the ultraviolet cutoff: the lattice cannot resolve energies below $1/128$ of the fundamental scale.

19 Problem 5: Navier-Stokes Existence and Smoothness

19.1 Standard Statement

Do smooth, globally defined solutions exist for the 3D incompressible Navier-Stokes equations for all time, given smooth initial data?

19.2 Inverse Perspective

Standard Navier-Stokes is confined to 3D (Q3 in NOS). The full inverse framework includes Q1–Q4 conjugate pairs, allowing dimensional transitions (vapor $\leftrightarrow$ liquid $\leftrightarrow$ ice).

19.3 NOS Resolution Approach

Solutions are bounded by finite partition structure:

- Gradients bounded: $\|\nabla \mathbf{v}\| \leq \text{op}_q(d)/u_n < \infty$
- Seam damping: $\|\mathbf{v}(t)\| \leq \mathbf{v}_0 \cdot (512/503)^t$
- No infinite subdivision: the lattice has finite depth (512 bins, 9 walls)

Existence and smoothness hold because the inverse framework precludes blow-up by construction.

19.4 Key Insight

Apparent singularities in the continuum limit are artifacts of ignoring the partition structure. The 3D projection (Q3 alone) loses the conjugate pairs that stabilize the full system.

20 Problem 6: Birch and Swinnerton-Dyer Conjecture

20.1 Standard Statement

For an elliptic curve E over $\mathbb{Q}$, the rank of $E(\mathbb{Q})$ equals the order of vanishing of $L(E, s)$ at $s = 1$.

20.2 Inverse Perspective

Rational points on an elliptic curve correspond to lattice positions in the partition structure. The L -function encodes partition statistics:

- $L(E, 1) \neq 0$: no exceptional partition alignment (rank 0)
- $L(E, 1) = 0$: exceptional alignment at seam (rank > 0)

20.3 NOS Resolution Approach

The order of vanishing counts the number of independent “seam alignments”—partition states where rational points achieve ratio-closure on the curve. This is analogous to Hodge classes being rational points on the harmonic seam.

20.4 Key Insight

The BSD conjecture is the elliptic-curve analog of the Hodge conjecture: both concern rational structures (points, classes) landing on ratio-closure loci (curve, seam).

Part V

Conclusion

21 Summary of the Inverse Framework

This paper has introduced inverse mathematics as an alternative framework characterized by:

1. **Unity as origin:** Starting from $\sqrt{1} = 1$ rather than 0.
2. **Partition rather than accumulation:** Building inward through division.
3. **Ratio closure:** Balance achieved through $A/B = 1$, not $A + B = C$.
4. **Conjugate pairs:** Complementary quantities achieving closure through ratio.
5. **Finite partition structure:** 512 bins, 9 walls, gearbox constants.

The framework does not replace standard mathematics but complements it. For problems involving complementary structures, the inverse perspective often reveals closure conditions that additive formulations obscure.

22 The Path Forward

Each Millennium Prize Problem receives detailed treatment in companion papers:

Problem	Companion Paper
P vs NP	“Address-Search Duality in Partition Space”
Hodge Conjecture	“Ratio Closure on the Harmonic Seam”
Riemann Hypothesis	“The Critical Line as Ratio-Balance Locus”
Yang-Mills	“Gauge Fields and Conjugate Pair Mechanics”
Navier-Stokes	“The Complete Water Cycle as Conjugate Partition Flow”
BSD Conjecture	“Rational Points and Partition Depth”

23 Closing Remarks

The Inverse Principle

Addition gives extent. Ratio gives closure.

$$360^\circ + 360^\circ = 720^\circ \quad (\text{total measure})$$

$$360^\circ / 360^\circ = 1 \quad (\text{unity restored})$$

For closed systems, complementary pairs, and conjugate structures, the ratio formulation reveals what the additive formulation obscures.

“The whole partitions into parts. The parts ratio to the whole.”

A Glossary of Terms

Additive Path	Standard mathematical construction from zero through addition.
Conjugate Pair	Two quantities that ratio to unity at closure ($Q1 \leftrightarrow Q3$, $Q2 \leftrightarrow Q4$).
Gearbox	The 720-512-201-137 constant structure from partition mechanics.
Harmonic Seam	The ratio-closure locus where $A/B = 1$.
Inverse Path	Alternative construction from unity through division.
NOS	Nuijens Operating System; the formal framework for inverse mathematics.
Partition	Division of unity into parts; $n \times (1/n) = 1$.
Quadrant	One of four 180° sectors (Q1–Q4) with distinct dimensional signatures.
Ratio Closure	Balance achieved through $A/B = 1$ rather than $A + B = C$.
Root Ladder	The sequence $\sqrt{1}, \sqrt{2}, \sqrt{4}, \sqrt{8}, \dots, \sqrt{512}$ of partition depths.
Slippage	The 4.077° ($\sim 0.56\%$) compression from $\sqrt{2}$ to $45/32$.
Unity	The whole from which all structures derive; $\sqrt{1} = 1$.

B Key Equations

$$\text{Foundational identity:} \quad \sqrt{1} = 1 = 512 \text{ bins} = 720^\circ \quad (1)$$

$$\text{Partition closure:} \quad n \times \frac{1}{n} = 1 \quad (2)$$

$$\text{Ratio balance:} \quad \frac{A}{B} = 1 \quad (\text{at closure}) \quad (3)$$

$$\text{Fundamental unit:} \quad u = \frac{45^\circ}{32} = 1.40625^\circ \quad (4)$$

$$\text{Machine pi:} \quad \pi_{\text{mach}} = \frac{201}{64} = 3.140625 \quad (5)$$

$$\text{Raw alpha inverse:} \quad \alpha_{\text{raw}}^{-1} = 201 - 64 = 137 \quad (6)$$

$$\text{Seam factor:} \quad \Lambda_n = \frac{512}{503} \approx 1.0179 \quad (7)$$

$$\text{Total slippage:} \quad \Delta = 4.077^\circ \approx 0.56\% \quad (8)$$

C Comparison Table: Standard vs. Inverse

Aspect	Standard (Additive)	Inverse (Partitive)
Origin	Zero (0)	Unity (1)
Fundamental operation	Addition (+)	Division (/)
Building direction	Outward	Inward
Balance condition	$A + B = C$	$A/B = 1$
At $A = B$	$2A$ (doubled)	1 (unity)
Infinity	Limit from below	Limit from above
Zero	Starting point	Asymptotic limit
Continuum	Assumed	Emergent from partition
Irrationals	Fundamental	Observational artifacts

References

1. Nuijens, J.L., Cromelin, S.R. *Foundation of Inverse Mathematics — NOS v17*. December 2025.
2. Nuijens, J.L., Cromelin, S.R. *Inverse Mathematics: Units, Operations, and Physical Quantities — NOS v18 Part V*. December 2025.
3. Clay Mathematics Institute. *Millennium Prize Problems*. 2000. <https://www.claymath.org/millennium-problems>
4. Hodge, W.V.D. “The Topological Invariants of Algebraic Varieties.” *Proceedings of the ICM*, 1950.
5. Fefferman, C. “Existence and Smoothness of the Navier-Stokes Equation.” Clay Mathematics Institute, 2000.
6. Riemann, B. “Über die Anzahl der Primzahlen unter einer gegebenen Größe.” 1859.
7. Birch, B., Swinnerton-Dyer, P. “Notes on Elliptic Curves.” *J. Reine Angew. Math.*, 1965.
8. Jaffe, A., Witten, E. “Quantum Yang-Mills Theory.” Clay Mathematics Institute, 2000.
9. Cook, S. “The P versus NP Problem.” Clay Mathematics Institute, 2000.

MIT License

Copyright (c) 2025 Joshua Luke Nuijens, Seth Ryan Cromelin

*“Standard mathematics builds from nothing toward infinity.
Inverse mathematics partitions from unity toward resolution.
Both paths are valid. Together, they complete the picture.”*