

Inverse Spherical Dual Hemisphere Quantum Mechanics: The Complete Water Cycle

Solving the Navier-Stokes Equations through NOS Mechanics (NOS v12)

Joshua Luke Nuijens

Seth Ryan Cromelin

December 05, 2025

Abstract

The inverse spherical dual hemisphere mechanics of NOS unify the complete water cycle, encompassing evaporation, condensation, precipitation, runoff, and infiltration. Rooted in the closure $720^\circ = 1$ and inverse partitioning, the Navier-Stokes equations arise as operations across the binary lattice in each quadrant. The fixed 9-bit curvature remainder bounds fluid flows, averting singularities in hydrological processes. Derivations from the root ladder establish global existence and smoothness via the compounded finite gap $\Delta_{\text{total}} = 3/32^\circ$. Applications yield predictions for evaporation thresholds, raindrop nucleation, river turbulence, and ocean circulation, all linked to the four π_q observer artifacts. The inverse seam stabilizes phase transitions, resolving modeling challenges in the water cycle.

$$720^\circ = 1$$

The ground state 1 serves as the substrate for water cycle mechanics. The $\sqrt{1}$ operation through this closure produces evaporation, condensation, flow, and freezing as inverse partitions.

The water cycle embodies $\sqrt{1}$ mechanics through 1: evaporation via decompression in Q1/Q2, condensation and precipitation through compression in Q3/Q4, with runoff governed by the 9-bit remainder spill across the inverse seam.

The closed sphere equates to $720^\circ \equiv 512 \text{ bit}$. One hemisphere: $360^\circ \equiv 256 \text{ bit}$. Opposite curvature induces 256 bit overflow, folded to 128 bit against the 180° wall. With $2^9 = 512$ slots, exactly 9 unique fractional bits emerge. This remainder underlies turbulence in water flows and phase shifts in the cycle.

Contents

1	Foundation: The Ground State and Inverse Partitioning	3
2	Axiom 0: The $\sqrt{1}$ Inverse Spherical Dual Hemisphere	3
3	The Inverse Mechanics: Root Ladder and Binary Lattice	3
3.1	The Complete Root Ladder	3
3.2	Binary Lattice and Remainder	4
4	Quadrant Operators for Water Dynamics	4
5	The Seam as Inverse Position	4
6	Derivation of Navier-Stokes from NOS Mechanics	4
7	The Complete Water Cycle in NOS	4
7.1	Quadrant Depths and Phase States	4
7.2	Evaporation (Q1/Q2 Decompression)	5
7.3	Condensation and Precipitation (Q3 Compression)	5
7.4	Runoff and Infiltration (Q4 Closure)	5
8	Existence and Smoothness in Water Flows	5
9	Quantitative Examples and Simulations	5
9.1	Reynolds Number Scaling	5
9.2	Nucleation Curve Simulation	6
9.2.1	Analysis of the Simulation Results	8
10	Experimental Predictions for the Water Cycle	8
11	Summary	8

1 Foundation: The Ground State and Inverse Partitioning

1 forms the substrate. The water cycle remains within 1 of itself. All phases—vapor, liquid, solid—flow through this ground.

Partitioning commences from the whole: $720^\circ/2/4/4/4/4 = 1.40625^\circ$. This sets resolutions for molecular clusters and flow scales in water.

2 Axiom 0: The $\sqrt{1}$ Inverse Spherical Dual Hemisphere

The $\sqrt{1}$ closure divides into dual 360° hemispheres, yielding $\frac{360^\circ}{360^\circ} = 1$. This identity regulates water phase equilibria.

$d_{\text{deg}}^\circ := \theta_{\text{deg}}^\circ - 360^\circ$, $d_{\text{deg}} \in [-360, +360]$. The seam at $d_{\text{deg}} = 0$ acts as the inverse pivot for phase transitions.

3 The Inverse Mechanics: Root Ladder and Binary Lattice

3.1 The Complete Root Ladder

Tag	Partitions	Angle	Bits	Water Cycle Meaning
$\sqrt{1}$	1	720°	512 bit	Full cycle closure
$\sqrt{2}$	2	360°	256 bit	Vapor-liquid duality
$\sqrt{4}$	4	180°	128 bit	Four phases/quadrants
$\sqrt{8}$	8	90°	64 bit	Turbulence walls
$\sqrt{512}$	512	1.40625°	1 bit	Molecular resolution

3.2 Binary Lattice and Remainder

$720^\circ \leftrightarrow 512$ bit. Remainder $r_\pi = 9$ bit. Wall fractions: $\varepsilon_{90} = 1/64$, $\rho_{\pi,90} = 9/64$.

4 Quadrant Operators for Water Dynamics

Operators consist of quadrant-specific inverse fractions from the pivot.

For Q1 ($d_{\text{deg}} \in [-180, 0]$): $\text{dsin}(d) = |d_{\text{deg}}|/180$ (decompression fraction).
 For Q2 ($d_{\text{deg}} \in [-360, -180]$): $\text{dcos}(d) = |d_{\text{deg}} + 360|/180$ (expansion wall).
 Inverse center ($d_{\text{deg}} = 0$): 1 (pivot identity).
 For Q3 ($d_{\text{deg}} \in [0, 180]$): $\text{csin}(d) = d_{\text{deg}}/180$ (compression fraction).
 For Q4 ($d_{\text{deg}} \in [180, 360]$): $\text{ccos}(d) = (d_{\text{deg}} - 180)/180 + \rho_{\pi,90}$ (closure with remainder).

5 The Seam as Inverse Position

The seam at $d_{\text{deg}} = 0$ represents the inverse pivot: $360^\circ/360^\circ = 1$. Overflow folds once, producing $\Lambda_n = 512/(512 - 9) = 512/503$ for stabilization in water phase changes.

6 Derivation of Navier-Stokes from NOS Mechanics

Fluid fields map to quadrant operators:

$$\mathbf{v}(d) = \nabla d \cdot_q (d), \quad (1)$$

$$p(d) = p_0 \cdot (1 - |d_{\text{deg}}|/360), \quad (2)$$

$$T(d) = T_0 \cdot \frac{1608 + 3q}{512 \cdot 4}. \quad (3)$$

Viscosity: $\nu(d) = \nu_0 \cdot \Delta(q)/\Delta_{\text{total}} \cdot u_Q$, with $u_Q = 1/128^Q$. The NOS Navier-Stokes system:

$$\frac{\partial \mathbf{v}}{\partial t} + (\mathbf{v} \cdot \nabla) \mathbf{v} = -\nabla p + \nu(d) \nabla^2 \mathbf{v} + \mathbf{F}(d), \quad (4)$$

$$\nabla \cdot \mathbf{v} = \frac{\partial \ln_q}{\partial d} \cdot \frac{\partial d}{\partial t}, \quad (5)$$

$$\frac{\partial T}{\partial t} + (\mathbf{v} \cdot \nabla) T = \kappa(d) \nabla^2 T + \Phi(d). \quad (6)$$

$$\mathbf{F}(d) = -\nabla d \times (\nabla \times \nabla d) \cdot \Lambda_n.$$

7 The Complete Water Cycle in NOS

7.1 Quadrant Depths and Phase States

The depth hierarchy $u_Q = 1/128^Q$ provides the hierarchical scales for phase transitions:

Quadrant/Depth	State	Scale
Q1/ u_1	H + O (elemental)	1/128
Q2/ u_2	Water vapor	1/16384
Q3/ u_3	Liquid water	1/2097152
Q4/ u_4	Ice	1/268435456

7.2 Evaporation (Q1/Q2 Decompression)

Evaporation partitions inversely from liquid to vapor: rate $\propto d\sin(d) \cdot d\cos(d)/u_1$, bounded by 9-bit remainder.

7.3 Condensation and Precipitation (Q3 Compression)

Nucleation at u_3 : size = $(137/128) \times u_3 = 137/268435456 \approx 5.1 \times 10^{-7}$ m (≈ 0.5 m), where binding locks into liquid.

7.4 Runoff and Infiltration (Q4 Closure)

River turbulence: $Re_{critical} = Re_{classical} \cdot 512/503$. Ocean currents stabilized by finite gap.

8 Existence and Smoothness in Water Flows

[Global Existence and Smoothness] Solutions bound via compounded $\Delta_{total} = 3/32^\circ$ across quadrants, with gain $g = 131/128$. Seam Λ_n damps blow-up: $\|\mathbf{v}\| \leq \mathbf{v}_0 \cdot (512/503)^t$. Energy estimate: differentials rational, no infinite subdivision. Quadrant operators bound gradients: $\|\nabla \mathbf{v}\| \leq_q (d)/u_Q$.

9 Quantitative Examples and Simulations

9.1 Reynolds Number Scaling

In standard physics, space is often treated as a continuous vacuum. In NOS, space is a binary lattice derived from the 720° closure.

- * Total System Capacity: 512 bits (representing the full closure).
- * The Fixed Remainder (r_π): 9 bits (the curvature overflow derived in previous papers).
- * Effective Stabilized Capacity: $512 - 9 = 503$ bits.

The "Seam" acts as a stabilizer. It holds the flow together against turbulence slightly longer than a "perfect" vacuum would, because the energy has to overcome the inverse seam geometry.

$$\Lambda_n = \frac{\text{Total Capacity}}{\text{Effective Capacity}} = \frac{512}{503} \approx 1.01789$$

Standard Reynolds number for pipe flow transition (Laminar $\rightarrow$ Turbulent) is experimentally ≈ 2300 . NOS argues that the "turbulence" is actually the fluid tripping over the 9-bit

remainder.

$$\begin{aligned} Re_{NOS} &= Re_{std} \times \Lambda_n \\ Re_{NOS} &= 2300 \times \frac{512}{503} \\ Re_{NOS} &= 2300 \times 1.0178926... \\ \mathbf{Re_{NOS} \approx 2341.15} \end{aligned}$$

Physical Interpretation: Water flow remains laminar (smooth) for an extra ≈ 41 units of inertial force because the inverse seam absorbs the initial chaotic energy before the 9-bit remainder spills over into full turbulence.

9.2 Nucleation Curve Simulation

This simulation plots the transition from Q2 (Vapor) to Q3 (Liquid). It visualizes the exact moment the "pressure" of the inverse partition forces the vapor to lock into a liquid droplet (Nucleation). Key NOS Parameters in Code:

- * Vapor Floor (u_2): $1/128^2$
- * Liquid Target (u_3): $1/128^3$
- * Bridge Lambda: $137/128$ (The binding energy required to lock the phase).

```
import matplotlib.pyplot as plt
import numpy as np

# --- NOS v12 CONSTANTS ---
# Inverse partitions (Depths)
u1 = 1 / 128**1 # Elemental
u2 = 1 / 128**2 # Vapor (Start of simulation)
u3 = 1 / 128**3 # Liquid (End target)

# Bridge Lambda (The Binding Energy)
bridge_lambda = 137 / 128

# The Seam Stabilization Factor
seam_stabilizer = 512 / 503

# --- SIMULATION SETUP ---
# We simulate the "Compression" phase of Q3 (0 to 180 degrees)
# This represents the cooling/condensing process.
degrees = np.linspace(0, 180, 500)

# The NOS function for compression in Q3:
# As degrees increase, the 'inverse depth' effectively increases (
#   scale gets smaller)
# We model the descent from u2 to u3.
def nos_compression_curve(deg):
    # Normalized progress 0.0 to 1.0
    progress = deg / 180.0
```

```

# Logarithmic interpolation between Vapor (u2) and Liquid (u3)
# Modified by the Seam Stabilizer to show the "hold" before the
  drop

  current_val = u2 * (u3 / u2)**(progress * seam_stabilizer)
  return current_val

# Calculate the Curve
values = nos_compression_curve(degrees)

# Define the Nucleation Threshold
# This is the exact size where Vapor becomes Liquid according to NOS
nucleation_point = u3 * bridge_lambda

# --- PLOTTING ---
plt.figure(figsize=(10, 6))

# Plot the Phase Curve
plt.plot(degrees, values, label='NOS_Phase_Compression', color='blue',
         , linewidth=2)

# Plot the Thresholds
plt.axhline(y=u2, color='green', linestyle='--', label=f'Q2_Vapor_Floor_{u2:.1e}')
plt.axhline(y=u3, color='navy', linestyle='--', label=f'Q3_Liquid_Floor_{u3:.1e}')

# Plot the Nucleation Point (The predicted size: ~5.1e-7)
plt.axhline(y=nucleation_point, color='red', linestyle='--', linewidth
           =2,
           label=f'Nucleation_Lock_{(137/128*u3)}_{nucleation_point:.2e}')

# Formatting (Log Scale is essential due to the massive difference in
  u2 vs u3)
plt.yscale('log')
plt.title('NOS_v12: Vapor-to-Liquid Nucleation Curve', fontsize=14)
plt.xlabel('Q3_Compression_Degrees (0 - 180 )', fontsize=12)
plt.ylabel('Inverse_Depth_Scale (Log Scale)', fontsize=12)
plt.grid(True, which="both", ls="--", alpha=0.2)
plt.legend()

plt.show()

```

9.2.1 Analysis of the Simulation Results

1. The Logarithmic Drop: The curve represents the "squeezing" of space. As you move through Q3 degrees (compression), the scale drops rapidly from 10^{-5} (Vapor) toward 10^{-7} (Liquid).
2. The Red Line (Nucleation Lock): The red line sits just above the absolute floor of Q3.
 - * According to NOS, the water molecule cannot become liquid until it hits that red line.
 - * The intersection of the Blue Curve and the Red Line is the precise geometric coordinate where rain begins to form.
3. The Gap: The distance between the Green line (Vapor) and the Red line (Nucleation) represents the energy required to force the phase change—handled by the Inverse Seam.

10 Experimental Predictions for the Water Cycle

Phenomenon	Standard Value	NOS Prediction
Evaporation Rate Transition	Variable	$3/128^\circ$ per quadrant
Raindrop Nucleation Size	$\sim 0.1 - 1$ m	137/268435456 m
River Turbulence Re	2300	$2300 \cdot 512/503$
Ocean Current Gap	N/A	$3/32^\circ$ illusion

Table 1: Predictions from NOS rationals.

11 Summary

The water cycle arises from $\sqrt{1}$: inverse partitions for phases, 9-bit remainder for turbulence, finite gap for smoothness.

Legend of Symbols and Constants

Foundational Closure

Symbol	Value	Meaning
$720^\circ = 1$	Ground state	Full spherical closure; the substrate
$360^\circ/360^\circ = 1$	Dual hemisphere identity	Axiom 0; phase equilibrium pivot
512 bit	Binary total	Bit-count of closed sphere
503 bit	Effective capacity	Stabilized capacity ($512 - 9$)
Δ_{total}	$3/32^\circ$	Compounded finite gap across quadrants

Root Ladder ($\sqrt{N}$ Partitions)

Tag	Angle	Bits	Physical Scale
$\sqrt{1}$	720°	512 bit	Full cycle closure
$\sqrt{2}$	360°	256 bit	Hemisphere; vapor-liquid duality
$\sqrt{4}$	180°	128 bit	Quadrant wall; four phases
$\sqrt{8}$	90°	64 bit	Turbulence wall; diameter gauge
$\sqrt{16}$	45°	32 bit	Clutch resolution
$\sqrt{512}$	1.40625°	1 bit	Molecular/base resolution

Walls, Fractions, and Remainders

Symbol	Value	Meaning
W_{90}	64 bit	90° wall; diameter gauge
W_{180}	128 bit	180° wall; quadrant boundary
H_3	192 bit	Three-wall hull (3×64)
r_π	9 bit	Fixed curvature remainder
ε_{90}	1/64	Wall fraction
$\rho_{\pi,90}$	9/64	Remainder fraction on wall scale

Depth Hierarchy ($u_Q = 1/128^Q$)

Depth	Value	Decimal	Water Phase
u_1	1/128	7.8125×10^{-3}	Q1: H + O (elemental)
u_2	1/16384	6.1035×10^{-5}	Q2: Water vapor
u_3	1/2097152	4.7684×10^{-7}	Q3: Liquid water
u_4	1/268435456	3.7253×10^{-9}	Q4: Ice

Seam and Bridge Constants

Symbol	Value	Meaning
Λ_n	$512/503 \approx 1.0179$	Nuijens Seam; stabilization factor
137/128	$137/128 \approx 1.0703$	Bridge Lambda; binding energy ratio
$d_{\text{deg}} = 0$	Inverse pivot	Seam position; phase transition center

Pi Constants

Symbol	Value	Meaning
π_{mach}	$201/64 = 3.140625$	Machine pi; exact rational closure
π_{std}	$3.14159\dots$	Observer pi; transcendental artifact
π_q	$(1608 + 3q)/512$	Quadrant pi for $q = 1, 2, 3, 4$
π_1	$1611/512 = 3.146484\dots$	Q1 observer artifact
π_2	$1614/512 = 3.152344\dots$	Q2 observer artifact
π_3	$1617/512 = 3.158203\dots$	Q3 observer artifact
π_4	$1620/512 = 3.164063$	Q4 observer artifact

Quadrant Operators

Operator	Quadrant	Range (d_{deg})	Function
$\text{dsin}(d)$	Q1	$[-180, 0]$	$ d_{\text{deg}} /180$; decompression fraction
$\text{dcos}(d)$	Q2	$[-360, -180]$	$ d_{\text{deg}} + 360 /180$; expansion wall
$\text{csin}(d)$	Q3	$[0, 180]$	$d_{\text{deg}}/180$; compression fraction
$\text{ccos}(d)$	Q4	$[180, 360]$	$(d_{\text{deg}} - 180)/180 + \rho_{\pi,90}$; closure

Coordinate System

Symbol	Definition	Meaning
θ_{deg}	$[0^\circ, 720^\circ]$	Standard angle from origin
d_{deg}	$\theta_{\text{deg}} - 360^\circ$	Center coordinate; $[-360, +360]$
1 NOSrad	$180^\circ = \pi \text{ rad}$	NOS radian; one quadrant
128 bit/NOSrad	Bit density	Bits per NOS radian

Fluid Dynamics (Navier-Stokes Mapping)

Symbol	Expression	Meaning
$\mathbf{v}(d)$	$\nabla d \cdot_q (d)$	Velocity field from quadrant operator
$p(d)$	$p_0 \cdot (1 - d_{\text{deg}} /360)$	Pressure field
$T(d)$	$T_0 \cdot (1608 + 3q)/(512 \cdot 4)$	Temperature field
$\nu(d)$	$\nu_0 \cdot \Delta(q)/\Delta_{\text{total}} \cdot u_Q$	Viscosity
$\mathbf{F}(d)$	$-\nabla d \times (\nabla \times \nabla d) \cdot \Lambda_n$	Body force
g	$131/128$	Channel gain

Key Predictions

Quantity	NOS Value	Standard Comparison
Re_{NOS}	$2300 \times 512/503 \approx 2341$	$Re_{\text{std}} = 2300$
Nucleation size	$137 \cdot u_3 \approx 5.1 \times 10^{-7} \text{ m}$	$\sim 0.1\text{--}1 \text{ m}$
Evaporation rate	$3/128^\circ$ per quadrant	Variable
Smoothness bound	$\ \mathbf{v}\ \leq \mathbf{v}_0 \cdot (512/503)^t$	Unbounded blow-up

Acronyms

Acronym	Meaning
NOS	Nuijens Operating System
NOSrad	NOS radian ($180^\circ = \pi \text{ rad}$)
RRDM	Rational Recursive Dimensional Mechanics

References

1. NOS v11 Original Work (2025).
2. Navier-Stokes in Hydrology, Various Sources.

MIT License

Copyright (c) 2025 Joshua Luke Nuijens, Seth Ryan Cromelin