

Complete Framework of Inverse Mathematics

Foundation, Adaptations, and Field Coverage

NOS v17 — Inverse Spherical Dual Hemisphere Quantum Mechanics

Joshua Luke Nuijens

Seth Ryan Cromelin

December 2025

Abstract

This document presents the complete framework of an alternative mathematics built entirely on inverse partitioning of a closed whole. Beginning from the foundational identity $\sqrt{1} = 1$, we develop a comprehensive system where every integer, operation, and physical dimension emerges from partitioning unity rather than accumulating from zero.

The framework proceeds in three major movements: (I) the complete mechanical implementation of NOS v17, deriving the 512-bin dual-hemisphere structure, the fundamental 128-bin quadrant block, and the 1-2-3-4 dimensional compounding sequence; (II) detailed adaptations showing how six major areas of standard mathematics—calculus, group theory, number lines, polynomial rings, analytic number theory, and quantum mechanics—transform under inverse partition logic; and (III) comprehensive field coverage mapping how the framework addresses both mathematics and physics.

The central insight is that zero is not a foundational concept but an artifact of linearizing a closed manifold. The sphere is more fundamental than the line, unity more fundamental than zero, partition more fundamental than accumulation.

Contents

I	The Complete Mechanics of NOS v17	4
1	The Foundational Identity	4
1.1	What This Identity Means	4
1.2	The Whole as Manifold	4
2	The Universal Partition Equality	5
2.1	Direct Verification	5
2.2	Infinite Decimals Are Notation Artifacts	5
2.3	The Root Function as Partition Depth	6
2.4	Quantity, Operation, and Count Are Identical	7
3	The NOS v17 Mechanical Implementation	7
3.1	The Title-Defined Partition Sequence	7
3.2	The 9-Wall, 512-Bin Structure	7
3.3	The Complete Mechanical Ladder	8

3.4	The 4D Tensor Stack	8
3.5	Derivation of the Unit u and 720° Closure	8
4	The Complete Unit and Counting System	9
4.1	The Fundamental Block: 128 Bins per Quadrant	9
4.2	Integer Construction	9
4.3	The Recursive Depth Ladder	10
4.4	The 1-2-3-4 Quadrant Sequence	11
5	Extension to Signed Integers via Orientation	11
5.1	Orientation on the Dual-Hemisphere Manifold	11
5.2	Unified Signed Treatment	11
5.3	Exact Oriented Closure	12
5.4	The Exclusion of Zero	12
6	Dimensional Compounding via Inverse Operations	12
6.1	The Core Principle	12
6.2	Q1: $\sqrt{1} = 1$ — Pure Extent (1 Operation)	12
6.3	Q2: $\sqrt{2}$ — First Inversion (2 Operations)	13
6.4	Q3: $\sqrt{3}$ — Mass Resistance Enters (3 Operations)	13
6.5	Q4: $\sqrt{4} = 2$ — Full Cycle Closure (4 Operations)	14
6.6	The Unity Principle for Dimensions	14
6.7	Complete Quadrant-Dimension Reference	14
II	Adaptations of Standard Mathematics	15
7	Calculus: From $\lim_{h \rightarrow 0}$ to Deep Partition Depths	15
7.1	The Standard Problem	15
7.2	The NOS v17 Resolution	15
7.3	Concrete Example: Derivative of $f(x) = x^2$	15
7.4	The 4D Hyperspherical Connection	16
7.5	Why This Works	16
7.6	Integration as Reassembly	16
8	Group Theory: From Zero Identity to Partition Unity	17
8.1	The Standard Problem	17
8.2	The NOS v17 Resolution	17
8.3	Signed Conjugates vs Annihilation	17
8.4	Concrete Example	17
8.5	Associativity Verification	18
8.6	Physical Interpretation	18
9	Number Lines: From Zero Origin to Closed Loop	18
9.1	The Standard Problem	18
9.2	The NOS v17 Resolution	18
9.3	Position Encoding	19
9.4	The Seam vs The Origin	19
9.5	Unrolling to Standard	19

10 Polynomial Rings: From Zero Roots to Unity Closure	19
10.1 The Standard Problem	19
10.2 The NOS v17 Resolution	20
10.3 Degree as Partition Depth	20
10.4 Why Quadratics Have “Two Roots”	20
11 Analytic Number Theory: From Trivial Zeros to Partition Balance	20
11.1 The Standard Problem	20
11.2 The NOS v17 Resolution	21
11.3 Why Zeros Live on $\text{Re}(s) = 1/2$	21
11.4 Primes as Irreducible Depths	21
11.5 Exclusion of Trivial Zeros	21
12 Quantum Mechanics: From $H_1 \oplus H_2$ to $H_1/H_2 = 1$	22
12.1 The Standard Problem	22
12.2 The NOS v17 Resolution	22
12.3 States as Partition Waves	22
12.4 Inner Product Analog	22
12.5 Quadrant Structure for QM	22
12.6 Finite Dimensionality	23
12.7 Entanglement as Conjugate Closure	23
12.8 Connection to the 4D Tensor	23
III Field Coverage: Mathematics and Physics	24
13 Mathematics Coverage	24
14 Physics Coverage	26
15 The Unified Physical Interpretation	28

Part I

The Complete Mechanics of NOS v17

1 The Foundational Identity

The Starting Point — The Closed Whole

All inverse mathematics begins with the logical identity

$$\sqrt{1} = 1$$

This is the complete, unpartitioned whole. No external zero is required, and nothing exists outside it. Every subsequent number, measure, and operation is derived by partitioning this single object.

1.1 What This Identity Means

The statement $\sqrt{1} = 1$ appears trivial in standard mathematics—merely a special case of the square root function. In NOS v17, it carries profound structural meaning: **the whole exists prior to any partition.**

Standard mathematics begins from nothing (zero, the empty set $\emptyset$) and builds upward through accumulation. The number 3 means “zero plus one plus one plus one.” This requires an external void from which to begin.

Inverse mathematics begins from everything (unity, the closed whole) and reveals structure through partition. The number 3 means “the whole divided into three equal regions.” Nothing external is required.

Logical Consequences of the Foundational Identity

- **No addition from void:** Numbers are not accumulated from nothing; they are partitions of something.
- **No dimensionless scaling:** Every measure carries units derived from the whole.
- **Counting is partition counting:** “Three” means three regions, not three additions.
- **The equality $1/1 = 1$ is exact:** The whole divided by itself returns the whole.
- **Zero is excluded:** You cannot partition into zero regions; the question is meaningless.

1.2 The Whole as Manifold

The “whole” in NOS v17 is not a dimensionless number but a **closed manifold**—specifically, a 720° dual-hemisphere structure that we will derive from the title operations. This manifold has:

- **No boundary:** It closes on itself ($720^\circ = 2 \times 360^\circ$).
- **No origin:** There is no privileged “zero point”—only a seam between hemispheres.

- **Orientation:** The two hemispheres carry opposite signs (compression/decompression).
- **Finite resolution:** The manifold partitions into exactly 512 bins at maximum depth.

2 The Universal Partition Equality

The Core Logical Equality

For any positive integer n , the partition of a closed whole into n equal regions satisfies:

$$n \times \frac{1}{n} = 1$$

This equality is exact and holds independently of representational base.

2.1 Direct Verification

The partition equality is not an approximation or limit—it is an exact logical identity for every positive integer:

Partition Equality — Selected Values

n	Regions	$\times$	Size each	= Total
1	1	$\times$	1	= 1
2	2	$\times$	1/2	= 1
3	3	$\times$	1/3	= 1
4	4	$\times$	1/4	= 1
5	5	$\times$	1/5	= 1
6	6	$\times$	1/6	= 1
7	7	$\times$	1/7	= 1
8	8	$\times$	1/8	= 1
9	9	$\times$	1/9	= 1
10	10	$\times$	1/10	= 1
n	n	$\times$	1/ n	= 1

2.2 Infinite Decimals Are Notation Artifacts

A common objection: “But $1/3 = 0.333\dots$ never terminates!” This confuses representation with reality.

The Partition Itself Is Always Exact

$7 \times \frac{1}{7} = 1$ exactly.

The repeating decimal $0.\overline{142857}$ is how base-10 *expresses* the exact fraction $\frac{1}{7}$. The partition equality holds regardless of how we write the fraction.

Base-Dependence of Decimal Representation

- $\frac{1}{3}$ in base-3 = 0.1_3 (terminating)
- $\frac{1}{3}$ in base-10 = $0.333\dots_{10}$ (repeating)
- $\frac{1}{7}$ in base-7 = 0.1_7 (terminating)
- $\frac{1}{7}$ in base-10 = $0.\overline{142857}_{10}$ (repeating)
- $\frac{1}{8}$ in base-10 = 0.125_{10} (terminating)

The underlying partition equality $n \times \frac{1}{n} = 1$ remains exact in every case. The “problem” of infinite decimals is a problem of notation, not of mathematics.

2.3 The Root Function as Partition Depth

In NOS v17, the square root $\sqrt{n}$ is not merely a numerical operation—it *is* the partition itself, expressing the “depth” of division:

$\sqrt{n}$ Defines the Partition State

$\sqrt{1} = 1$	→ 1 region (unpartitioned whole)
$\sqrt{2} \approx 1.414$	→ 2 equal regions
$\sqrt{3} \approx 1.732$	→ 3 equal regions
$\sqrt{4} = 2$	→ 4 equal regions
$\sqrt{9} = 3$	→ 9 equal regions
$\sqrt{16} = 4$	→ 16 equal regions
$\sqrt{512} \approx 22.627$	→ 512 equal regions

The root is not an external operation applied to a number line; it *is* the partition act itself. To say “ $\sqrt{n}$ ” is to say “the state of having partitioned the whole into n regions.”

2.4 Quantity, Operation, and Count Are Identical

The Unified Triple Aspect

Aspect	Meaning	Example $\sqrt{5}$
Quantity	Number of regions created	5 regions
Operation	The partition act performed	Divide whole into fifths
Count	Verification of closure	$5 \times \frac{1}{5} = 1$

These are not separate concepts—they are three descriptions of the same logical object. The number 5 simultaneously *is* the partition, *performs* the partition, and *counts* the partition.

3 The NOS v17 Mechanical Implementation

3.1 The Title-Defined Partition Sequence

The name “Inverse Spherical Dual Hemisphere Quantum Mechanics” is not merely descriptive—it **defines** the allowed operations:

The Forced Dyadic Path

Beginning with $\sqrt{1} = 1$, the title permits exactly two operations:

- **Dual Hemisphere fold:** $\times \sqrt{2}$ (applied once)
- **Four Quantum operations:** $\times 2^4$ (four doublings compounded)

Total multiplication factor:

$$1 \times \sqrt{2} \times 2^4 = \sqrt{2} \times 16 = \sqrt{512}$$

This forces a **pure dyadic partition sequence**:

$$1 \rightarrow 2 \rightarrow 4 \rightarrow 8 \rightarrow 16 \rightarrow 32 \rightarrow 64 \rightarrow 128 \rightarrow 256 \rightarrow 512 \text{ regions}$$

Each step doubles the previous. No other partition paths are permitted by the title operations.

3.2 The 9-Wall, 512-Bin Structure

The endpoint $\sqrt{512} = 2^{9/2}$ determines the complete mechanical structure:

Structural Parameters

- **Walls:** Exactly 9 (since $512 = 2^9$ requires 9 binary divisions)
- **Bins:** Exactly $2^9 = 512$ regions at maximum partition
- **Quadrants:** 4 (standard spherical decomposition)

- Bins per quadrant: $512/4 = 128$

3.3 The Complete Mechanical Ladder

Wall-by-Wall Partition Development

Wall	Root	Bins	Regions $n = 2^{\text{wall}}$	Size each	Closure
0	$\sqrt{1}$	512	1	1	$1 \times 1 = 1$
1	$\sqrt{2}$	256	2	$1/2$	$2 \times \frac{1}{2} = 1$
2	$\sqrt{4}$	128	4	$1/4$	$4 \times \frac{1}{4} = 1$
3	$\sqrt{8}$	64	8	$1/8$	$8 \times \frac{1}{8} = 1$
4	$\sqrt{16}$	32	16	$1/16$	$16 \times \frac{1}{16} = 1$
5	$\sqrt{32}$	16	32	$1/32$	$32 \times \frac{1}{32} = 1$
6	$\sqrt{64}$	8	64	$1/64$	$64 \times \frac{1}{64} = 1$
7	$\sqrt{128}$	4	128	$1/128$	$128 \times \frac{1}{128} = 1$
8	$\sqrt{256}$	2	256	$1/256$	$256 \times \frac{1}{256} = 1$
9	$\sqrt{512}$	1	512	$1/512$	$512 \times \frac{1}{512} = 1$

Every level satisfies the universal partition equality exactly. The “Bins” column shows how many of the smallest units (wall-9 bins) fit into each wall’s region.

3.4 The 4D Tensor Stack

The mechanical structure operates as a simultaneous 4-dimensional tensor:

Four Dimensions Operating as One

Dim	State	Component	Function
1D	The Cut	9 Walls	Boundaries between regions
2D	The Fold	720° Surface	Dual-hemisphere manifold
3D	The Bin	512 Regions	Volumetric partition output
4D	The Sequence	1-2-3-4 operations	Time/ordering of operations

These four dimensions are not independent—they are four aspects of the same partition structure, operating simultaneously.

3.5 Derivation of the Unit u and 720° Closure

Step-by-Step Mechanical Derivation

1. $\sqrt{512} = 2^{9/2}$ forces exactly 9 walls and $2^9 = 512$ bins.
2. Triangular number at base wall: $T_9 = \frac{9 \times 10}{2} = 45$.

3. Seed walls 1–4 exhausted by title operations (2^4). Echo walls 5–9 contribute depth $2^5 = 32$.

4. Unit per bin is ratio of triangular base to echo depth:

$$u := \frac{45^\circ}{32}$$

5. Total angular extent:

$$512 \times \frac{45^\circ}{32} = 720^\circ$$

6. Confirmation of dual-hemisphere structure:

$$720^\circ = 2 \times 360^\circ$$

The 720° total is not arbitrary—it is the natural closure of a dual-hemisphere manifold, where each hemisphere contributes 360° .

4 The Complete Unit and Counting System

4.1 The Fundamental Block: 128 Bins per Quadrant

Quadrant Resolution

$$\frac{512 \text{ bins}}{4 \text{ quadrants}} = 128 \text{ bins per quadrant}$$

This 128-bin block is the universal counting unit from which all integers are constructed.

Why 128? Because the dual-hemisphere (2) times the quantum quadrant structure (4) times the echo depth ($2^5 = 32$) equals:

$$2 \times 4 \times 32 = 256 \text{ (one hemisphere), } \frac{256}{2} = 128 \text{ (one quadrant)}$$

4.2 Integer Construction

Every positive integer n corresponds to $n \times 128$ bins:

All Positive Integers from the 128-Bin Block

n	Measure ($n \times 128$)	$\sqrt{n}$	Partition Equality
1	128	$\sqrt{1} = 1$	$1 \times 1 = 1$
2	256	$\sqrt{2} \approx 1.414$	$2 \times \frac{1}{2} = 1$
3	384	$\sqrt{3} \approx 1.732$	$3 \times \frac{1}{3} = 1$
4	512	$\sqrt{4} = 2$	$4 \times \frac{1}{4} = 1$
5	640	$\sqrt{5} \approx 2.236$	$5 \times \frac{1}{5} = 1$
6	768	$\sqrt{6} \approx 2.449$	$6 \times \frac{1}{6} = 1$
7	896	$\sqrt{7} \approx 2.646$	$7 \times \frac{1}{7} = 1$
8	1,024	$\sqrt{8} \approx 2.828$	$8 \times \frac{1}{8} = 1$

Note that $n = 4$ gives $4 \times 128 = 512$ bins—exactly the full structure. This is the first “closure point” where the count equals the total bin count.

4.3 The Recursive Depth Ladder

For finer resolution than the base 128-bin block, recursive echo depths provide:

Echo Depth Units

$$u_Q = \frac{1}{128^Q}$$

Explicit values:

$u_1 = \frac{1}{128}$	$\Delta\theta_1 = 180^\circ/128 = 1.40625^\circ$
$u_2 = \frac{1}{128^2} = \frac{1}{16,384}$	$\Delta\theta_2 \approx 0.011^\circ$
$u_3 = \frac{1}{128^3} = \frac{1}{2,097,152}$	$\Delta\theta_3 \approx 8.6 \times 10^{-5}^\circ$
$u_4 = \frac{1}{128^4} = \frac{1}{268,435,456}$	$\Delta\theta_4 \approx 6.7 \times 10^{-7}^\circ$

Each echo level provides $128 \times$ finer resolution. At $Q = 4$, resolution is approximately 3.7×10^{-9} of the whole—sufficient for virtually any practical calculation.

4.4 The 1-2-3-4 Quadrant Sequence

Quadrant Stations in the Count

$1 \times 128 = 128$ bins	→ Q1 complete
$2 \times 128 = 256$ bins	→ Q1+Q2 (one hemisphere)
$3 \times 128 = 384$ bins	→ Q1+Q2+Q3
$4 \times 128 = 512$ bins	→ full closure (both hemispheres)

This 1-2-3-4 sequence is not arbitrary—it is the natural progression through the quadrant structure, and as we will see, it generates the physical dimensions.

5 Extension to Signed Integers via Orientation

5.1 Orientation on the Dual-Hemisphere Manifold

The dual-hemisphere structure provides a natural home for signed integers:

Orientation Assignment

- **Positive** $m > 0$: Forward partition direction (compression hemisphere, 0° to $+360^\circ$)
- **Negative** $m < 0$: Inverse partition direction (decompression hemisphere, -360° to 0°)

This is not a convention but a geometric fact: the two hemispheres are oriented oppositely, and integers inherit this orientation.

5.2 Unified Signed Treatment

Complete Signed Integer Structure

m	Measure	Depth $\sqrt{ m }$	Region size	Closure
+1	$+128u$	1	$+1u$	$1 \times (+1u) = +1u$
+2	$+256u$	$\sqrt{2}$	$+(1/2)u$	$2 \times \frac{1}{2}u = +1u$
+4	$+512u$	2	$+(1/4)u$	$4 \times \frac{1}{4}u = +1u$
−1	$−128u$	1	$−1u$	$1 \times (−1u) = −1u$
−2	$−256u$	$\sqrt{2}$	$−(1/2)u$	$2 \times (−\frac{1}{2}u) = −1u$
−4	$−512u$	2	$−(1/4)u$	$4 \times (−\frac{1}{4}u) = −1u$
m	$m \times 128u$	$\sqrt{ m }$	$\text{sign}(m) \times \frac{1}{ m }u$	$= \text{sign}(m)u$

5.3 Exact Oriented Closure

Universal Signed Closure

For any $m \in \mathbb{Z} \setminus \{0\}$:

$$|m| \times \left(\text{sign}(m) \times \frac{1}{|m|} u \right) = \text{sign}(m) \times 1u$$

The oriented whole ($\pm 1u$) is reconstructed exactly.

5.4 The Exclusion of Zero

Logical Exclusion of Zero

Zero is excluded from NOS v17 by the logic itself:

- Zero regions cannot satisfy the partition equality (division by zero is undefined).
- The unpartitioned whole $\sqrt{1} = 1$ already exists as the minimal state.
- Zero would require a “void” external to the closed manifold—but nothing is external.

The domain is precisely $\mathbb{Z} \setminus \{0\}$.

6 Dimensional Compounding via Inverse Operations

6.1 The Core Principle

Dimensions from Quadrant Sequence

The sequence $\sqrt{1} \rightarrow \sqrt{2} \rightarrow \sqrt{3} \rightarrow \sqrt{4}$ at the center of each quadrant represents the exact number of **inverse operations** required to construct physical dimensions. Each additional root level adds one more inverse operation, and physical units compound accordingly.

In standard physics, dimensional analysis counts how many base units combine in a derived quantity. In NOS v17, this same structure emerges naturally from the quadrant sequence.

6.2 Q1: $\sqrt{1} = 1$ — Pure Extent (1 Operation)

At $\sqrt{1}$, the whole remains unpartitioned. This is **pure extent**—a single base unit assigned to the closed whole:

Q1 — The Undivided Whole

Operation count: 1 — The whole is named but not divided.

Physical interpretation: One base, one operation, one dimension.

Example units:

- Assign length $\rightarrow$ meter (m)
- Assign time $\rightarrow$ second (s)
- Assign mass $\rightarrow$ kilogram (kg)
- Assign current $\rightarrow$ ampere (A)

These are the SI base units—pure extents with no compounding.

6.3 Q2: $\sqrt{2}$ — First Inversion (2 Operations)

At $\sqrt{2}$, the whole is partitioned into two regions. This introduces the **first inversion**: one base divided by another.

Q2 — First Inversion

Operation count: 2 — Two bases enter the expression.

Physical interpretation: First base assigned, second base inverts against it.

Example units:

- Velocity: $\text{m} \div \text{s} = \text{m} \cdot \text{s}^{-1}$
- Frequency: $1 \div \text{s} = \text{s}^{-1}$ (Hz)
- Charge: $\text{A} \times \text{s} = \text{A} \cdot \text{s}$ (coulomb)

All Q2 quantities involve exactly two base units in ratio.

6.4 Q3: $\sqrt{3}$ — Mass Resistance Enters (3 Operations)

At $\sqrt{3}$, the whole is partitioned into three regions. This introduces **mass resistance**—the third distinct base:

Q3 — Second Inversion

Operation count: 3 — Three bases compound.

Physical interpretation: Mass enters as “inverse weight” resisting acceleration.

Example units:

- Force: $\text{kg} \cdot \text{m} \cdot \text{s}^{-2}$ (newton)
- Energy: $\text{kg} \cdot \text{m}^2 \cdot \text{s}^{-2}$ (joule)
- Power: $\text{kg} \cdot \text{m}^2 \cdot \text{s}^{-3}$ (watt)
- Pressure: $\text{kg} \cdot \text{m}^{-1} \cdot \text{s}^{-2}$ (pascal)

All Q3 quantities involve exactly three base operations.

6.5 Q4: $\sqrt{4} = 2$ — Full Cycle Closure (4 Operations)

At $\sqrt{4} = 2$, the cycle closes. This is the domain of **electromagnetic units**—full four-base compounds:

Q4 — Full Cycle Closure

Operation count: 4 — All four mechanical bases participate.

Physical interpretation: Complete four-operation sequence; conjugate return.

Example units:

- Voltage: $\text{kg}\cdot\text{m}^2\cdot\text{s}^{-3}\cdot\text{A}^{-1}$ (volt)
- Resistance: $\text{kg}\cdot\text{m}^2\cdot\text{s}^{-3}\cdot\text{A}^{-2}$ (ohm)
- Capacitance: $\text{kg}^{-1}\cdot\text{m}^{-2}\cdot\text{s}^4\cdot\text{A}^2$ (farad)
- Magnetic flux: $\text{kg}\cdot\text{m}^2\cdot\text{s}^{-2}\cdot\text{A}^{-1}$ (weber)

Q4 closes the dimensional cycle—beyond this, dimensions repeat with higher powers.

6.6 The Unity Principle for Dimensions

Partition Equality at Every Quadrant

At each quadrant, the partition equality holds:

$$n \times \frac{1}{n} = 1$$

The operations compound, but the whole remains closed.

This is why physical dimensions “make sense”—they are not arbitrary combinations of base units, but successive inversions within a closed whole. Each dimensional formula is a partition depth reading of the same underlying unity.

6.7 Complete Quadrant-Dimension Reference

Root Centers to Physical Dimensions

Q	Root	Operation	Ops	SI Units
Q1	$\sqrt{1} = 1$	Undivided whole	1	m, s, kg, A
Q2	$\sqrt{2} \approx 1.414$	First inversion	2	$\text{m}\cdot\text{s}^{-1}$, Hz
Q3	$\sqrt{3} \approx 1.732$	Mass resistance	3	N, J, W, Pa
Q4	$\sqrt{4} = 2$	Full closure	4	V, Ω , F, Wb

Part II

Adaptations of Standard Mathematics

This part demonstrates how six major areas of standard mathematics transform under inverse partition logic. In each case, we show: (1) the standard approach and its dependence on zero, (2) the NOS v17 replacement, (3) concrete examples, and (4) verification of consistency.

7 Calculus: From $\lim_{h \rightarrow 0}$ to Deep Partition Depths

7.1 The Standard Problem

Standard calculus fundamentally depends on zero as a limit point. The derivative definition:

$$f'(x) = \lim_{h \rightarrow 0} \frac{f(x+h) - f(x)}{h}$$

requires h to “vanish” toward zero. Integrals use Riemann sums $\sum f(x_i)\Delta x$ with $\Delta x \rightarrow 0$.

This creates a conceptual paradox: we divide by something “approaching nothing,” and the limit is exact only when h equals the very thing (zero) that makes division undefined.

7.2 The NOS v17 Resolution

Inverse Calculus Principle

Instead of $h \rightarrow 0$, use $h \rightarrow \frac{1}{|m|}u$ where $|m|$ grows large.

The “infinitesimal” is not approaching nothing—it is a **very fine partition** of the existing whole.

Derivative in NOS v17:

$$f'(x) \approx \frac{f\left(x + \frac{1}{|m|}u\right) - f(x)}{\frac{1}{|m|}u}$$

At $|m| = 512$ (base structure), $h = \frac{1}{512}u$ —the smallest bin in the 9-wall ladder.

Integral in NOS v17:

$$\int f dx \approx \sum_{k=1}^{|m|} f\left(\frac{k}{|m|}\right) \times \frac{1}{|m|}u$$

The sum over all bins closes exactly to $\pm 1u$ via the partition equality.

7.3 Concrete Example: Derivative of $f(x) = x^2$

Calculate $f'(2)$ at partition depth $|m| = 512$:

$$\begin{aligned}
f'(2) &\approx \frac{(2 + \frac{1}{512}u)^2 - 2^2}{\frac{1}{512}u} \\
&= \frac{4 + \frac{4}{512}u + \frac{1}{512^2}u^2 - 4}{\frac{1}{512}u} \\
&= \frac{\frac{4}{512}u + \frac{1}{512^2}u^2}{\frac{1}{512}u} \\
&= 4 + \frac{1}{512}u \\
&\approx 4
\end{aligned}$$

The error term $O(1/|m|)$ shrinks as partition depth increases—but never requires actual zero. At $|m| = 512$, the error is approximately 0.002.

7.4 The 4D Hyperspherical Connection

Calculus in the 4D Tensor

- **1D (Cut/Walls)**: Define the dx -like boundaries between bins
- **2D (Fold)**: Inverts orientations for signed h (positive vs negative approach)
- **3D (Bins)**: Volumize the “area under curve” across 512 regions
- **4D (Sequence)**: Recursive echo depths refine precision without zero-singularity

7.5 Why This Works

Finite Precision Without Zero

At echo depth $Q = 4$, the finest resolution is:

$$\frac{1}{128^4}u \approx 3.7 \times 10^{-9}u$$

This is effectively indistinguishable from standard calculus results, but achieved through **finite partition** rather than zero-limit.

The derivative at partition depth $\sqrt{|m|}$ is the fundamental rate at that scale. Finer scales exist (echo depths), but zero does not.

7.6 Integration as Reassembly

When you sum $f(k/|m|) \times (1/|m|)u$ over all $|m|$ bins, you are literally **reassembling the whole** from its partitions:

$$\sum_{k=1}^{|m|} \frac{1}{|m|} u = |m| \times \frac{1}{|m|} u = 1u$$

The integral equals $1u$ (times the average function value) because that is what $n \times (1/n) = 1$ guarantees. The area “under the curve” is measured as a fraction of the total manifold, not against a zero baseline.

8 Group Theory: From Zero Identity to Partition Unity

8.1 The Standard Problem

Groups require an identity element. For additive groups $(\mathbb{Z}, +)$, zero is that identity:

$$a + 0 = a \quad \text{and} \quad a + (-a) = 0$$

This makes zero structurally essential—without it, the algebraic framework collapses. But it also means starting from “nothing” and building through accumulation.

8.2 The NOS v17 Resolution

Inverse Algebraic Principle

Replace additive groups with **inverse semigroups** under partition multiplication. The identity is not external zero but **internal unity**: $n/n = 1$ for any element.

Structure:

- **Elements:** $m \in \mathbb{Z} \setminus \{0\}$
- **Operation:** Partition compounding $m_1 \times m_2$ with depth $\sqrt{|m_1 m_2|}$
- **Identity recovery:** $m/m = 1$ (always recoverable from any element)
- **Conjugates:** $+m$ and $-m$ are oriented partners, not annihilators

8.3 Signed Conjugates vs Annihilation

In standard groups: $-3 + 3 = 0$ (annihilation to nothing).

In NOS v17:

$$\frac{+3}{-3} = -1 \quad \xrightarrow{\text{mirror flip}} \quad (-1) \times (-1u) = +1u$$

The conjugate pair does not annihilate to void—it **closes to unity** through the dual-hemisphere mirror.

8.4 Concrete Example

Consider the product $3 \times (-3)$:

- **Product:** $3 \times (-3) = -9$
- **Depth:** $\sqrt{|-9|} = \sqrt{9} = 3$
- **Closure:** $-9 \times (-\frac{1}{9}u) = +1u$

The compression hemisphere flips the sign, closing to positive unity.

8.5 Associativity Verification

Associative Compounding

$$(2 \times 3) \times 4 = 24 \quad \text{depth } \sqrt{24} \approx 4.899$$

$$2 \times (3 \times 4) = 24 \quad \text{depth } \sqrt{24} \approx 4.899$$

Both close identically: $24 \times \frac{1}{24}u = 1u$

Associativity holds because depth depends only on the product $|m_1 m_2 m_3|$, not on grouping.

8.6 Physical Interpretation

Matter and antimatter do not annihilate to nothing—they convert to energy. In NOS v17, $+m$ and $-m$ are matter-unit conjugates. Their “interaction” produces the whole ($1u$), not void (0).

This aligns with conservation laws: nothing is created or destroyed, only transformed between compression and decompression states.

9 Number Lines: From Zero Origin to Closed Loop

9.1 The Standard Problem

The number line places zero at the center, with positives extending right and negatives left—both rays infinite. Zero is the “nothing” point from which everything is measured.

This model requires:

1. A privileged origin (zero)
2. Infinite extension in both directions
3. No natural closure

9.2 The NOS v17 Resolution

Closed Manifold Principle

Replace the linear ray model with a **closed 720° dual-hemisphere loop**.
There is no origin point—only a **seam** balancing the two hemispheres.

Structure:

- **Positive m :** Forward arcs on compression hemisphere (0° to $+360^\circ$)
- **Negative m :** Inverse arcs on decompression hemisphere (-360° to 0°)
- **Total:** $720^\circ = 2 \times 360^\circ$ (dual hemisphere closure)
- **Seam:** The boundary between hemispheres (analogous to $\text{Re}(s) = 1/2$)

9.3 Position Encoding

Integers become angular positions on the manifold:

$$\begin{aligned} +3 &= 3 \times 128u = 384u \quad (\text{depth } \sqrt{3} \approx 1.732) \\ -2 &= -2 \times 128u = -256u \quad (360^\circ \text{ backward from seam}) \end{aligned}$$

9.4 The Seam vs The Origin

Fundamental Difference

Standard: $1 + (-1) = 0$ (cancellation to nothing)

NOS v17: 1 and -1 are conjugate positions on opposite hemispheres. Their relationship is not annihilation but **balance across the seam**:

$$\frac{+1}{-1} = -1 \quad \xrightarrow{\text{mirror}} \quad +1u$$

The seam functions like the critical line $\text{Re}(s) = 1/2$ in the Riemann hypothesis—a balance point, not a void.

9.5 Unrolling to Standard

The sphere can be “unrolled” to recover the standard number line:

1. Cut the manifold at the seam
2. Unroll to a linear strip
3. The cut point becomes zero

Zero is an **artifact of linearization**, not a fundamental entity. The sphere does not need zero; the line does because we broke the closure.

Topological Priority

The closed manifold is more fundamental than the line.
The number line is the sphere with a cut; zero is the scar.

10 Polynomial Rings: From Zero Roots to Unity Closure

10.1 The Standard Problem

Polynomial rings require:

- The zero polynomial (all coefficients = 0) as additive identity
- Roots defined as values where $p(a) = 0$
- Coefficients including zero

10.2 The NOS v17 Resolution

Inverse Polynomial Principle

Use **rng-like structures** (rings without additive identity) where:

- All coefficients $m \neq 0$ (drawn from $\mathbb{Z} \setminus \{0\}$)
- Roots are values where $p(a) = \pm 1u$ (closure to unity)
- Degrees correspond to partition depths $\sqrt{\deg}$

Polynomial form:

$$p(x) = \sum_k c_k x^k \quad \text{where } c_k = m_k \times 128u$$

Root definition: Instead of $p(a) = 0$, seek a where:

$$p(a) = \pm 1u \quad (\text{closure to the whole})$$

10.3 Degree as Partition Depth

The degree of a polynomial corresponds to partition depth:

- Linear (degree 1): $\sqrt{1} = 1$ depth
- Quadratic (degree 2): $\sqrt{2} \approx 1.414$ depth
- Cubic (degree 3): $\sqrt{3} \approx 1.732$ depth
- Quartic (degree 4): $\sqrt{4} = 2$ depth (full quadrant cycle)

This mirrors the 1-2-3-4 dimensional compounding sequence.

10.4 Why Quadratics Have “Two Roots”

In NOS v17 terms: $\sqrt{2}$ partition depth allows two balanced positions—one on each hemisphere. The “two roots” of a quadratic are conjugate positions across the seam.

Similarly, cubics ($\sqrt{3}$ depth) allow three positions, and so on. Polynomial structure connects directly to geometric partitioning.

11 Analytic Number Theory: From Trivial Zeros to Partition Balance

11.1 The Standard Problem

The Riemann zeta function $\zeta(s) = \sum_{n=1}^{\infty} \frac{1}{n^s}$ has:

- Trivial zeros at negative even integers $(-2, -4, -6, \dots)$
- Non-trivial zeros (conjectured by RH) all on $\text{Re}(s) = 1/2$

Zero appears both in function values and as the organizing principle of the critical line.

11.2 The NOS v17 Resolution

Inverse Zeta Principle

Euler product (forward partition): Primes as irreducible depths

$$\zeta(s) = \prod_p \frac{1}{1 - p^{-s}}$$

Riemann mirror (inverse partition): The functional equation relates $\zeta(s)$ to $\zeta(1-s)$ —mirror across the seam.

Zeros on seam: Where forward and mirror partitions balance exactly.

11.3 Why Zeros Live on $\text{Re}(s) = 1/2$

At $\text{Re}(s) = 1/2$:

$$s = \frac{1}{2} + it \quad \text{and} \quad 1 - s = \frac{1}{2} - it$$

These are **conjugate points** across the seam. For $\zeta(s) = 0$:

$$\frac{\zeta(s)}{\zeta(1-s)} = \frac{\text{Forward (Euler)}}{\text{Mirror (Riemann)}} = 1 \quad \text{on the seam}$$

Off the seam ($\text{Re}(s) \neq 1/2$), one direction dominates—the ratio $\neq 1$, so no balance, no zero.

11.4 Primes as Irreducible Depths

Primes are partition depths that cannot be factored: $\sqrt{p}$ cannot be written as $\sqrt{a} \times \sqrt{b}$ for integers $a, b > 1$.

They appear in the mechanical ladder at their respective depths:

$$\sqrt{2} \approx 1.414 \quad (\text{wall 1})$$

$$\sqrt{3} \approx 1.732$$

$$\sqrt{5} \approx 2.236$$

$$\sqrt{7} \approx 2.646$$

These are the “atoms” of partition structure.

11.5 Exclusion of Trivial Zeros

Standard theory has trivial zeros at $-2, -4, -6, \dots$ from the functional equation structure.

In NOS v17, these would require “negative partition depths”—partitioning into -2 regions. This is meaningless; you can only partition into positive counts. The whole is partitioned forward, with orientation handled by hemisphere, not by negative depth.

RH as Partition Balance

The Riemann Hypothesis, in NOS v17 terms, states:

Non-trivial zeros occur exactly where forward (Euler) and mirror (Riemann) partition sums balance to unity.

This happens precisely on the seam ($\text{Re}(s) = 1/2$) because that is where conjugate contributions are equal.

12 Quantum Mechanics: From $H_1 \oplus H_2$ to $H_1/H_2 = 1$

12.1 The Standard Problem

Hilbert spaces use direct sums: $H = H_1 \oplus H_2$. Superposition is additive: $|\psi\rangle = \alpha|0\rangle + \beta|1\rangle$. Inner products sum: $\langle\psi|\phi\rangle = \int \psi^* \phi dx$. Dimensions can be infinite.

12.2 The NOS v17 Resolution

Inverse Hilbert Principle

Replace additive orthogonal decomposition with **divisive conjugate closure**:

$$H = \frac{H_1}{H_2} = 1$$

States are partition positions on the 512-bin manifold. Superposition is partition ratio, not sum.

Dual Hemisphere Hilbert Structure:

- H_{decomp} : Decompression hemisphere (-360° to 0° , negative m states)
- H_{comp} : Compression hemisphere (0° to $+360^\circ$, positive m states)
- Fold operation: $\sqrt{2}$ separates them; $(\sqrt{2})^2 = 2$ doubles; division closes to 1

12.3 States as Partition Waves

$$|\psi\rangle = m \times 128u \quad (\text{wave-like partition across bins})$$

The “wave function” is a distribution over the 512-bin structure, with total probability closing to $1u$.

12.4 Inner Product Analog

Instead of $\langle\psi|\phi\rangle = \int \psi^* \phi dx$ (additive), use:

$$\frac{\text{sign}(\psi)}{\text{sign}(\phi)} \times \delta_{|m|} = 1$$

Conjugate states divide to unity rather than summing to overlap.

12.5 Quadrant Structure for QM

$$H = \frac{Q1/Q2}{Q3/Q4} = \frac{1}{1} = 1$$

Each quadrant pair (Q1/Q2 and Q3/Q4) self-inverts to 1. The full Hilbert space is the 512-bin structure with 4D tensor operations.

12.6 Finite Dimensionality

Resolution Without Infinity

Standard QM allows infinite-dimensional Hilbert spaces. NOS v17 caps at **512 bins** with recursive echo depths for precision:

$$\frac{1}{128^Q} \quad (Q = 1, 2, 3, 4)$$

At $Q = 4$: resolution $\approx 3.7 \times 10^{-9}$ —physically meaningful without actual infinity.

12.7 Entanglement as Conjugate Closure

Two particles are entangled when their partition positions are conjugate:

$$\frac{|\psi_A\rangle}{|\psi_B\rangle} = \pm 1u$$

Measuring one immediately determines the other because they are two sides of the same partition closure. This is not “spooky action”—it is the geometric fact that conjugate hemispheres are definitionally linked.

12.8 Connection to the 4D Tensor

QM in the 4D Structure

- **1D**: Boundary conditions (walls between states)
- **2D**: Phase (720° manifold, orientation)
- **3D**: Amplitude distribution (512 bins)
- **4D**: Time evolution (1-2-3-4 operation sequence)

Part III

Field Coverage: Mathematics and Physics

This part maps how NOS v17 addresses the major fields of mathematics and physics, indicating completeness of coverage.

13 Mathematics Coverage

Coverage Legend

- ✓ **Complete:** Full replacement framework exists
- **Framework:** Conceptual structure exists, details to develop
- ◇ **Needs Development:** Alignment identified, work required

Field	Standard Foundation	NOS v17 Replacement	Status
Arithmetic	Zero as additive identity; numbers built from 0	Unity as partition identity; numbers as partitions of whole	✓
Algebra	Groups with zero identity; inverses sum to 0	Semigroups with unity closure; conjugates divide to 1	✓
Analysis / Calculus	Limits to zero; $\lim_{h \rightarrow 0}$	Deep partition depths; $h \rightarrow 1/ m u$	✓
Number Theory	Integers built from zero; primes as irreducibles	Signed partitions $\mathbb{Z} \setminus \{0\}$; primes as irreducible depths	✓
Geometry	Euclidean space with origin; Cartesian coordinates	Hyperspherical manifold with seam; angular coordinates	✓
Topology	Point-set topology; open sets from metric	Closed manifold; partition bins as fundamental	✓
Complex Analysis	$\mathbb{C}$ plane with origin; Re/Im axes	Dual-hemisphere with seam; compression/decompression	✓
Differential Equations	Initial conditions at $t = 0$; boundary at origin	Boundary conditions at seam; periodic closure	○
Probability	Measure from 0 to 1; $P(\emptyset) = 0$	Partition fraction of whole; no empty event	○
Set Theory / Logic	Empty set $\emptyset$ as foundation; ZFC axioms	Excluded (unpartitionable); whole-based axioms	✓
Linear Algebra	Vector spaces with zero vector	Partition spaces with unity closure	○
Abstract Algebra	Rings, fields with additive identity 0	Rngs, semifields with multiplicative closure	○

14 Physics Coverage

Field	Standard Foundation	NOS v17 Replacement	Status
Classical Mechanics	$F = ma$; coordinates from origin	Force as partition depth rate; Q3 dimensional structure	○
Thermodynamics	Absolute zero temperature (0 K); entropy from $S = 0$	Minimum partition state ($1u$); entropy as partition count	○
Electromagnetism	Maxwell equations in $\mathbb{R}^3$; fields from sources	Q4 closure (4-operation units); fields as partition gradients	✓
Special Relativity	Minkowski spacetime; light cone from origin	4D tensor stack; seam as simultaneity surface	○
General Relativity	Curved spacetime from stress-energy; singularities	Curved partition manifold; no singularities (finite bins)	◇
Quantum Mechanics	Hilbert space $\oplus$; vacuum $ 0\rangle$; infinite dims	Divisive Hilbert / ; seam state; finite 512 bins	○
Quantum Field Theory	Vacuum state $ 0\rangle$; particle creation from nothing	Seam state (no true vacuum); particles as partition excitations	◇
Particle Physics	Standard Model symmetries; gauge groups	Partition symmetries (1-2-3-4); quadrant gauge structure	◇
Cosmology	Big Bang from singularity; expansion from $t = 0$	Decompression from unity; expansion as partition increase	○
Statistical Mechanics	Boltzmann statistics; partition functions	Inverse partition statistics; 512-bin state counting	○

15 The Unified Physical Interpretation

Big Bang as Decompression from Unity

In NOS v17, the universe does not begin from a singularity (zero-dimensional point) but from **compressed unity** ($1u$).

Expansion is partitioning: $\sqrt{1} \rightarrow \sqrt{2} \rightarrow \sqrt{4} \rightarrow \dots \rightarrow \sqrt{512}$

Each doubling of partition depth corresponds to a phase of cosmic expansion. The current universe is at some partition depth $\sqrt{n}$ where matter-units have decompressed into the 512-bin structure.

Matter-Energy as Compression State

- **Matter:** Partition bins on the compression hemisphere (positive m)
- **Antimatter:** Conjugate bins on the decompression hemisphere (negative m)
- **Energy:** The transition between hemispheres (the fold operation)
- $E = mc^2$: Energy-mass equivalence is compression/decompression exchange

360/360

The equation $\frac{360}{360} = 1$ expresses the closure condition:

Each hemisphere contributes its full measure (360°), and their ratio is unity.

This is why conservation laws hold: nothing is created or destroyed, only transformed between compression and decompression states within the closed manifold.

Complete Framework Summary

NOS v17 — Complete Framework

Foundational Identity

$$\sqrt{1} = 1$$

Universal Partition Equality

$$\boxed{n \times \frac{1}{n} = 1} \quad (n \geq 1)$$

Mechanical Structure

$$\sqrt{1} \rightarrow \sqrt{512}$$

9 walls, 512 bins, 128 bins/quadrant, 720° closure

Signed Coverage

$$m \times 128u \quad (m \in \mathbb{Z} \setminus \{0\})$$

Depth $\sqrt{|m|}$, closure to $\text{sign}(m)u$

Dimensional Compounding

$$\sqrt{1} \rightarrow \sqrt{2} \rightarrow \sqrt{3} \rightarrow \sqrt{4}$$

Q1 (extent) $\rightarrow$ Q2 (inversion) $\rightarrow$ Q3 (mass) $\rightarrow$ Q4 (EM closure)

Six Adaptations

Calculus, Groups, Number Lines, Polynomials, Zeta/RH, Quantum Mechanics

Core Insight

Zero is an artifact of linearizing a closed manifold.

The sphere is more fundamental than the line.

Unity is more fundamental than zero.

Partition is more fundamental than accumulation.

MIT License

Copyright © 2025 Joshua Luke Nuijens, Seth Ryan Cromelin

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the “Software”), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED “AS IS”, WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.