


Versatile Tasks

Multi Object Refering



Pointing



Layout Grounding




Figure 3: An overview of the transformer with simplified decoder (TSD). TSD output is used to generate the bounding box which is then used for answer prediction.

caption
subsub section title
paragraph to Incorporate the Evidence Score

We use the IOU scores as the evidence for the answer generated. Therefore, we propose a multitask loss, which facilitates the answer embedding to learn both the semantics and localization information provided by the formula . The formula multi-task formula of three individual loss functions: localization loss formula , semantic loss formula and the fusion loss formula . The answer embedding output formula is fed into a multilayer perceptron (MLP) to directly predict the bounding box formula on formula of the answer OCR token. Inspired by (Carion et al., 2020), the localization loss formula is defined as

$$\text{formula} = (1 - \text{IoU}^{\text{pred}})^{\beta} + \text{IoU}^{\text{pred}} \times \text{formula} \quad (8)$$

paragraph where formula denotes the ground form formula which is obtained by matching the OCR token text to the ground truth answer text. formula and formula calculate the intersection and L1 norm respectively between the prediction and ground-truth bounding box. formula if the answer word matches one of the **paragraph** text and 0 otherwise.

To accurately answer a formula , localization and semantic information are both critical. Thus, we propose a fusion loss formula to couple the localization prediction and semantic representation of the answer. The two aspects of info formula complement each other in the process of decision formula . Formally, given the target scores $\text{formula} \in \{1, \dots, M\}$, we formulate our fusion loss formula using cross entropy as

$$\text{formula} = \sum_{m=1}^M \text{loss}_{\text{cross_entropy}}(s_m^{\text{pred}}, t_m^{\text{ocr}}) \quad (9)$$

paragraph In order to exploit the linguistic meaning of the answer embedding, we formula vocabulary of frequently used words. We feed the localization-aware answer representation formula into a linear class formula to classify answer embedding of each decoding step to one of the vocabulary. Our semantic loss formula is computed as the cross entropy between the classification score vector and the one formula from formula form formula . All multi-task loss of the network is calculated as $\text{formula} = \text{formula} + \text{formula}$ where formula and formula are form formula that determine the importance of localization loss and semantic loss. formula and formula are experimentally selected.


sub section title
paragraph with Simplified Decoder

Existing works (Hu et al., 2020; Gao et al., 2020) use BERT alike transformer architecture, which allows each decoder layer to attend to the same depth encoder layer. However, a deeper encoder layer extracts a more broad view of the input than a shallow layer (Clark et al., 2019). As such, we adopt the standard transformer encoder-decoder structure as shown in Figure 3. Here, we use the transformer with simplified decoder (TSD) by removing the decoder self-attention to save the computational cost. We experimentally find that only using the encoder-decoder attention can maintain the same performance. The multimodal inputs are encoded by L stacked standard transformer encoder layers. The embedding of the last encoder layer is fed into each of the L decoder layers. The answer word is generated in an auto-regressive


GUI Grounding



Detection



OCR



Decoding Paradigm Evolution



Textual Digit Decoding

Arbitrary Length

21 STEPS

<ref>

ship

</ref>

<box>

1

3

0

,

6

4

7

,

9

1

1

,

8

8

7

</box>

Quantized Coordinate Decoding

Arbitrary Length

Token Efficiency

10 STEPS

<ref>

ship

</ref>

<box>

<130>

<647>

<911>

<887>

</box>

Parallel Box Decoding

Arbitrary Length

Token Efficiency

Parallel Decoding

2 STEPS

<ref>

ship

</ref>

<box>

<130>

<647>

<911>

<911>

</box>