



## CLASSIC VEHICLES

FROM THE TILE INDUSTRY


lendar

## 2014




























FLOOR PROTECTION SYSTEMS FROM THE GROUND UP!


www.nacproducts.com 1(800)633.4622

**Crack Isolation** Waterproofing

**Sound Control Moisture Barrier** 



Calendar Copyright ©2013 NAC Products, Inc. All vehicle photos used with permission Printed in U.S.A. October 2013



SUNDAY	MONDAY	TUESDAY	WEDNESDAY	THURSDAY	FRIDAY	SATURDAY
	Dictional 2013 1 2 3 4 5 6 7 8 9 10 11 12 13 14	Francisco 2014	1	2	3	4
	15 16 17 16 17 20 2 22 23 26 25 26 27 28 29 30 31	9 TO 11 12 TO 14 15 16 17 16 19 20 21 22 23 24 25 26 27 28	New Year's Day			
5	6	7	8	9	10	n
12	13	14	15	16	17	18
19	20	21	22 Concrete • La	23	24	25
-	Martin In her King Jr's Birtholog	World	Concrete			
26	27	28	29	30	31	N
	The inte	rnational Sur	face Event • La	s Vegas		A

JANUARY 2014

Did you know **SAM™ 3 90** is a 90 mils thick (about 7/64°) sound control membrane that can be used with or without a SRCA? With an IIC of 70 and an STC of 67, **SAM™ 3 90** exceeds ANSI specifications ATIB.10 for waterproofing. ATIB.12 for crack isolation and ATIB.13 for sound control.



SURDAT	MONDAT	TUESDAT	WEDNESDAT	INUKSDAT	FRIDAT	SAIUKDAT
				January 2004  1 2 3 4 5 6 7 8 9 10 B E 10 W 15 16 17 8 18 20 21 22 23 34 25 26 27 28 29 20 31	Marrox 2 004 1 2 3 4 5 6 7 8 9 10 10 12 10 14 15 16 17 16 19 20 21 22 23 24 25 26 27 26 39 20 20	1
2	3	4	5	6	7	8
		Desig KBIS/NAHE	n & Construction International Bui Las Vegas	Week Iders Show		
9	10	11	12	13	14	15
			Lincoln's Birthday	- 1	Valentine's Day	
16	Commercial President's Day	Construction &	Renovation	20	21	22 Westington's Birthday
23	24	25	26	27	28	N A G

FEBRUARY 2014



Did you know **BCB® 75** anti-fracture membrane has been sound tested and achieved an IIC of 65° and STC of 67°? In addition to sound control capabilities, **BCB® 75** also provides crack isolation up to W" lateral movement and is available in 3'x75' rolls. (\*assedon 8' stab with SRCW)



Feature 2004 April 2 014 **MARCH 2014** 4 5 6 7 8 P 10 H 12 IB W 15 13 W 15 16 P 18 W 20 21 22 23 26 25 26 23 28 25 25 27 28 8 FCICA Convention - St. Pele Beach, FL. 10 11 12 13 14 15 16 17 18 19 20 21 22 First Day of Spring 23 24 26 25 27 29 28 Did you know the Extreme Deck Kit provides a double layer of waterproof protection for 31 30 exterior decks and balconies in the convenience of a kit? The Extreme Deck Mt contains NAC TAC primer, SubSeal® liquid waterproof membrane, seam lape, preformed corners

the Extreme Deck 10t contains everything needed to cover a 300 Sq. Ft. deck.

and polyurethane sealant. When combined with two rolls of Strataflex sheet membrane,



SUNDAY	MONDAY	TUESDAY	WEDNESDAY	THURSDAY	FRIDAY	SATURDAY
Marcin 2014  1 2 3 4 5 1 7 8 9 10 11 12 13 14 16 14 17 18 19 20 21 22 23 24 25 26 27 26 29 26 31	Man 2014  1 2 3  4 5 6 7 8 9 10  11 10 10 14 15 14 17  10 19 20 31 22 23 28 25 24 37 30 29 30 31	1	2	3	4	5
6	7	8	9	10	11	12
13	14	15	16	17	18	19
20	21	22	23	24	25	26
27	28	29 Covering	30 s • Las Vegas	N A G		

**APRIL 2014** 

Did you know SubSeat@ liquid waterproof membrane can also function as a stand alone crack suppressant and moisture barrier for hard surface, resilient and wood flooring? SubSeat@ is a one part, ready-to-use elastomeric membrane suitable for interior and exterior use and is a main component of the Extreme Deck System.



SUNDAY	MONDAY	TUESDAY	WEDNESDAY	THURSDAY	FRIDAY	SATURDAY
N A G		Arm. 2014 1 2 2 4 5 6 7 8 9 10 11 12 13 16 16 17 16 19 20 21 22 23 26 25 26 27 26 39 30	3000 2014 1 2 3 4 5 6 7 6 9 10 11 12 10 14 15 16 17 18 19 20 21 22 29 24 25 26 27 26 29 30	Coverings :	Las Vegas	3
4	5	6	7	8	9	10
11	12	13	14	15	16	17
Mother's Day	- 1					-
18	19	20	21	22	23	24
-			-			
25	26	27	28	29	30	31
	Memorial Day					

MAY 2014

Did you know Super SAM\*\*\* 125 is the most effective "all-in-one" membrane on the market today? Super SAM\*\*\* 125 is about 1/6" thick and is engineered for use without a sound rated ceiling assembly. Super SAM\*\*\*\* 125 has a light commercial/residential load rating and is composed of modified elastomers, sound deadening resins and reinforced woven fibers.



SUNDAY	MONDAY	TUESDAY	WEDNESDAY	THURSDAY	FRIDAY	SATURDAY
1	2	3	4	5	6	7
8	9	10	11	12	13	14
15 Fedrer's Day	16	17	18	19	20	21 First Day of Summer
22	23	24	25	26	27 AIA • Chicago	28
29	30	Mar 2014 1 2 3 4 5 8 7 8 9 10 11 12 13 14 15 18 17 18 19 20 21 22 23 24 25 26 27 28 29 20 31	3km 2014 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31			N A G

**JUNE 2014** 



Did you know Stratation waterproofing sheet membrane also provides crack isolation protection up to 3/6"? Stratation also features a 2" double stick tap joint that creates a watertight seal.

Stratation can be used for indoor and outdoor applications and is a main component of the Extreme Deck System.



SURDAI	HOHDAI	TOESDAT	WEDNESDAI	Inekspai	FRIDAT	JAIURDAI
3040 2014 1 2 3 4 5 6 7 8 9 10 1 12 13 M 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 20	Accest 2014  1 2 2 4 5 6 7 6 9 10 11 12 13 14 15 16 17 16 19 20 21 22 23 24 25 26 27 26 29 30 31	1	2	3	4 Independence Day	5
6	7	8	9	10	n	12
13	14	15	16	17	18	19
20	21	22	23	24	25 EBC - Orlando	26
27	28	29	30	31	N A G	

**JULY 2014** 

Did you know NAC TAC (Blue) can be used for interior and exterior applications white NAC TAC II (Green) is for interior use only? The primers are NOT freeze/thaw stable. NAC TAC and NAC TAC III primers are necessary components of NAC Systems and are required in order to meet minimum shear strength mandates by ANSI ATIS.10 for load bearing, bonded waterproof membranes.





SUNDAY	MONDAY	TUESDAY	WEDNESDAY	THURSDAY	FRIDAY	SATURDAY
Aug	SUST 2	2014	July 2014 1 2 3 4 5 6 7 8 9 10 1 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31	Samulation 2014  1 2 3 4 5 6  7 6 9 10 11 12 13  14 15 16 17 16 19 20  21 22 23 24 25 26 27  28 29 30	1	2
3	4	5	6	7	8	9
10	n	12	13	14	15	16
17	18	19	20	21	22	23
24	25	26	27	28	29	30
21	N		Did you kn	ow <b>SAM™</b> 3 is a 70 m	rils thick (about 3)	32') sound control

membrane and has an IIC rating of 56\* and an STC rating of 54\*?

SAM\*\*\* 3 is engineered and tested to be used with a Sound Rated
Ceiling Assembly (SRCA). SAM\*\*\* 3 also provides waterproofing

and crack isolation up to 3/8" of lateral movement.

31



SUNDAY	MONDAY	TUESDAY	WEDNESDAY	THURSDAY	FRIDAY	SATURDAY
	1	2	3	4	5	6
	Labor Day					
7	8	9	10	n	12	13
		_ 5		Petriot's Day		
14	15	16	17	18	19	20
					-	
21	22	23	24	25	26	27
-	-	First Day of Autumn	-		- 1	~
28	29	30	Annur 2814 1 2 2 4 5 4 7 8 9	Occur 28M 1 2 3 4 3 6 7 4 9 8 11	N.	
			10 Th 12 10 M 15 16 Th 16 10 20 21 22 23 24 25 26 27 28 29 30 31	12 D M 15 W 7 B 19 21 M 22 23 28 25 26 77 28 29 30 M	A	

SEPTEMBER 2014

Did you know Molsture Lock® is a chemical liquid hardener for cementitious and porous substrates? Makture Lock® strengthens and hardens substrates to minimize absorption while maximizing the coverage of NAC primers.





SUNDAY	MONDAY	TUESDAY	WEDNESDAY	THURSDAY	FRIDAY	SATURDAY
	Severe 2014 1 2 2 4 5 6 7 8 9 10 11 12 13 W 15 16 17 10 19 20 21 22 23 24 25 26 27 28 29 20	Nomenn 2014  1 2 2 4 5 6 7 6 9 10 11 12 12 14 15 16 17 16 19 20 21 22 23 24 25 26 27 28 29 20	1	2	3	4
5	6	7	8	9	10	n
12	13 Columbus Day	14	15	16	17	18
19 The Inte	20 Irnational Surf	21 ace Event East	22 • Mlami	23	24	25
26	27	28	29	30	31	Ņ A G

OCTOBER 2014

Did you know **ECB® Classic** is the original anti-fracture membrane? Brought to market in 1983, **ECB® Classic** provides crack isolation up to 3/8" and is available in 1'x50', 2'x50' and 3'x50' rolls.








primer, primer brush and a utility knife.

in a substrate by utilizing ECBo Kits? The ECBo Kit contains a 1'x50' roll of ECBo membrane while the Large Tile Kit has a 2'x25' roll. Both kits include a pint of



SUNDAY	MONDAY	TUESDAY	WEDNESDAY	THURSDAY	FRIDAY	SATURDAY
	1	2	3	4	5	6
7	8	9	10	11	12	13
14	15	16	17	18	19	20
21 And Day of Winter	22	23	24	25 Oriena	26	27
28	29	30	31 Hew Year's Eve	Homeson 2004 1 2 2 4 5 6 7 8 9 10 11 12 13 54 16 16 17 16 19 20 21 22 22 28 25 26 27 26 39 30	Javanir 2006 1 2 3 4 5 4 7 8 9 10 10 12 10 14 16 14 17 10 19 20 21 22 20 24 26 24 27 26 29 30 30	N A G

DECEMBER 2014

Did you know BCBB Green consists of a base layer of polymer modified elastomers permanently laminated to a unique recycled "stress flex" fiber sheet? BCB® Green is designed for use in "Green" construction applications that require protection from structural movement and Moisture Vapor Transmission (MVT).