




MIN, MAX= 0.0000E+00 6.4691E+00 VTGCM (DAY, HR, MIN=150, 0, 1) vtgcm.s_oxvgcm_2D_nlev1_IMAGINUS_BASE_VEN1_V1e6.nc




MIN, MAX = 0.0000E+00 5.4412E+00 VTGCM (DAY, HR, MIN=150, 0, 1) vtgcm.s_oxvgcm_2D_nlev1_IMAGINUS_BASE_VEN1_V1e6.nc




MIN, MAX= 0.0000E+00 5.1852E+00 VTGCM (DAY, HR, MIN=150, 0, 1) vtgcm.s_oxvgcm_2D_nlev1_IMAGINUS_BASE_VEN1_V1e6.nc




















MIN, MAX= 0.0000E+00 6.4815E+00 VTGCM (DAY, HR, MIN=150, 0, 1) vtgcm.s_oxvgcm_2D_nlev1_IMAGINUS_BASE_VEN1_V1e6.nc




MIN, MAX= 0.0000E+00 5.4412E+00 VTGCM (DAY, HR, MIN=150, 0, 1) vtgcm.s_oxvgcm_2D_nlev1_IMAGINUS_BASE_VEN1_V1e6.nc








MIN, MAX= 0.0000E+00 2.0333E+00 VTGCM (DAY, HR, MIN=150, 0, 1) vtgcm.s_oxvgcm_2D_nlev1_IMAGINUS_BASE_VEN1_V1e6.nc



MIN, MAX= 0.0000E+00 5.9394E+00 VTGCM (DAY, HR, MIN=150, 0, 1) vtgcm.s_oxvgcm_2D_nlev1_IMAGINUS_BASE_VEN1_V1e6.nc



MIN, MAX= 0.0000E+00 6.5845E+00 VTGCM (DAY, HR, MIN=150, 0, 1) vtgcm.s_oxvgcm_2D_nlev1_IMAGINUS_BASE_VEN1_V1e6.nc