




MIN, MAX= 0.0000E+00 1.9483E+00 INTERVAL= 1.0000E-01 VTGCM (DAY, HR, MIN=300, 0, 1) vtgcm.s_oxvgcm_2D_nlev1_imaginus5_gj436_VEN4_v4xd3.nc




MIN, MAX= 0.0000E+00 1.5682E+00 INTERVAL= 1.0000E-01 VTGCM (DAY, HR, MIN=300, 0, 1) vtgcm.s_oxvgcm_2D_nlev1_imaginus5_gj436_VEN4_v4xd3.nc




MIN, MAX= 0.0000E+00 2.5235E+00 INTERVAL= 2.0000E-01 VTGCM (DAY, HR, MIN=300, 0, 1) vtgcm.s_oxvgcm_2D_nlev1_imaginus5_gj436_VEN4_v4xd3.nc




MIN, MAX= 0.0000E+00 4.5656E+00 INTERVAL= 2.5000E-01 VTGCM (DAY, HR, MIN=300, 0, 1) vtgcm.s_oxvgcm_2D_nlev1_imaginus5_gj436_VEN4_v4xd3.nc




MIN, MAX= 0.0000E+00 5.9128E+00 INTERVAL= 4.0000E-01 VTGCM (DAY, HR, MIN=300, 0, 1) vtgcm.s_oxvgcm_2D_nlev1_imaginus5_gj436_VEN4_v4xd3.nc




MIN, MAX= 0.0000E+00 5.9321E+00 INTERVAL= 4.0000E-01 VTGCM (DAY, HR, MIN=300, 0, 1) vtgcm.s_oxvgcm_2D_nlev1_imaginus5_gj436_VEN4_v4xd3.nc




MIN, MAX= 0.0000E+00 5.1422E+00 INTERVAL= 4.0000E-01 VTGCM (DAY, HR, MIN=300, 0, 1) vtgcm.s_oxvgcm_2D_nlev1_imaginus5_g;436_VEN4_v4xd3.nc




MIN, MAX= 0.0000E+00 5.6171E+00 INTERVAL= 4.0000E-01 VTGCM (DAY, HR, MIN=300, 0, 1) vtgcm.s_oxvgcm_2D_nlev1_imaginus5_gj436_VEN4_v4xd3.nc




MIN, MAX= 0.0000E+00 5.6666E+00 INTERVAL= 4.0000E-01 VTGCM (DAY, HR, MIN=300, 0, 1) vtgcm.s_oxvgcm_2D_nlev1_imaginus5_gj436_VEN4_v4xd3.nc




MIN, MAX= 0.0000E+00 5.9321E+00 INTERVAL= 4.0000E-01 VTGCM (DAY, HR, MIN=300, 0, 1) vtgcm.s_oxvgcm_2D_nlev1_imaginus5_gj436_VEN4_v4xd3.nc




MIN, MAX= -1.8417E+01 -4.8832E+00 VTGCM (DAY, HR, MIN=300, 0, 1) vtgcm.s_oxvgcm_2D_nlev1_imaginus5_gj436_VEN4_v4xd3.nc




MIN,MAX= 0.0000E+00 1.9283E+00 VTGCM (DAY,HR,MIN=300, 0, 1) vtgcm.s_oxvgcm_2D_nlev1_imaginus5_gj436_VEN4_v4xd3.nc




MIN,MAX= 0.0000E+00 1.5629E+00 VTGCM (DAY,HR,MIN=300, 0, 1) vtgcm.s_oxvgcm_2D_nlev1_imaginus5_gj436_VEN4_v4xd3.nc




MIN,MAX= 0.0000E+00 2.5114E+00 VTGCM (DAY,HR,MIN=300, 0, 1) vtgcm.s_oxvgcm_2D_nlev1_imaginus5_gj436_VEN4_v4xd3.nc




MIN,MAX= 0.0000E+00 4.5607E+00 VTGCM (DAY,HR,MIN=300, 0, 1) vtgcm.s_oxvgcm_2D_nlev1_imaginus5_gj436_VEN4_v4xd3.nc




MIN,MAX= 0.0000E+00 5.9077E+00 VTGCM (DAY,HR,MIN=300, 0, 1) vtgcm.s_oxvgcm_2D_nlev1_imaginus5_gj436_VEN4_v4xd3.nc




MIN,MAX= 0.0000E+00 5.9271E+00 VTGCM (DAY,HR,MIN=300, 0, 1) vtgcm.s_oxvgcm_2D_nlev1_imaginus5_gj436_VEN4_v4xd3.nc




MIN,MAX= 0.0000E+00 5.1282E+00 VTGCM (DAY,HR,MIN=300, 0, 1) vtgcm.s_oxvgcm_2D_nlev1_imaginus5_gj436_VEN4_v4xd3.nc



MIN,MAX= 0.0000E+00 5.6126E+00 VTGCM (DAY,HR,MIN=300, 0, 1) vtgcm.s_oxvgcm_2D_nlev1_imaginus5_gj436_VEN4_v4xd3.nc



MIN,MAX= 0.0000E+00 5.6646E+00 VTGCM (DAY,HR,MIN=300, 0, 1) vtgcm.s_oxvgcm_2D_nlev1_imaginus5_gj436_VEN4_v4xd3.nc



MIN,MAX= 0.0000E+00 5.9271E+00 VTGCM (DAY,HR,MIN=300, 0, 1) vtgcm.s_oxvgcm_2D_nlev1_imaginus5_gj436_VEN4_v4xd3.nc