

# My first R markdown 2.1 - bold

Jenny Yang

2024-08-12

## R Markdown

This is an R Markdown document. Markdown is a simple formatting syntax for authoring HTML, PDF, and MS Word documents. For more details on using R Markdown see <http://rmarkdown.rstudio.com>.

When you click the **Knit** button a document will be generated that includes both content as well as the output of any embedded R code chunks within the document. You can embed an R code chunk like this:

```
summary(cars)
```

```
##      speed      dist
##  Min.   : 4.0    Min.   :  2.00
## 1st Qu.:12.0    1st Qu.: 26.00
##  Median :15.0    Median : 36.00
##   Mean  :15.4    Mean   : 42.98
## 3rd Qu.:19.0    3rd Qu.: 56.00
##   Max.  :25.0    Max.    :120.00
```

## Including Plots

You can also embed plots, for example:

Jenny asks: what does “**embed plots**” mean?



Note that the `echo = FALSE` parameter was added to the code chunk to prevent printing of the R code that generated the plot.

```
print("Hello world again")
```

```
## [1] "Hello world again"
```

- I
- AM
- TRYING
- TO
- Make
- some
- bullets
- I - AM - TRYING - TO

- Make - some - bullets

-Let -Me -Try -something -new

-what

-about

-this -why -not -showing

The instruction for bullet points is a bit confusing to me.