Bosch Connected World 2020 showcase











BCW20 – Presented use cases







ARCHIVING OF TIGHTENING PROCESS RESULTS



DEVICE HEALTH STATUS REMOTE MONITORING




REMOTE CONTROL




BCW 20-Connected Smart Nexo showcase







BCW 20 Azure Dashboard




BCW 20 Time Series Insights



BCW 20 Single tightening process



BCW 20 Process info archive



BCW 20 Device Twin





The device twin for 'nexo-01' is shown below. You can add tags and desired properties to your device twin here. To remove a tag or

```
"deviceId": "nexo-01",
"etag": "AAAAAAAAAAE=",
"deviceEtag": "NjY5NDUxNTcz",
"status": "enabled",
"statusUpdateTime": "0001-01-01T00:00:00Z",
"connectionState": "Disconnected",
"lastActivityTime": "2020-02-12T10:39:04.0156176Z",
"cloudToDeviceMessageCount": 0,
"authenticationType": "sas",
"x509Thumbprint": {
 "primaryThumbprint": null,
 "secondaryThumbprint": null
"version": 78,
"properties": {
 "desired": {
    "$metadata": {
     "$lastUpdated": "2020-02-11T13:21:50.2723475Z"
    "$version": 1
  "reported": {
                                            Device status
   "numberOfRequest": 3,
   "numberOfDeliveries": 3,
                                            gets reported
    "ipaddress": "192.168.1.22",
    "wifilevel": -59,
    "batterylevel": 88,
```