

By QA Department

Chapter 1 5 Chapter 2 10 This section should be ideally removed or ignored by the chapterizer if it detects a TOC pattern, or treated as a prelude. Tests removal logic.

This chapter header has significant leading and trailing whitespace. The regex `'^[\\t]*chapter...'` should handle this correctly without needing strict start-of-line anchors that forbid indentation. The content here is standard text testing if the header is correctly identified despite the spaces. Repeated text for length: This chapter header has significant leading and trailing whitespace. The regex `'^[\\t]*chapter...'` should handle this correctly without needing strict start-of-line anchors that forbid indentation. The content here is standard text testing if the header is correctly identified despite the spaces.

This represents a 'Part' header. Often followed by Chapters. The system should identify 'Part I' as a valid split point. Testing Roman Numeral 'I'.

This section contains non-ASCII characters to insure encoding is handled correctly in all formats (EPUB, DOCX, etc). Greek: ν ρχ ν Λ γος. Hebrew: כנסת ישראל מדינת ישראל תשס"ח. Ensuring that the TTS pipeline (and file generation) doesn't choke on these symbols. The quick brown fox jumps over the lazy dog. 1234567890. Special symbols: @\$%^&*().

Some layouts use decimals. 'Section 5.5' should be caught by the regex allowing digits. This checks if the regex accepts dots or just integers. If our regex is `'([0-9]+|[IVX...])'`, it might miss 5.5. This is a good edge case test. If it fails, we know we need to update the regex to allow ``[0-9]+(?:\.[0-9]+)?``.