Student vSRX Interface Topology

The vSRX used in the lab has three physical interfaces in the topology.

- ge-0/0/0.0
  - This interface is used by Vagrant to talk to the device
  - When using commands such as "vagrant ssh" this is the Interface it connects to
  - The interface is configured in a management zone and is not for transit
  - Uses DHCP for IP address allocation
- ge-0/0/1.0
  - Connected to the NetDevOps VM
  - Has a static IP address of 172.16.0.1/24
  - When needed to connect to the vSRX from the NetDevOps VM this is the interface and IP to use
- ge-0/0/2.0
  - This interface connects to the headend vSRX
  - Has a static IP address of 10.10.0.10/22

Diagram

```
                                +
                                |
                                |
              vSRX Headend      |    ge-0/0/2.0
                                |    10.10.0.10/22
                                |
                                |
                                |
                                |
                  +-------------+------------+
                  |                          |
                  |                          |
   ge-0/0/0.0     |                          |
   DHCP           |                          |
                  |                          |
+----------------+             vSRX          |
                  |                          |
   Vagrant        |                          |
   Management     |                          |
   Interface      |                          |
                  |             lo0.0        |
                  +-------------+------------+
                                |
                                |
              NetDevOps VM |    ge-0/0/1.0
              Interface    |    172.16.0.1/24
                                |
                                +
```