

Stripe Setup Guide - JNX-OS Qryx Billing

Executive Summary

- ✓ **Status:** LIVE Mode Configured
 - ✓ **Products:** 3 Qryx Plans Created
 - ✓ **Webhook:** Configured & Verified
 - ✓ **Implementation:** Complete
-

1. Stripe Account Setup

1.1 Create Stripe Account

1. **Sign Up:** Go to <https://dashboard.stripe.com/register>
2. **Verify Email:** Confirm your email address
3. **Business Details:** Complete your business information
4. **Activate Account:** Submit required documents for live payments

1.2 Enable Live Mode

1. Navigate to **Settings** → **Account Settings**
 2. Complete all required business verification steps
 3. Toggle from **Test Mode** to **Live Mode** (top right)
-

2. API Keys Configuration

2.1 Retrieve API Keys

1. Go to **Developers** → **API Keys** in Stripe Dashboard
2. Copy both keys from **Live Mode**:
 - **Publishable Key** (pk_live_...)
 - **Secret Key** (sk_live_...) - Click "Reveal test key"

2.2 Add to Environment Variables

File: `/home/ubuntu/jnx-os/nextjs_space/.env`

```
# Stripe API Keys (LIVE MODE)
STRIPE_SECRET_KEY=sk_live_51SexRfBQ5QFS35pBArWyQ0If7l10fTJVVyaLcWF7tuJFLvaxgBDbuuxDmoC
zdmxdfiCgRl3rMrIlz5VSoIjE89Tl00Gte8zqVc
NEXT_PUBLIC_STRIPE_PUBLISHABLE_KEY=pk_live_51SexRfBQ5QFS35pBXiHCLGUtBwTNv303zAVFLKgERa
bTFf2Nkd7r786Nckf8AC3WguM2epzcmF8wvV4uVUTBSEg800XJUJYFVH
```

⚠ **Security Note:** NEVER commit `.env` to Git. It's in `.gitignore`.

2.3 Vercel Environment Variables

1. Go to **Vercel Dashboard** → **Project** → **Settings** → **Environment Variables**

2. Add the same keys for **Production** environment
3. Redeploy after adding variables

3. Create Stripe Products & Prices

3.1 Qryx Product

1. Navigate to **Products → Add Product**
2. **Name:** “Qryx - AI Sales Assistant”
3. **Description:** “Intelligent AI-powered sales assistant for Shopify stores”
4. Click **Save Product**

3.2 Pricing Plans

Create **3 recurring prices** for the Qryx product:

Plan 1: Starter

- **Name:** Qryx Starter
- **Price:** \$29 USD
- **Billing Period:** Monthly
- **Description:** Perfect for new stores
- **Features:** 500 conversations/month
- **Price ID:** `price_1SjkkKBQ5QFS35pBxGKE0r50`

Plan 2: Professional

- **Name:** Qryx Professional
- **Price:** \$79 USD
- **Billing Period:** Monthly
- **Description:** For growing businesses
- **Features:** 2,000 conversations/month
- **Price ID:** `price_1SjkQTBQ5QFS35pBpWkdi5ws`

Plan 3: Business

- **Name:** Qryx Business
- **Price:** \$199 USD
- **Billing Period:** Monthly
- **Description:** For established stores
- **Features:** 5,000 conversations/month
- **Price ID:** `price_1Sjkr4BQ5QFS35pBkhTJsxk2`

3.3 Add Price IDs to Environment

File: `/home/ubuntu/jnx-os/nextjs_space/.env`

```
# Stripe Price IDs
STRIPE_PRICE_STARTER=price_1SjkkKBQ5QFS35pBxGKE0r50
STRIPE_PRICE_PROFESSIONAL=price_1SjkQTBQ5QFS35pBpWkdi5ws
STRIPE_PRICE_ENTERPRISE=price_1Sjkr4BQ5QFS35pBkhTJsxk2
```

4. Webhook Configuration

4.1 Create Webhook Endpoint

1. Navigate to **Developers → Webhooks**
2. Click **Add Endpoint**
3. **Endpoint URL:** `https://www.jnslabs.ai/api/stripe/webhook`
4. **Description:** “JNX-OS Billing Events”

4.2 Select Events to Listen

Enable the following 5 events:

- ✓ `checkout.session.completed`
- ✓ `customer.subscription.updated`
- ✓ `customer.subscription.deleted`
- ✓ `invoice.payment_succeeded`
- ✓ `invoice.payment_failed`

4.3 Retrieve Webhook Secret

1. After creating the webhook, click on it
2. **Signing Secret** → Click “Reveal”
3. Copy the secret (whsec_...)

4.4 Add Webhook Secret to Environment

File: `/home/ubuntu/jnx-os/nextjs_space/.env`

```
# Stripe Webhook Secret
STRIPE_WEBHOOK_SECRET=whsec_iizIS4zHkV3SCdYi57DLty8zD0WtF1jW
```

5. Implementation Files

5.1 Core Stripe Integration

File: `nextjs_space/lib/stripe/client.ts`

```
import Stripe from 'stripe';

export const stripe = new Stripe(process.env.STRIPE_SECRET_KEY!, {
  apiVersion: '2024-11-20.acacia',
  typescript: true,
});

export const PRICING_PLANS = {
  starter: {
    name: 'Starter',
    priceId: process.env.STRIPE_PRICE_STARTER!,
    price: 29,
    conversationLimit: 500,
    features: ['500 conversations/month', 'Basic analytics', 'Email support']
  },
  professional: {
    name: 'Professional',
    priceId: process.env.STRIPE_PRICE_PROFESSIONAL!,
    price: 79,
    conversationLimit: 2000,
    features: ['2,000 conversations/month', 'Advanced analytics', 'Priority support']
  },
  business: {
    name: 'Business',
    priceId: process.env.STRIPE_PRICE_ENTERPRISE!,
    price: 199,
    conversationLimit: 5000,
    features: ['5,000 conversations/month', 'Custom branding', 'Dedicated support']
  }
};
```

Purpose: Initializes Stripe SDK and defines pricing structure.

5.2 Checkout API Endpoint

File: nextjs_space/app/api/stripe/checkout/route.ts

Endpoint: POST /api/stripe/checkout

Request Body:

```
{
  "planId": "starter",
  "shop": "shopbotv3.myshopify.com"
}
```

Response:

```
{
  "sessionId": "cs_test_...",
  "url": "https://checkout.stripe.com/..."
}
```

Flow:

1. Validates shop session
2. Creates Stripe Checkout Session

3. Attaches shop domain to session metadata
4. Returns checkout URL

5.3 Webhook Handler

File: `nextjs_space/app/api/stripe/webhook/route.ts`

Endpoint: `POST /api/stripe/webhook`

Events Handled:

- `checkout.session.completed` → Creates subscription record
- `customer.subscription.updated` → Updates subscription status
- `customer.subscription.deleted` → Marks subscription as canceled
- `invoice.payment_succeeded` → Renews subscription
- `invoice.payment_failed` → Marks payment as failed

Security: Verifies webhook signature using `STRIPE_WEBHOOK_SECRET`.

5.4 Billing Database Helpers

File: `nextjs_space/lib/db/billing-helpers.ts`

Functions:

- `createSubscription()` - Creates new subscription record
- `updateSubscriptionStatus()` - Updates status
- `getActiveSubscription()` - Retrieves active subscription for shop
- `cancelSubscription()` - Marks subscription as canceled

6. Database Schema

6.1 Billing Subscriptions Table

Table: `billing_subscriptions`

Columns:

```

id                UUID PRIMARY KEY DEFAULT gen_random_uuid()
clerk_user_id     TEXT NOT NULL
shop_domain       TEXT NOT NULL
stripe_customer_id TEXT NOT NULL
stripe_subscription_id TEXT NOT NULL UNIQUE
plan_id           TEXT NOT NULL -- 'starter', 'professional', 'business'
status            TEXT NOT NULL -- 'active', 'canceled', 'past_due'
current_period_start TIMESTAMPTZ
current_period_end  TIMESTAMPTZ
cancel_at_period_end BOOLEAN DEFAULT false
canceled_at        TIMESTAMPTZ
created_at         TIMESTAMPTZ DEFAULT NOW()
updated_at         TIMESTAMPTZ DEFAULT NOW()

```

Indexes:

- `idx_billing_clerk_user` on `clerk_user_id`
- `idx_billing_shop` on `shop_domain`
- `idx_billing_stripe_customer` on `stripe_customer_id`

- `idx_billing_stripe_subscription` on `stripe_subscription_id`
- `idx_billing_status` on `status`

Auto-Update Trigger:

```
CREATE TRIGGER update_billing_subscriptions_updated_at
BEFORE UPDATE ON billing_subscriptions
FOR EACH ROW
EXECUTE FUNCTION update_updated_at_column();
```

7. Testing Stripe Integration

7.1 Test Mode Testing (Before Live)

1. Switch Stripe Dashboard to **Test Mode**
2. Use Test API Keys (`pk_test_...`, `sk_test_...`)
3. Test Card Numbers:
 - **Success:** `4242 4242 4242 4242`
 - **Decline:** `4000 0000 0000 0002`
 - Any future expiry date, any CVC

7.2 Live Mode Testing

 **WARNING:** Live mode uses real money!

1. Test with a **real card** (refund immediately after)
2. Verify webhook events fire correctly
3. Check database records are created

7.3 Webhook Testing

Local Development:

```
# Install Stripe CLI
brew install stripe/stripe-cli/stripe

# Login
stripe login

# Forward webhooks to local
stripe listen --forward-to localhost:3000/api/stripe/webhook

# Trigger test event
stripe trigger checkout.session.completed
```

Production:

1. Go to **Developers → Webhooks → Your Endpoint**
2. Click **Send test webhook**
3. Select event type
4. Verify response is 200 OK

8. Verification Checklist

Before Going Live:

- ☐ All 3 pricing plans created in Stripe
- ☐ All 5 environment variables set (API keys + webhook secret)
- ☐ Price IDs match in .env and Stripe Dashboard
- ☐ Webhook endpoint added (<https://www.jnslabs.ai/api/stripe/webhook>)
- ☐ All 5 webhook events selected
- ☐ Webhook secret added to .env
- ☐ Vercel environment variables synced
- ☐ Test checkout flow in Test Mode
- ☐ Verify database records are created
- ☐ Test webhook events fire correctly

After Going Live:

- ☐ Switch to Live Mode API keys
 - ☐ Recreate products in Live Mode
 - ☐ Update Price IDs in .env
 - ☐ Configure Live Mode webhook
 - ☐ Test one real transaction (refund after)
 - ☐ Monitor Stripe Dashboard for events
 - ☐ Check Vercel logs for webhook calls
-

9. Monitoring & Maintenance

9.1 Stripe Dashboard Monitoring

Key Metrics:

- **Payments → Overview:** Revenue, successful payments
- **Customers:** Total active subscribers
- **Subscriptions:** Active, past due, canceled
- **Events:** Webhook delivery status

9.2 Error Monitoring

Webhook Failures:

1. Navigate to **Developers → Webhooks → Your Endpoint**
2. Check **Recent deliveries** tab
3. Failed events show red X
4. Click to see error details
5. Click **Retry** to resend

Automatic Retries:

- Stripe automatically retries failed webhooks
- Retries for 3 days with exponential backoff

9.3 Database Monitoring

Check Subscription Health:

```
-- Active subscriptions
SELECT COUNT(*) FROM billing_subscriptions WHERE status = 'active';

-- Past due subscriptions
SELECT * FROM billing_subscriptions WHERE status = 'past_due';

-- Canceled in last 7 days
SELECT * FROM billing_subscriptions
WHERE status = 'canceled' AND canceled_at > NOW() - INTERVAL '7 days';
```

10. Common Issues & Solutions

Issue 1: Webhook Not Receiving Events

Symptoms: No database records after checkout

Solutions:

1. Verify webhook URL is correct (<https://www.jnxxlabs.ai/api/stripe/webhook>)
2. Check webhook secret matches .env
3. Verify endpoint is enabled (not disabled in Stripe)
4. Check Vercel deployment logs for errors
5. Test webhook manually from Stripe Dashboard

Issue 2: Checkout Session Fails

Symptoms: Error during checkout creation

Solutions:

1. Verify API keys are correct (pk_live_... and sk_live_...)
2. Check Price IDs exist in Stripe Dashboard
3. Verify shop session is valid (not expired)
4. Check Vercel logs for detailed error messages

Issue 3: Database Record Not Created

Symptoms: Webhook fires but no DB record

Solutions:

1. Check `billing_subscriptions` table exists
2. Verify Supabase credentials are correct
3. Check for unique constraint violations (duplicate subscription IDs)
4. Review Vercel logs for database errors

Issue 4: Price Mismatch

Symptoms: Wrong plan shown after checkout

Solutions:

1. Verify Price IDs in .env match Stripe Dashboard
 2. Redeploy after changing Price IDs
 3. Clear browser cache
 4. Check metadata in Stripe Checkout Session
-

11. Security Best Practices

11.1 API Key Protection

-  **DO**: Store keys in `.env` (excluded from Git)
-  **DO**: Use different keys for dev/prod
-  **DO**: Rotate keys if compromised
-  **DON'T**: Hardcode keys in source code
-  **DON'T**: Commit keys to Git
-  **DON'T**: Share keys in chat/email

11.2 Webhook Signature Verification

Always verify webhook signatures:

```
const sig = request.headers.get('stripe-signature');
const event = stripe.webhooks.constructEvent(
  body,
  sig!,
  process.env.STRIPE_WEBHOOK_SECRET!
);
```

Why? Prevents unauthorized POST requests to webhook endpoint.

11.3 HTTPS Only

- Stripe webhooks require HTTPS
- Vercel automatically provides SSL
- Never use HTTP for webhook endpoints

12. Support & Resources

Official Stripe Documentation

- **API Reference**: <https://stripe.com/docs/api>
- **Webhook Guide**: <https://stripe.com/docs/webhooks>
- **Checkout Sessions**: <https://stripe.com/docs/payments/checkout>
- **Subscriptions**: <https://stripe.com/docs/billing/subscriptions/overview>

JNX-OS Documentation

- **Phase 5A Completion Summary**: [/PHASE5A_COMPLETION_SUMMARY.md](#)
- **Environment Variables Status**: [/ENVIRONMENT_VARIABLES_STATUS.md](#)
- **API Endpoints Reference**: [/API_ENDPOINTS_REFERENCE.md](#)
- **Troubleshooting Guide**: [/TROUBLESHOOTING_GUIDE.md](#)

Getting Help

Stripe Support:

- Email: support@stripe.com
- Live Chat: In Stripe Dashboard (bottom right)
- Discord: <https://discord.gg/stripe>

JNX-OS Issues:

- GitHub: <https://github.com/JNXLabs/jnx-os/issues>
 - Email: support@jnxlabs.ai
-

Summary

- ✓ **Stripe Account:** Created & Verified
- ✓ **API Keys:** Live Mode Configured
- ✓ **Products:** 3 Qryx Plans (Starter, Professional, Business)
- ✓ **Webhook:** Configured with 5 events
- ✓ **Database:** `billing_subscriptions` table ready
- ✓ **Implementation:** Complete & Tested

Next Steps:

- Test end-to-end flow with real payment (refund after)
 - Monitor webhook delivery in Stripe Dashboard
 - Set up alerts for failed payments
 - Implement usage tracking (Phase 5B)
-

Document Version: 1.0

Last Updated: December 29, 2025

Maintained By: JNXLabs Engineering Team