

Stripe Setup Guide - JNX-OS Phase 5C

Status: Live Mode Active

Last Updated: January 2, 2026

Version: 2.2 (SaaS Flow Fix)

Quick Reference

Environment Status

- **Mode:** LIVE (Production)
 - **Webhook:** Verified & Active
 - **Plans:** 3 Pricing Tiers Configured
 - **Integration:** Complete with Session Management
-

Stripe Pricing Plans

1. Starter Plan

- **Price:** \$29/month
- **Conversations:** 500/month
- **Price ID:** `price_1SjkkKBQ5QFS35pBxGKE0r50`

2. Professional Plan

- **Price:** \$79/month
- **Conversations:** 2,000/month
- **Price ID:** `price_1SjkQTBQ5QFS35pBpWkdi5ws`

3. Business Plan

- **Price:** \$199/month
 - **Conversations:** 5,000/month
 - **Price ID:** `price_1Sjkr4BQ5QF535pBkhTJsxk2`
-

API Keys (Production)

Location: Vercel Environment Variables

```
# Stripe Live Mode Keys
STRIPE_SECRET_KEY=sk_live_xxxx
NEXT_PUBLIC_STRIPE_PUBLISHABLE_KEY=pk_live_xxxx
STRIPE_WEBHOOK_SECRET=whsec_iizIS4zHkV3SCdYi57DLty8zD0WtF1jW

# Price IDs
STRIPE_PRICE_STARTER=price_1SjkkKBQ5QFS35pBxGKE0r50
STRIPE_PRICE_PROFESSIONAL=price_1SjkQTBQ5QFS35pBpWkdi5ws
STRIPE_PRICE_BUSINESS=price_1Sjkr4BQ5QF535pBkhTJsxk2
```

Webhook Configuration

Production Webhook

- **URL:** `https://www.jnslabs.ai/api/stripe/webhook`
- **Status:** Verified & Active
- **Secret:** `whsec_iizIS4zHkV3SCdYi57DLty8zD0WtF1jW`

Events Monitored (5 Events)

1. **checkout.session.completed**
 - Triggered: After successful payment
 - Action: Create billing subscription record
2. **customer.subscription.created**
 - Triggered: New subscription created
 - Action: Initialize subscription tracking
3. **customer.subscription.updated**
 - Triggered: Plan change, renewal, payment method update
 - Action: Update subscription status & period
4. **customer.subscription.deleted**
 - Triggered: Cancellation, payment failure (after retries)
 - Action: Mark subscription as cancelled
5. **invoice.payment_failed**
 - Triggered: Failed payment attempt
 - Action: Update status to 'past_due'

SaaS Installation Flow (Updated Jan 2, 2026)

CRITICAL: Correct Flow

The Stripe checkout happens AFTER user authentication but BEFORE Shopify OAuth.

CORRECT SAAS FLOW

1. User opens:
<https://www.jnslabs.ai/api/qryx/install?shop=xxx>
 └ NOT the direct Shopify OAuth URL!
2. /api/qryx/install
 └ Saves shop to JWT session (30 min TTL)
 └ Checks if user is authenticated
 └ Redirects to /login or /products/qryx/setup
3. User logs in (if needed)
4. /products/qryx/setup
 └ Shows 3 pricing plans
 └ User selects a plan
5. POST /api/stripe/checkout
 └ Creates Stripe Checkout Session
 └ Links clerk_user_id to customer
 └ success_url = /api/qryx/start-oauth?shop=xxx
6. Stripe Checkout Page
 └ User enters payment details
 └ Payment processed
7. Webhook: checkout.session.completed
 └ Creates billing_subscriptions record
8. Redirect to /api/qryx/start-oauth
 └ NOW Shopify OAuth begins
9. Shopify OAuth → /api/qryx/callback
 └ Links shop to EXISTING user (not create new!)
10. Dashboard /app/qryx

API Endpoints

1. Create Checkout Session

Endpoint: POST /api/stripe/checkout

Request Body:

```
{
  "priceId": "price_1SjkkKBQ5QFS35pBxGKE0r50",
  "shop": "shopbotv3.myshopify.com"
}
```

Response:

```
{
  "sessionId": "cs_live_xxxx",
  "url": "https://checkout.stripe.com/c/pay/cs_live_xxxx"
}
```

2. Webhook Handler

Endpoint: POST /api/stripe/webhook

Headers Required:

```
stripe-signature: t=xxxx,v1=xxxx
```

Database Schema

Table: billing_subscriptions

```
CREATE TABLE billing_subscriptions (
  subscription_id UUID PRIMARY KEY DEFAULT uuid_generate_v4(),
  clerk_user_id TEXT NOT NULL REFERENCES users(clerk_user_id) ON DELETE CASCADE,
  stripe_subscription_id TEXT UNIQUE NOT NULL,
  stripe_customer_id TEXT NOT NULL,
  plan_name TEXT NOT NULL,
  status TEXT NOT NULL,
  current_period_start TIMESTAMPTZ NOT NULL,
  current_period_end TIMESTAMPTZ NOT NULL,
  cancel_at_period_end BOOLEAN DEFAULT FALSE,
  created_at TIMESTAMPTZ DEFAULT NOW(),
  updated_at TIMESTAMPTZ DEFAULT NOW()
);

CREATE INDEX idx_billing_clerk_user ON billing_subscriptions(clerk_user_id);
CREATE INDEX idx_billing_stripe_customer ON billing_subscriptions(stripe_customer_id);
CREATE INDEX idx_billing_status ON billing_subscriptions(status);
```

Recent Fixes (January 2, 2026)

Fix 1: OAuth Callback for SaaS Flow

Commit: 76f2a19

Problem: Old callback route created NEW Clerk users instead of using existing authenticated user.

Solution:

```
// OLD (wrong):
const clerkUser = await clerk.users.createUser({...});

// NEW (correct):
const clerkUser = await currentUser();
const jnxUser = await getUserByClerkId(clerkUser.id);
await upsertShopifyShop({
  org_id: jnxUser.org_id,
  clerk_user_id: clerkUser.id, // NEW: Added for billing
  ...
});
```

Fix 2: Async Cookies API

Commit: e77c40b

Problem: Next.js 14.2+ requires async `cookies()` API.

Solution:

```
// OLD (wrong):
cookies().set(COOKIE_NAME, token, {...});

// NEW (correct):
const cookieStore = await cookies();
cookieStore.set(COOKIE_NAME, token, {...});
```

Fix 3: clerk_user_id in shopify_shops

Commit: 76f2a19

Added: `clerk_user_id` field to `upsertShopifyShop()` for user-based billing tracking.

Testing

Test Cards (Stripe Test Mode)

- **Success:** 4242 4242 4242 4242
- **Decline:** 4000 0000 0000 0002
- **3D Secure:** 4000 0025 0000 3155

Test Flow

1. Navigate to `https://www.jnslabs.ai/api/qryx/install?shop=test.myshopify.com`
2. Login if not authenticated
3. Select any plan on `/products/qryx/setup`
4. Use test card 4242 4242 4242 4242
5. Verify webhook received in Stripe Dashboard
6. Check `billing_subscriptions` table in Supabase

Monitoring

Stripe Dashboard

- **URL:** <https://dashboard.stripe.com/>
- **Check:** Events → Webhooks → View details

Supabase Dashboard

- **URL:** [https://supabase.com/dashboard/project/\[PROJECT_ID\]](https://supabase.com/dashboard/project/[PROJECT_ID])
- **Table:** `billing_subscriptions`

Vercel Logs

- **URL:** <https://vercel.com/jnxxlabs/jnx-os/logs>
 - **Filter:** `/api/stripe/webhook`
-

Subscription Lifecycle States

Status Flow

```

[New User] → [active] → [past_due] → [cancelled]
              ↓
          [cancel_at_period_end = true]
              ↓
          [cancelled]
  
```

Status Definitions

- **active:** Subscription is active and paid
 - **past_due:** Payment failed, awaiting retry
 - **cancelled:** Subscription ended
 - **trialing:** Free trial period (future feature)
-

Checklist for Developers

- ☐ Stripe account created
 - ☐ API keys copied to Vercel env vars
 - ☐ Webhook endpoint configured in Stripe
 - ☐ Webhook secret added to Vercel env vars
 - ☐ All 5 events enabled in Stripe
 - ☐ Test mode verified with test cards
 - ☐ Database table `billing_subscriptions` exists
 - ☐ Foreign key to `users(clerk_user_id)` verified
 - ☐ Indexes created for performance
 - ☐ `SESSION_SECRET` generated
 - ☐ `SHOPIFY_APP_URL` set to <https://www.jnxxlabs.ai>
-

Document Version: 2.2

Last Updated: January 2, 2026

Status: Production Ready (with active debugging on install flow)