

Conversation Starter for Abacus AI Agent

Last Updated: 2024-12-29 (Post-Phase 5A Deployment)
Purpose: Critical context for AI agents working on JNX-OS / Qryx project

Project Overview

Project Name: JNX-OS v2 + Qryx (First Product)
Type: Enterprise SaaS Foundation + AI Shopify Sales Assistant
Tech Stack: Next.js 14, Clerk Auth, Supabase (PostgreSQL), Tailwind CSS, Gemini 2.0 Flash, Stripe
Repository: <https://github.com/JNXLabs/jnx-os>
Deployment: Vercel (<https://www.jnxlabs.ai>)
Status:  Phase 5A COMPLETE - SaaS Billing Infrastructure Live

Project Location

```
/home/ubuntu/jnx-os/
├── nextjs_space/           # Next.js application
│   ├── app/               # Next.js 14 App Router
│   ├── lib/               # Core libraries
│   │   ├── session/       # Shop session management
│   │   ├── stripe/        # Stripe billing integration
│   │   ├── db/            # Database helpers
│   │   └── auth/          # Clerk authentication
│   ├── components/        # UI components
│   ├── public/            # Static assets
│   └── .env               # ⚠️ PROTECTED - Never commit!
├── docs/                  # Architecture & guides
├── scripts/               # Deployment scripts
└── *.md                   # Documentation files
```

Working Directory: `/home/ubuntu/jnx-os/nextjs_space/`

Current Project Phase

 **Phase 5A: SaaS Billing & Installation Flow - COMPLETE!**

Completion Date: 2024-12-29
Status: Deployed to Production
Build: 0 errors, 31 routes
Checkpoint: “Phase 5A Complete - Stripe & Billing Ready”

What Was Built:

- 1. Shop Session Management** 
- File: `lib/session/shop-session.ts`

- JWT-based encrypted sessions (30-minute expiry)
- Preserves shop domain through Login → Payment → OAuth flow
- Secure cookie storage

2. Multi-Step Installation Flow

Shopify Install → Save Shop Session → Login/Signup → Pricing Selection → Stripe Payment → OAuth → Dashboard

- File: `app/api/qryx/install/route.ts` (updated)
- Redirects to login instead of direct OAuth
- Session preserved throughout flow

3. Pricing Page

- File: `app/products/qryx/setup/page.tsx`
- 3 Pricing Tiers:
- **Starter:** \$29/month (500 conversations)
- **Professional:** \$79/month (2,000 conversations) ★ Popular
- **Business:** \$199/month (5,000 conversations)
- Dark theme, responsive design
- Shop session validation

4. Stripe Integration

- Files:

- `lib/stripe/client.ts` - Configuration & utilities
- `app/api/stripe/checkout/route.ts` - Checkout session creation
- `app/api/stripe/webhook/route.ts` - Webhook event handler
- `lib/db/billing-helpers.ts` - Database operations

• Live Mode Configured:

- Publishable Key: `pk_live_51SexRf...`
- Secret Key: `sk_live_51SexRf...`
- Webhook Secret: `whsec_...`
- Endpoint: `https://www.jnslabs.ai/api/stripe/webhook`

• Webhook Events Handled:

-  `checkout.session.completed`
-  `customer.subscription.updated`
-  `customer.subscription.deleted`
-  `invoice.payment_succeeded`
-  `invoice.payment_failed`

5. Database Schema

- Table: `billing_subscriptions`
- Columns: `clerk_user_id`, `stripe_subscription_id`, `plan_id`, `status`, etc.
- Indexes for performance
- Auto-update trigger

6. OAuth After Payment

- File: `app/api/qryx/start-oauth/route.ts`
- Verifies active subscription before OAuth

- Retrieves shop session
- Triggers Shopify authorization

Next Steps (Phase 5B):

Priority 1: Testing 🛠️

- [] End-to-end flow with test shop
- [] All 3 pricing plans
- [] Webhook events verification
- [] Database records validation

Priority 2: Billing Dashboard 🇸🇪

- [] /app/billing page
- [] Current subscription display
- [] Usage statistics
- [] Plan upgrade/downgrade
- [] Cancel subscription

Priority 3: Admin Features 👑

- [] Subscription metrics
- [] All subscriptions view
- [] Status filtering
- [] CSV export



CRITICAL: Protected Files

NEVER modify these files without explicit user approval:

Phase 5A - Billing Infrastructure:

- `lib/session/shop-session.ts` - Session management
- `lib/stripe/client.ts` - Stripe configuration
- `lib/db/billing-helpers.ts` - Billing database ops
- `app/api/stripe/checkout/route.ts` - Checkout API
- `app/api/stripe/webhook/route.ts` - Webhook handler
- `app/api/qryx/start-oauth/route.ts` - OAuth trigger

Core Infrastructure:

- `lib/db/helpers.ts` - Enterprise-grade database operations
- `lib/db/schema-v2.sql` - Database schema
- `app/api/webhooks/clerk/route.ts` - Idempotent webhook handler
- `middleware.ts` - Authentication & RBAC
- `lib/auth/clerk-server.ts` - Server-side auth utilities
- `lib/auth/clerk-client.ts` - Client-side auth utilities

Security & Privacy:

- `lib/security/rate-limit.ts` - Rate limiting
- `lib/security/headers.ts` - Security headers
- `lib/privacy/*.ts` - GDPR compliance modules
- `lib/observability/logger.ts` - Structured logging

Configuration:

- `.env` - **HIGHLY SENSITIVE** - Never log or expose
- `.gitignore` - Git exclusion rules (updated for `.env` protection)
- `next.config.js` - Next.js configuration
- `tailwind.config.ts` - Design system configuration

Reference: `docs/BACKEND_CONTRACT.md` for full list and rules



Environment Variables Status



See `ENVIRONMENT_VARIABLES_STATUS.md` for **COMPLETE** details



Currently Configured & Deployed:

Clerk Authentication (Production Ready)

```
NEXT_PUBLIC_CLERK_PUBLISHABLE_KEY
CLERK_SECRET_KEY
CLERK_WEBHOOK_SECRET
(+ routing URLs)
```

Supabase Database (Production Ready)

```
NEXT_PUBLIC_SUPABASE_URL=https://yxikmojxbiihkpayndw.supabase.co
NEXT_PUBLIC_SUPABASE_ANON_KEY
SUPABASE_SERVICE_ROLE_KEY
```

Gemini AI (Production Ready)

```
GEMINI_API_KEY
```

Shopify API (Production Ready)

```
SHOPIFY_API_KEY
SHOPIFY_API_SECRET
SHOPIFY_APP_URL=https://www.jnxlabs.ai
SHOPIFY_SCOPES
```



Stripe Billing (Live Mode - Phase 5A)

```
STRIPE_SECRET_KEY=sk_live...
NEXT_PUBLIC_STRIPE_PUBLISHABLE_KEY=pk_live...
STRIPE_WEBHOOK_SECRET=whsec...

# Price IDs
STRIPE_PRICE_STARTER=price_1SjkkKBQ5QFS35pBxGKE0r50
STRIPE_PRICE_PROFESSIONAL=price_1SjkQTBQ5QFS35pBpWkdi5ws
STRIPE_PRICE_ENTERPRISE=price_1Sjkr4BQ5QFS35pBkhTJsxk2
```

Session Management (Phase 5A)

SESSION_SECRET=[32-byte base64 string]

All variables deployed to Vercel Production 

Database Status

Supabase Project:

- **URL:** `https://yxikmojxbiihkpayndw.supabase.co`
- **Status:**  Active and connected

Schema Status:

JNX-OS Base Tables (Deployed)

- `orgs` - Organizations
- `users` - User accounts
- `audit_logs` - Audit trail
- `entitlements` - Feature access
- `feature_flags` - Feature toggles
- `data_export_requests` - GDPR exports

Qryx Tables (Deployed 2024-12-28)

- `shopify_shops` - Shopify store integrations
- `qryx_chat_sessions` - Chat session tracking
- `qryx_chat_messages` - Individual messages
- `qryx_config` - Per-shop configuration
- `conversation_usage` - Usage tracking
- `qryx_product_cache` - Cached Shopify products
- `qryx_analytics_daily` - Pre-aggregated analytics

Billing Tables (Phase 5A - Deployed 2024-12-29)

- `billing_subscriptions` - Stripe subscriptions
- Columns: `id`, `clerk_user_id`, `stripe_subscription_id`, `plan_id`, `plan_name`, `status`, `current_period_start`, `current_period_end`, `cancel_at_period_end`, etc.
- Indexes: `clerk_user_id`, `stripe_subscription_id`, `status`, `org_id`, `stripe_customer_id`
- Trigger: Auto-update `updated_at` timestamp

All tables verified and functional 

Essential Documentation

Phase 5A Documentation (NEW):

- `PHASE5A_COMPLETION_SUMMARY.md` - **START HERE** - Complete technical summary
- `PHASE5A_QUICK_REFERENCE.md` - One-page quick reference
- `STRIPE_SETUP_GUIDE.md` - Step-by-step Stripe configuration

- `STRIPE_CONFIGURATION_STATUS.md` - Current Stripe status

Getting Started:

- `README.md` - Project overview
- `QUICKSTART.md` - 5-minute setup guide
- `SETUP.md` - Detailed setup instructions
- `ENVIRONMENT_VARIABLES_STATUS.md` - Complete env var status

Architecture & Design:

- `docs/ARCHITECTURE.md` - System architecture
- `docs/BACKEND_CONTRACT.md` - Development rules
- `docs/QRYX_SHOPIFY_ARCHITECTURE.md` - Qryx-specific architecture

Database:

- `lib/db/schema-v2.sql` - JNX-OS base schema
- `MIGRATION_QRYX_SHOPIFY.sql` - Qryx schema
- `MIGRATION_SIMPLE.sql` - Base migrations
- `CRITICAL_SCHEMA_RESTORE.md` - Schema verification

Product Documentation:

- `docs/QRYX_PRICING_STRATEGY.md` - Qryx pricing model
- `JNX_LEARNING_PLATFORM_DEVELOPER_QUICKSTART.md` - Product SDK guide

Compliance:

- `docs/GDPR_COMPLIANCE.md` - GDPR implementation
- `app/privacy/page.tsx` - Privacy policy
- `app/terms/page.tsx` - Terms of service



AI Agent Guidelines

DO:

- ☒ **Read** `PHASE5A_COMPLETION_SUMMARY.md` **first** for Phase 5A context
- ☒ Check `ENVIRONMENT_VARIABLES_STATUS.md` before asking about env vars
- ☒ Read `BACKEND_CONTRACT.md` before modifying core files
- ☒ Use `yarn` as package manager (NOT npm)
- ☒ Test locally before committing
- ☒ Follow JNX Dark design system
- ☒ Maintain GDPR compliance
- ☒ Use structured logging
- ☒ Implement idempotent operations
- ☒ Check file summaries in system context

DON'T:

- ☒ Modify Phase 5A billing files without approval
- ☒ Commit `.env` or secrets to Git
- ☒ Log sensitive data (API keys, Stripe secrets, user PII)

- ❌ Skip database migrations
- ❌ Use npm/npx (use yarn)
- ❌ Break existing authentication or billing flows
- ❌ Remove error handling or logging
- ❌ Assume env vars - verify first

Before Making Changes:

1. Read relevant documentation
2. Check if file is protected (especially Phase 5A files)
3. Understand current implementation
4. Test locally
5. Verify no breaking changes
6. Update documentation if needed

Quick Command Reference

Package Management:

```
yarn install      # Install dependencies
yarn add <package> # Add package
yarn remove <package> # Remove package
```

Development:

```
yarn dev          # Start dev server
yarn build         # Production build
yarn start        # Start production server
yarn lint         # Run ESLint
```

Database Testing:

```
node test-supabase.js # Test DB connection
node test-qryx-shop.js # Test Qryx tables
```

Git:

```
git status        # Check status
git add .         # Stage all (careful with .env!)
git commit -m "... " # Commit
git push origin main # Push to GitHub (triggers Vercel deployment)
```

Testing Checklist (Phase 5A)

End-to-End Flow:

```
[ ] 1. Visit: https://www.jnslabs.ai/api/qryx/install?shop=shopbotv3.myshopify.com
[ ] 2. Verify shop session saved
[ ] 3. Redirect to /login (if not authenticated)
[ ] 4. After login → /products/qryx/setup
[ ] 5. See 3 pricing plans (Starter, Pro, Business)
[ ] 6. Click "Subscribe Now" on any plan
[ ] 7. Stripe Checkout opens
[ ] 8. Enter test card: 4242 4242 4242 4242
[ ] 9. Complete payment
[ ] 10. Redirect to /api/qryx/start-oauth
[ ] 11. Shopify OAuth authorization
[ ] 12. Approve permissions
[ ] 13. Redirect to /app/qryx
[ ] 14. Dashboard shows "Connected"
```

Database Verification:

```
-- Check subscription created
SELECT
  clerk_user_id,
  plan_name,
  status,
  stripe_subscription_id,
  current_period_end
FROM billing_subscriptions
ORDER BY created_at DESC
LIMIT 5;
```

Stripe Verification:

```
1. Go to: https://dashboard.stripe.com/subscriptions
2. Find latest subscription
3. Verify status: Active
4. Check customer email matches user
5. Verify plan matches selection
```

Success Criteria

Phase 5A Complete When:

- [x] Shop session management implemented
- [x] Installation flow updated
- [x] Pricing page built
- [x] Stripe integration complete
- [x] Database schema deployed
- [x] Webhook handler functional
- [x] OAuth triggers after payment
- [x] All builds passing (0 errors)

- [x] Deployed to production
- [x] Documentation complete

Phase 5B Goals:

- [] End-to-end testing complete
- [] Billing dashboard built
- [] Subscription management UI
- [] Usage tracking active
- [] Plan upgrade/downgrade
- [] Error handling verified
- [] Email notifications
- [] Admin subscription tools

Current Status Summary

Build Status:

- ✓ TypeScript: 0 errors
- ✓ Next.js Build: Successful
- ✓ Routes: 31 generated
- ✓ Deployment: Live at www.jnxxlabs.ai
- ✓ Checkpoint: Saved

Integration Status:

- ✓ Clerk Authentication: Working
- ✓ Supabase Database: Connected
- ✓ Stripe Billing: Configured & Live
- ✓ Stripe Webhook: Active
- ✓ Shopify OAuth: Ready
- ✓ Gemini AI: Active

Phase Completion:

- ✓ Phase 1-4: Authentication, Database, Qryx Infrastructure
- ✓ Phase 5A: SaaS Billing & Installation Flow
-  Phase 5B: Testing, Billing Dashboard, Subscription Management

What to Do Next

If you're a new AI agent starting work:

1. **Read this document completely**
2. **Review** `PHASE5A_COMPLETION_SUMMARY.md` for technical details
3. **Check** `ENVIRONMENT_VARIABLES_STATUS.md` for env var status
4. **Understand the SaaS flow** (Install → Login → Payment → OAuth)

5. Ask user what they want to work on:

- Testing Phase 5A?
- Building Phase 5B features?
- Fixing bugs?
- Adding new features?

Common Next Steps:

- **"test"** → Help test the end-to-end flow
 - **"billing dashboard"** → Build `/app/billing` page
 - **"admin features"** → Add subscription management to admin
 - **"usage tracking"** → Implement conversation counting
 - **"email notifications"** → Set up payment success/failure emails
-

This document is your starting point. Read it carefully before beginning work on the project.

Last Updated: 2024-12-29 14:00 UTC

Maintained By: Abacus AI DeepAgent

Status: Phase 5A Complete  | Phase 5B Ready 

Next Review: After Phase 5B implementation