Generate visual snippets of imagery to support change validation

Check your budget, kill any "t2 instance"

Open the terminal and start a #4 instance

1/ Go to Process / Stratified Area Estimator - Design application

Load your map of interest (data/dd_map/dd_map_utm.tif) and follow the steps described below to generate a stratified random sampling over the map:

https://github.com/openforis/accuracy-assessment/blob/master/presentations/p_sae_design.pdf

The main output of the process is a CSV file containing the points coordinates with the class they belong to.

In the workshop example, it can be found there: "/data/dd_map/sae_design_dd_map_utm/"

2/ Open, save with a different name, modify as necessary and source() the *aa0_config.R* script

Open and source() *aa1_generate_ft_for_gee.R*

This script takes the point CSV file as an input, generates 2km boxes around each point, produces a grid for easy download of Landsat and Sentinel data inside GEE and exports them as KML. Once this is finished, download the whole sae_design folder to your

desktop.

3/ Open Google Drive (www.drive.google.com), create three Fusion Tables using the 3 KML produced earlier:

- pts_2km_boxes.kml

- download_area_grid_lsat.kml

- download_area_grid_stnl.kml

Once they are created, make the Fusion Tables public
(Tools/Publish/Change visibility)

Optimum download grids for Landsat and Sentinel 2 data

4/ Open the GEE script
https://code.earthengine.google.com/6349290af151862c244cac3bc
dc44318 , replace the fusion table IDs in the script and run.

pts_2km_boxes_uganda

Imported at Fri Aug 24 12:53:28 PDT 2018 from pts_2km_boxes.kml.
Add Attribution - Edited at 21:53

File Edit Tools Help   ☰ Rows 1 ▾   ⊞ Cards 1   ⦿ Map of geometry   +

Filter ▾   No filters applied

COPY FT ID

PASTE FT ID

In "Tasks", activate all the "Run" buttons

The process of getting the imagery will take some time, depending on the resources of the network. It can run even if you shut down your computer.

Once all the imagery is downloaded to your Drive, proceed to next step.

5/ In SEPAL, open the *auth_key.R* script, save it under **my_auth_key.R**, follow the link and get an authorization key. Replace the value in the my_auth_key.R script and source() the script.

Now you can open and source() the aa2_google_drive_to_desktop.R, which will run with the updated authorization token.

This will automatically transfer the files from Google Drive to your sepal environment.

6/ Open and source() the aa3_clip_time_series.R

This will generate snippets of the downloaded imagery for each sample.

You can tweak the display of snippets, size of the boxes, band combination.