```
JavaScript
   function sameParity(a,b) {
        return (a-b)\%2 == 0;
2
        };
   function boundedSameParity(a,b,c) {
        var ansOne;
5
       var ansTwo;
       var ansThree;
        console.log('We are checking if '+a.toString()+' is the same parity as '+b.toString());
        if ((a-b)\%2==0) {
            ansOne=1;
10
            console.log('we passed parity!');
11
        } else {
12
            ansOne=0;
13
            console.log('we failed parity!');
14
        }
        var upB = parseInt(c)+1;
16
        console.log('We are checking if '+a.toString()+' is less than '+c.toString()+' plus 1 io
        if (a<upB) {
            ansTwo=1;
            console.log('we passed upper bound!');
20
        } else {
            ansTwo=0;
22
            console.log('we failed upper bound!');
24
        var lowB = parseInt(b)-1;
25
        console.log('We are checking if '+a.toString()+' is greater than '+b.toString()+' minus
        if (a>lowB) {
27
            ansThree=1;
28
            console.log('we passed lower bound!');
29
        } else {
            ansThree=0;
31
        }
32
        return ( ansOne*ansTwo*ansThree );
33
```

**Problem 1** Consider the function  $f(x) = (-8x^{14}) + (-9x^{19}) + (4x^{12}) + (6x^{15})$ . What are the maximum number of relative extrema that f(x) could have? 18.

Feedback(attempt): Remember, you don't need to factor or graph the function, but you may need to simplify (combine like terms) the function to determine your answer. The answer is only asking for the maximum possible relative extrema, not how many local extrema the function actually has.

**Problem** 1.1 What is the minimum number relative extrema that f(x) could

Feedback(attempt): Remember that local extrema must come in pairs. To list all the possible number of local extrema, start with the maximum number, and then subtract two at a time to make the list. For example, if a polynomial has a maximum of 7 local extrema, then we can create the list of possible local extrema by subtracting 2 at a time, so there can only be 7, 5, 3, or 1 local extrema. Thus the minimum local extrema in this case would be 1.
<b>Problem 1.1.1</b> Enter any number that could be a valid number of <b>possible</b> local extrema for $f(x)$ . \PH@Command $18$
<b>Feedback(attempt):</b> This should allow you an opportunity to make sure you understand what possible numbers of relative extrema $f(x)$ can have. This should dynamically accept any valid answer, but it is still very experimental.
<b>Problem 2</b> Consider the function $f(x) = (-9x^7) + (-2x^{17}) + (5x^{20}) + (-x^6)$ . What are the maximum number of relative extrema that $f(x)$ could have? 19.
Feedback(attempt): Remember, you don't need to factor or graph the function, but you may need to simplify (combine like terms) the function to determine your answer. The answer is only asking for the maximum possible relative extrema, not how many local extrema the function actually has.
<b>Problem 2.1</b> What is the minimum number relative extrema that $f(x)$ could possibly have? $\boxed{1}$
Feedback(attempt): Remember that local extrema must come in pairs. To list all the possible number of local extrema, start with the maximum number, and then

possibly have? 0

**Feedback(attempt):** This should allow you an opportunity to make sure you understand what possible numbers of relative extrema f(x) can have. This should dynamically accept any valid answer, but it is still very experimental.

Problem 2.1.1 Enter any number that could be a valid number of possible

subtract two at a time to make the list. For example, if a polynomial has a maximum of 7 local extrema, then we can create the list of possible local extrema by subtracting 2 at a time, so there can only be 7, 5, 3, or 1 local extrema. Thus the minimum local

extrema in this case would be 1.

local extrema for f(x). \PH@Command | 19|

What are the maximum number of relative extrema that $f(x)$ could have? 19.  Feedback(attempt): Remember, you don't need to factor or graph the function, but you may need to simplify (combine like terms) the function to determine your answer. The answer is only asking for the maximum possible relative extrema, not how many local extrema the function actually has.  Problem 3.1 What is the minimum number relative extrema that $f(x)$ could possibly have? 1  Feedback(attempt): Remember that local extrema must come in pairs. To list all the possible number of local extrema, start with the maximum number, and then subtract two at a time to make the list. For example, if a polynomial has a maximum of 7 local extrema, then we can create the list of possible local extrema by subtracting 2 at a time, so there can only be 7, 5, 3, or 1 local extrema. Thus the minimum local extrema in this case would be 1.  Problem 3.1.1 Enter any number that could be a valid number of possible local extrema for $f(x)$ . \PH@Command 19  Feedback(attempt): This should allow you an opportunity to make sure you understand what possible numbers of relative extrema $f(x)$ can have. This should dy-	Factor Coefficients Method	Practice 1
Feedback(attempt): Remember, you don't need to factor or graph the function, but you may need to simplify (combine like terms) the function to determine your answer. The answer is only asking for the maximum possible relative extrema, not how many local extrema the function actually has.  Problem 3.1 What is the minimum number relative extrema that $f(x)$ could possibly have?   Feedback(attempt): Remember that local extrema must come in pairs. To list all the possible number of local extrema, start with the maximum number, and then subtract two at a time to make the list. For example, if a polynomial has a maximum of 7 local extrema, then we can create the list of possible local extrema by subtracting 2 at a time, so there can only be 7, 5, 3, or 1 local extrema. Thus the minimum local extrema in this case would be 1.  Problem 3.1.1 Enter any number that could be a valid number of possible local extrema for $f(x)$ . \PH@Command 19  Feedback(attempt): This should allow you an opportunity to make sure you understand what possible numbers of relative extrema $f(x)$ can have. This should dy-		
Feedback(attempt): Remember, you don't need to factor or graph the function, but you may need to simplify (combine like terms) the function to determine your answer. The answer is only asking for the maximum possible relative extrema, not how many local extrema the function actually has.  Problem 3.1 What is the minimum number relative extrema that $f(x)$ could possibly have?   Feedback(attempt): Remember that local extrema must come in pairs. To list all the possible number of local extrema, start with the maximum number, and then subtract two at a time to make the list. For example, if a polynomial has a maximum of 7 local extrema, then we can create the list of possible local extrema by subtracting 2 at a time, so there can only be 7, 5, 3, or 1 local extrema. Thus the minimum local extrema in this case would be 1.  Problem 3.1.1 Enter any number that could be a valid number of possible local extrema for $f(x)$ . \PH@Command 19  Feedback(attempt): This should allow you an opportunity to make sure you understand what possible numbers of relative extrema $f(x)$ can have. This should dy-		
but you may need to simplify (combine like terms) the function to determine your answer. The answer is only asking for the maximum <b>possible</b> relative extrema, not how many local extrema the function actually has. <b>Problem 3.1</b> What is the minimum number relative extrema that $f(x)$ could possibly have?   Feedback(attempt): Remember that local extrema must come in pairs. To list all the possible number of local extrema, start with the maximum number, and then subtract two at a time to make the list. For example, if a polynomial has a maximum of 7 local extrema, then we can create the list of possible local extrema by subtracting 2 at a time, so there can only be 7, 5, 3, or 1 local extrema. Thus the minimum local extrema in this case would be 1. <b>Problem 3.1.1</b> Enter any number that could be a valid number of <b>possible</b> local extrema for $f(x)$ . \PH@Command 19  Feedback(attempt): This should allow you an opportunity to make sure you understand what possible numbers of relative extrema $f(x)$ can have. This should dy-	<b>Problem 3</b> Consider the function $f(x) = (5x^{17}) + (-x^{11}) + (-4x^{20})$ What are the maximum number of relative extrema that $f(x)$ could be	$(-8x^{11}) + (-8x^{11})$ nave? 19.
Feedback(attempt): Remember that local extrema must come in pairs. To list all the possible number of local extrema, start with the maximum number, and then subtract two at a time to make the list. For example, if a polynomial has a maximum of 7 local extrema, then we can create the list of possible local extrema by subtracting 2 at a time, so there can only be 7, 5, 3, or 1 local extrema. Thus the minimum local extrema in this case would be 1.  Problem 3.1.1 Enter any number that could be a valid number of possible local extrema for $f(x)$ . \PH@Command 19  Feedback(attempt): This should allow you an opportunity to make sure you understand what possible numbers of relative extrema $f(x)$ can have. This should dy-	but you may need to simplify (combine like terms) the function to det	ermine your
all the possible number of local extrema, start with the maximum number, and then subtract two at a time to make the list. For example, if a polynomial has a maximum of 7 local extrema, then we can create the list of possible local extrema by subtracting 2 at a time, so there can only be 7, 5, 3, or 1 local extrema. Thus the minimum local extrema in this case would be 1.  Problem 3.1.1 Enter any number that could be a valid number of possible local extrema for $f(x)$ . \PH@Command 19  Feedback(attempt): This should allow you an opportunity to make sure you understand what possible numbers of relative extrema $f(x)$ can have. This should dy-	<b>Problem 3.1</b> What is the minimum number relative extrema that possibly have? 1	f(x) could
local extrema for $f(x)$ . \PH@Command 19  Feedback(attempt): This should allow you an opportunity to make sure you understand what possible numbers of relative extrema $f(x)$ can have. This should dy-	all the possible number of local extrema, start with the maximum number subtract two at a time to make the list. For example, if a polynomial has of 7 local extrema, then we can create the list of possible local extrema by 2 at a time, so there can only be 7, 5, 3, or 1 local extrema. Thus the mix	er, and then a maximum subtracting
derstand what possible numbers of relative extrema $f(x)$ can have. This should dy-		of <b>possible</b>