Cheat Sheet

Floor Division Operator

To find integral part of quotient we use Floor Division Operator `//`

- `a // b`

Code


PYTHON

```
print(3 // 2)
```

Output

```
1
```

Compound Assignment Operators



Different compound assignment operators are `+=` , `-=` , `*=` , `/=` , `%=`

`a += 1` is similar to `a = a + 1`

Code

PYTHON

```
a = 10
a -= 2
print(a)
```

Output

```
8
```

Examples of Compound Assignment Operators

Code

PYTHON

```
a = 10
a /= 2
print(a)
```

Output

```
5.0
```

Code

```python
a = 10
a %= 2
print(a)
```

Output

```
0
```

Escape Characters

Single And Double Quotes

String is a sequence of characters enclosed within quotes.

Code

```python
sport = 'Cricket'
print(type(sport))
sport = "Cricket"
print(type(sport))
```

Output

```
<class 'str'>
<class 'str'>
```

Code

```python
is_same = ('Cricket' ==  "Cricket")
print(is_same)
```

Output

```
True
```

Escape Characters

Escape Characters are a sequence of characters in a string that are interpreted differently by the computer.
We use escape characters to insert characters that are illegal in a string.

Code

```python
print("Hello\nWorld")
```

Output

```
Hello
World
```

We got a new line by adding `\n` escape character.

Examples - Escape Characters

Escape Characters start with a backslash in Python

- `\n` → New Line
- `\t` → Tab Space
- `\\` → Backslash
- `\'` → Single Quote
- `\"` → Double Quote

Passing Strings With Quotes

The backslash `\` character here tells Python not to consider the next character as the ending of the string.

Code

PYTHON

```python
print('It\'s Python')
```

Output

```
It's Python
```

Code

PYTHON

```python
print("It's Python")
```

Output

```
It's Python
```

Submit Feedback

MARKED AS COMPLETE

PROCEED TO NEXT >