1. HTML Elements

1.1 Image Element

The HTML `img` element defines an Image.

Syntax: `<img src="IMAGE_URL"/>`

1.2 The `src` Attribute

The HTML Attribute `src` specifies the **path** (URL) of the Image.

HTML

```
<img
  src="https://d2clawv67efefq.cloudfront.net/ccbp-static-website/tajmahal-img.pr
/>
/>
```

1.3 How to get the path (URL) of an Image?

One of the ways to get the path (URL) of an Image from the internet.

- Open the Google Image search page: Go to **https://images.google.com/** in your Web browser. This will open the Google search page for images.
- Enter an image you want to search for: Type a word or phrase into the text box in the middle of the page.
- Click the *Search icon*: It's to the right of the text box. Doing so will search Google for images related to your search.
- Find your image: Scroll through the results until you find one which matches your needs.
- Open the image in a new tab: Click the *Open image in new tab*.
- Copy the image's URL: Copy the entire URL of the image from the address bar of the Web browser.
- Paste this URL in the HTML `src` Attribute of an HTML `img` element.

1.4 How to apply Height and Width to an Image?

We can provide multiple HTML Attributes to the HTML `img` element. The HTML `src` and `class` Attributes are provided in the HTML `img` element given below.

HTML

```html
<img
  src="https://d2clawv67efefq.cloudfront.net/ccbp-static-website/tajmahal-img.pr
  class="image"
/>
```

CSS

```css
.image {
  width: 80px;
  height: 100px;
}
```

Code | Output

HTML | CSS | JAVASCRIPT

```
<!DOCTYPE html>
<html>
 <head>
    <link rel="stylesheet" href="https://stackpath.bootstrapcdn.com/bootstrap/4.5.2/c
    <script src="https://code.jquery.com/jquery-3.5.1.slim.min.js" integrity="sha384-
    <script src="https://cdn.jsdelivr.net/npm/popper.js@1.16.1/dist/umd/popper.min.js
    <script src="https://stackpath.bootstrapcdn.com/bootstrap/4.5.2/js/bootstrap.min.
  </head>
  <body>
    <img
      src="https://d2clawv67efefq.cloudfront.net/ccbp-static-website/tajmahal-img.png
      class="image"
```

Run Code

Question 1 of 3

Which HTML element defines an **image**?

- p
- h1
- img
- div

Show Answer Submit

2. Void Elements

The HTML elements that only have a start tag and do not contain content or end tag are called as **Void Elements**.

Syntax: `<tag />`

For example, the HTML `img` element.

```
<img src="https://d2clawv67efefq.cloudfront.net/ccbp-static-website/tajmahal-img.png"/>
```

Question 1 of 2

The **image element** in HTML is a **void element** and does not have closing tag

- True
- False

Show Answer Submit

3. CSS Box Model Properties

3.1 Margin

The CSS `margin` property specifies the space around the four sides of an HTML element.

CSS

```
.card-container {
  margin: 10px;
}
```

You can use the below CSS properties to apply a margin on the specific side of an HTML element,

Property
margin-top
margin-right
margin-bottom

margin-left

Try out changing the different values of the CSS Margin Property and see the output in the below Code Playground.

Code | Output

HTML | CSS | JAVASCRIPT

```
<!DOCTYPE html>
<html>
 <head>
    <link rel="stylesheet" href="https://stackpath.bootstrapcdn.com/bootstrap/4.5.2/c
    <script src="https://code.jquery.com/jquery-3.5.1.slim.min.js" integrity="sha384-
    <script src="https://cdn.jsdelivr.net/npm/popper.js@1.16.1/dist/umd/popper.min.js
    <script src="https://stackpath.bootstrapcdn.com/bootstrap/4.5.2/js/bootstrap.min.
 </head>
  <body>
    <div class="bg-container">
      <div class="card-container">
        <h1>Creating Workforce for 4.0</h1>
```

Run Code

Submit Feedback

Completed

Ask doubt

Notes | Discussions

Notes

+ NEW NOTE

B I U S

Title
Take a Note

Step1:

- Adding a Background Container
- Adding a Favourite Places Section Heading

- Adding Padding to the Favourite Places Section Heading
- Adding a Favourite Place Card