

Ideation Phase

Empathize & Discover – Script-Controlled ACL

Date	03 October 2026
Team ID	To be provided
Project Name	Script-Controlled ACL – Restrict Record Access Based on Field Value
Maximum Marks	4 Marks

Empathy Map Canvas:


An empathy map for this project captures the needs of the people who configure, use, test, and govern ServiceNow record-level access.

It is a useful tool to help teams better understand their users.

Creating an effective solution requires understanding the true problem and the person who is experiencing it. The exercise of creating the map helps participants consider things from the user's perspective along with his or her goals and challenges.

Project-specific empathy map: ServiceNow ACL stakeholders

Empathy Map




<http://creativecommons.org/licenses/by-sa/4.0/>

Business Model **Toolbox**

Reference: <https://www.mural.co/templates/empathy-map-canvas>

Primary personas: Administrator, EEE User, Data Owner, and Tester. Project objects: u_institution_details; roles bb1, bb2, bb3, and bb4; Branch values ECE, EEE, and CSE.



Stakeholder observations

Says: "Only EEE users should see EEE records." "Administrators need full access."
"Create, edit, and delete must be controlled separately."

Thinks: Which users can see each Branch? Will a direct URL bypass the list filter? Are role assignments and ACL scripts correct?

Does: Creates users and roles, configures u_institution_details, assigns bb1–bb4, creates ECE/EEE/CSE records, impersonates users, and reviews ACL results.

Feels: Administrator: accountable and cautious. EEE User: expects clear access. Data Owner: protective of sensitive information. Tester: focused on repeatable evidence and defects.

Pains: Accidental over-permission, unclear denial behavior, role drift, incomplete test data, inconsistent list/form behavior, and destructive tests without disposable records.

Gains: Predictable EEE-only visibility, clear operation permissions, reliable admin override, auditable configuration, reusable test cases, and confidence in least privilege.

Needs: A role matrix, Branch-aware Read ACL, separate Create/Write/Delete ACLs, safe test records, evidence capture, and periodic access review.

Opportunities: Automate ServiceNow ATF regression, add audit dashboards, improve denial messages, formalize role governance, and monitor denied requests.