

Project Design Phase-II Data Flow Diagram & User Stories

Date	03 October 2026
Team ID	To be provided
Project Name	Script-Controlled ACL – Restrict Record Access Based on Field Value
Maximum Marks	4 Marks


Data Flow Diagrams:

A logical DFD for this project shows how a ServiceNow user request flows through identity and role evaluation, ACL decision logic, and the protected u_institution_details records. The Branch value and requested operation determine whether data or an action is allowed.

Project DFD (logical view)([Simplified](#))


Example: DFD Level 0 (Industry Standard)

Flow



1. User configures credentials for the Watson Natural Language Understanding service and starts the app.
2. User selects data file to process and load.
3. Apache Tika extracts text from the data file.
4. Extracted text is passed to Watson NLU for enrichment.
5. Enriched data is visualized in the UI using the D3.js library.

Logical DFD - Script-Controlled ACL



Allow or deny response returns to list/form/portal; denied users receive no protected record dat

User Stories

Use the below template to list all the user stories for the product.

User Type	Functional Requirement (Epic)	User Story Number	User Story / Task	Acceptance criteria	Priority	Release
EEE User	Read Access	USN-1	As an EEE user with bb1, I can view institution records where Branch is EEE.	Only EEE records are visible; ECE/CSE records are not exposed.	High	Sprint-1
Unauthorised User	Read Access	USN-2	As a user without bb1, I cannot view protected institution records.	List and direct record access are denied.	High	Sprint-1
Administrator	Read Access	USN-3	As an administrator, I can view institution records for ECE, EEE, and CSE.	Admin can read all branches regardless of Branch value.	High	Sprint-1
Role Manager	User and Role Setup	USN-4	As an administrator, I can create EEE User and roles bb1–bb4 and assign roles.	Users and roles exist and assignments are auditable.	High	Sprint-1
Administrator	Table and Data	USN-5	As an administrator, I can create u_institution_details and populate representative Branch records.	Fields and ECE/EEE/CSE choices are available.	High	Sprint-1
bb2 User	Create Access	USN-6	As a user with bb2, I can create a new institution record.	New action and submission succeed for an authorized user.	High	Sprint-2
bb3 User	Write Access	USN-7	As a user with bb3, I can edit an authorized institution record.	Changes save successfully; users without bb3 are denied.	High	Sprint-2
bb4 User	Delete Access	USN-8	As a user with bb4, I can delete a designated disposable record.	Deletion succeeds only for bb4; unauthorized deletion is denied.	High	Sprint-2
Tester	Validation	USN-9	As a tester, I can execute positive and negative ACL cases and capture evidence.	Results include role, Branch, operation, expected/actual outcome, and evidence.	Medium	Sprint-2
Project Owner	Reporting	USN-10	As a project owner, I can review security, performance, and known-issue results.	Documentation and sign-off inputs are complete.	Medium	Sprint-3

