

Project Design Phase-II

Solution Requirements (Functional & Non-functional)

Date	03 October 2026
Team ID	To be provided
Project Name	Script-Controlled ACL – Restrict Record Access Based on Field Value
Maximum Marks	4 Marks

Functional Requirements:

Following are the functional requirements of the proposed solution.

FR No.	Functional Requirement (Epic)	Sub Requirement (Story / Sub-Task)
FR-1	User and Role Setup	Create EEE User; create custom roles bb1, bb2, bb3, and bb4; assign roles to the test user.
FR-2	Institution Details Table	Create u_institution_details with auto-number roll number, User references, Branch choice (ECE/EEE/CSE), Email, Phone Number, and Description.
FR-3	Read Access Control	Allow administrators to read all records; allow bb1 users to read EEE records; deny read access to users without the required role/condition.
FR-4	Record Lifecycle Access	Require bb2 for Create, bb3 for Write, and bb4 for Delete. Verify behavior in list, form, and supported Service Portal views.
FR-5	Validation and Evidence	Create representative ECE/EEE/CSE records and capture positive/negative access results, ACL configuration evidence, and defects.
FR-6	Audit and Recovery	Use disposable records for destructive tests and retain test evidence; never store passwords in project documentation.

Non-functional Requirements:

Following are the non-functional requirements of the proposed solution.

FR No.	Non-Functional Requirement	Description
NFR-1	Usability	Authorized users should see clear list/form behavior, available actions, and understandable access-denied responses.
NFR-2	Security	Enforce least privilege using ServiceNow roles, Branch data condition, advanced ACL script, and operation-specific ACLs.
NFR-3	Reliability	ACL decisions must remain consistent across repeated requests and role/Branch combinations without bypasses or partial writes.
NFR-4	Performance	List/form ACL evaluation should remain within an agreed

		response target under representative data volume and controlled concurrency.
NFR-5	Availability	Use the ServiceNow instance's supported availability, authentication, logging, and recovery controls; ACL changes require authorized administration.
NFR-6	Scalability	The table and ACL design should support increasing records and users; use indexed/appropriate fields and regression tests as policies expand.